soft sector

The Monthly Magazine For Sanyo MBC-550 and 555 Users

NEW ARRIVAL
The MBC-775 Portable



Inside:

A Database Manager

A Stock Forecaster

A Graphics Editor

PLUS: Reviews of the latest software and technical Q & A's



TIME BANDIT

TIME BANDIT: The Adventure Arcade

By Bill Dunlevy and Harry Lafnear

Fast-paced arcade action, full scale adventures, and endless variety is now only a disk's reach from your Sanyo.

Use the Timegates to explore the Worlds of Time, the medieval halls of FANTASY WORLD, the great frontiers of WEST WORLD, and the bizarre future in PACE WORLD. Choose from more than TWENTY exciting adventuring areas throughout the game, with over 15 levels in each. THAT'S OVER 300 VARIATIONS IN ALL!

TIME BANDIT'S dual-player mode lets two players in on all the action at the same time—on their OWN playing windows!

Ultra-crisp Supergraphics, colorful scrolling landscapes, full animation of a multitude of characters, amazing sound, and literally HUNDREDS OF SCREENS it's all here! The conquest of Time and Space awaits you

128K Sanyo 550/555 required.

\$39.95









Thunder Chief



Major Motion

Million.

576 S. Telegraph Road Pontiac, Michigan 48053 Orders & Info: (313) 334-5700

ARMSTRONG-

MBC 550

\$699.00

- 16-bit 8088 CPU
- 128KB RAM, EXPANDABLE TO 256KB
- 160KB mini floppy disk drive
- MS-DOS operating system
- Detachable keyboard
- Interface for Centronics parallel printer
- Color graphics

Plus

Wordstar Calcstar Easy Writer I

MBC 550-2

\$799.00

 Same as above except with 360KB disk drive

MBC 550-4

\$899.00

 Same as above except with 800KB disk drive



High-Performance Computer System

SANYO OPTIONS:

CRT 30, 12" Green \$109.00 CRT 36, 12" Green, High Res 159.00
CRT 70, 13" RGB Color 579.00
Add on 160K drive 129.00
Add on 160K drive w/software299.00
Add on 360K drive 149.00
Add on 360K drive w/software399.00
Add on 800K drive 189.00
Add on 800K drive w/software449.00
Add on RS232 Port79.00
Add on 128K memory99.00
Software
External 10MB hard diskSpecial

MBC 555

\$999.00

- 16-bit 8088 CPU
- 128KB RAM, expandable to 256KB
- Two 160KB mini floppy disk drives
- MS-DOS operating system
- Detachable keyboard
- Interface for Centronics parallel printer
- Color graphics

Plus

Wordstar Calcstar Easy Writer I

and your choice of:

Infostar Spellstar OR Mailmerge

Easy Writer II Easy Planner Easy Mailer Easy Filer

EASY PAC

MBC 555-2

\$1099.00

· Same as above except with two 360KB disk drives

MBC 555-4

\$1299.00

· Same as above except with two 800KB disk drives

\$139.00



13" RGB **COLOR MONITOR**

- Manufactured by NEC
- Model JC1401D
- 400 x 240 Resolution
- 8 Color Display

MBC 550-XT

- 16-bit 8088 CPU
- 128KB RAM, EXPANDABLE TO 256KB 1360K DRIVE + 1 10 MB HARD DISK
- MS-DOS operating system
- Detachable keyboard
- Interface for Centronics parallel printer
- Color graphics

PLUS

Wordstar

Calcstar

Easy Writer 1

\$19.95



POWER SUPPLY

CENTRONICS Model 152

- Bi-Directional, Logic Seeking
 @ 10 CPI
- Cassette Ribbon

- 96 Character ASCII
 Full One-Line Buffer

- Auto Line Feed

FORMS HANDLING

- Data Terminal Ready • 768 Character Buffer

PRINTERS	1340
OKIDATA	1351
ML82A \$309	
ML83A \$539	
ML84 \$799	2000
ML92 \$429	2010
	2015
ML93 \$649	2030
PM2350 \$1799	2050
PM2410 \$1999	3510
EPSON	3515
RX80 \$239	3530
RX80FT \$349	3550
RX100 \$549	7710
FX80 \$489	7715
FX100 \$699	7730
JX80 7 COLOR \$699	Age of the Control
SILVER-REED	
EXP400 \$299	12" GREE
EXP500\$399	12" AMBI
EXP550 \$439	A COLUMN TO SERVICE AND ADDRESS OF THE PARTY
EXP770 \$899	
LAT 170	RGB III .
PANASONIC	
	ZVM 122
KXP1090 \$259	71/14 100

QUME LETTERPRO 20 ... SPRINT 11/40 . SPRINT 11/50 .

TOSHIBA

NEC MONITORS TAXAN \$479 ZENITH

COMREX

UNINTERUPTABLE

- Approx. 2 Hours Battery Time on Sanyo MBC
- New in Factory Sealed Carton



- Serial (Asynchronous RS-232),
 7-bit
- ASCII with odd or even parity, 8-bit
 ASCII with no parity, Protocol with
 X-on/X-off, Reverse Channel or

Rechargeable

\$795 \$1795 13" COMPOSITE



- STANDARD FEATURES

 150 CPS @ 10 CPI

 5, 8, 18, 10, 16.36 CPI

 9x7 Dot Matrix

 - Adjustable Tractors
 Paper Empty Detection
 Variable Top of Form
 - Self-Test RS-232 Interface

· Weight: 28.9 lbs.

Copy: Original plus 4 copies
Fan Fold: 4" to 15" wide

OPERATOR CONTROLS/ INDICATORS

- · Power on/off switch
- Select switch
 Top of form switch
- Variable forms length switch
 Auto line feed switch
 Select light
- Paper empty light
 Power light

COLOR 13" RGB COLOR 14" RBG COLOR HIGH RES \$129 \$149 \$179 SANYO CRT 30 \$109 **CRT 36** MODEMS ANCHOR Volksmodem 1200 Baud DISK DRIVES TEAC ZVM 123 ZVM 131 ZVM 134 ZVM 135 \$129 FD55B FD55F 10 MB Hard Disk INTERNAL SPECIAL 10 MB Hard Disk 12" GREEN 12" AMBER

*Mastercard & Visa (Add 3%)

*Prices and availability subject to change without notice





1407 Downtown Blvd. Raleigh, N. C. 27603

(919) 832-3479

soft sector

The Monthly Magazine for Sanyo MBC-550 and 555 Users

Vol. I, Issue 6

January 1985

Editor and Publisher Lawrence C. Falk

Managing Editor Kevin Nickols Copy Editor Belinda Kirby **Technical Editor** Danny Humphress Submissions Editor Jutta Kapfhammer New Products/Reviews Editor Monica Dorth Editorial Associate Tamara Solley Consulting Editors Gordon Monnier, Courtney Noe Contributing Editors Fred Blechman, Michael W. Ecker, Ph.D., Tim Purves, Brian M. Stone, Charlotte A. Stone Editorial Assistants Jody Doyle, Wendy Falk, Debbie Hartley, Suzanne Benish Kurowsky, Lynn Miller, Shirley Morgan

Art Director Neal C. Lauron Design Staff Jerry McKiernan, Kevin Quiggins

Advertising Coordinator Doris Taylor (502) 228-4492 Advertising Assistant Debbie Baxter

Technical Assistant Ed Ellers

FPSS, Ag. Publishing Enterprises, Inc. President

Lawrence C. Falk Editorial Director James E. Reed Creative Director Sally Gellhaus

General Manager Patricia H. Hirsch **Assistant General Manager for Finance** Donna Shuck

Bookkeeper Diane Moore **Advertising Accounts Bev Taylor Dealer Accounts** Judy Quashnock **Administrative Assistant To The Publisher**

Marianne Booth

Director of Fulfillment Services Bonnie Shepard

Assistant Customer Service Manager Sandy Apple Customer Service Representatives
Deidra Henry, Monica Wheat
Word Processor Manager Lynda Wilson

Research Assistants Laurie Falk, Judi Hutchinson Debbie Leake, Loretta Varda **Dispatch** Janice Eastburn

Production Assistant Melba Smith

SOFT SECTOR — The Monthly Magazine for Sanyo MBC-550 and 555 Users (ISSN 8755-7460) is published every month of the year by FPSS, Ag. Publishing Enterprises, Inc., 9529 U.S. Highway 42, P.O. Box 385, Prospect, KY, 40059. Phone (502) 228-4492. SOFT SECTOR — The Monthly Magazine for Sanyo MBC-550 and 555 Users and the SOFT SECTOR logotypes are trademarks of FPSS, Ag. Second class postage pending at Prospect, KY and additional offices. POSTMASTER: Send address changes to SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. Forwarding Postage Guaranteed.

Entire contents copyright © 1984, by FPSS, Ag. SOFT SECTOR — The Monthly Magazine for Sanyo MBC-550 and 555 Users is intended for the private use and pleasure of its subscribers and purchasers and reproduction by any means is prohibited. Use of information herein is for the single end use of purchasers and any other use is expressly prohibited. All programs herein are distributed in an "as is" basis, without warranty of any kind whatsoever.

Sanyo MBC-550 and 555 are registered © trademarks of the Sanyo Business Systems Corp.

Subscriptions to SOFT SECTOR — The Monthly Magazine for Sanyo MBC-550 and 555 Users are \$28 per year in the United States. Canadian rates are U.S. \$35. Surface mail to other countries is U.S. \$64, air mail U.S. \$85. All subscriptions begin with the next available issue.

Payment accepted by VISA, MasterCard, American Express, Cash, Check or Money Order in United States currency only.

For Soft Sector Advertising and Marketing office information, see Page 94.

FEATURES

Does Anybody Really Know	
What Day It Is?/Dr. Michael W. Ecker	8
Leap years, day from date,	
and a cursory glance at Boolean algebra	
Database Manager/John M. Lesher	16
A program to organize all the information you've gathered	
Mastering MS-DOS/Danny Humphress	24
Delving further and further into EDLIN	
Taking Stock In The Market/Randolph Mateer	30
A program that just <i>might</i> triple your extra money	
BASIC Training/Fred Blechman	46
More procedures for text formatting	
Sketch-It Version 2 —	
Expanding The Window/Dan Webber	56
A graphics editor that will amaze and astound	
Sanyo's MBC-775 Portable — The Newest	
Member Of the Family/Charlotte and Brian Stone	88
An introductory look at Sanyo's new MS-DOS machine	

DEPARTMENTS

94
20
54
14
86
6
93
84
82
73
94

REVIEWS

Character Generator	77
CPeMulator	76
MI-Key	70
Postmaster II	
Sanyo Direct Transfer	70
TLS	75

Cover photo copyright® 1984 by Cindy Pinkston

Sanyo users get a NEW software deal . . .

NOW, Your Sanyo can Write Programs for You

Your computer is fantastically fast...once it knows what to do. You probably realize that a computer is the combination of hardware and software, working together smoothly, to give you what you want. Either one alone is useless. Software is really the key...the "mind" of a computer system. Every project or task you want to do requires a new specific software application to make your computer behave exactly the way you desire.

Of course you may be able to "force fit" your application into some existing canned package you have, but to really be flexible you need a separate program for your

special purpose.

Until now, that meant you were forced to pay money for application software off the shelf, or if you could afford it, have it custom written for you, or if you were qualified, do it yourself...spending endless hours figuring it out and writing it. Now, your computer can write individual application programs for you. These programs are each separate, unique software programs that run in the standard BASIC on your computer.

Programs Without Programming

ICR FutureSoft has released the NEW and improved version of automatic program writers called QUIKPRO+II. It is a program that actually writes separate BASIC Programs for you...to do exactly what you want to do. And it's simple and easy to use...you create a new program in minutes instead of hours.

You can quickly generate a new program when you want it. You can generate thousands of different unique programs, each one standing alone as a complete program that runs in BASIC. Best of all, you do not have to be a programmer to use it. The QUIK-PRO+II software becomes your personal programmer, waiting to do your work for you any time of day or night you choose to use it.

The All-In-One Program

The custom programs you can generate from the new QUIK-PRO+II will let you perform Personal Filing, Fast Data Retrieval, including Changes, Deletions and Searches. You can selectively Print Custom Letters, all kinds of forms (if you have a printer). This new feature is called Free Form Reporting. You can even include calculations in the programs you create. QUIKPRO+II is perfect for creating inventory programs. You can use QUIKPRO+II to prepare letters and selectively address the letters to only certain people. And of course you can SORT your reports so that they print out information in the order that you want it, or print out only certain information. In fact, you can actually use QUIKPRO+II to create an easy to use Data management program or a simple spread sheet. You can do all of this and more with this All in One program...and the best part is that you need no BASIC programming experience.

How Does It Work?

You can do it simply by answering easy questions that appear on your screen. You won't have to learn any Computer commands or special Programming Languages. Instantly the QUIKPRO+II software instructs the computer to write efficient error free, BASIC Programs and puts the Programs right onto your own disk, ready for you to use.

The resulting custom program is truly a separate BASIC program. You can list it. You can modify it. You can customize it to your own liking. You can actually see what makes it tick

User Proven and Widely Used

QUIKPRO Software is used worldwide in thousands of sites by executives, schools, small businesses, universities and major companies like: Johns Hopkins

University, Chicago State, U.S.
Dept. of Agriculture, General Electric, Duracell International, Ford
Motor Company, Westinghouse
United Technologies, American
Express, University of Pennsylvania, City of New York and many, many more.

Read What Users Say. . .

From a GENERAL CONTRACTOR/ CONSTRUCTION COMPANY owner:

"The program seems to be good and I must compliment you on the documentation. It is the **best** of its kind that I have seen."

From an INSURANCE AGENCY MANAGER:

"I would like to compliment you on an excellent...program."

From a HOBBIEST USER out in Oklahoma:


"I thought I would drop a quick note about QUIKPRO. I have it running and it **will do** what I bought it for. I am very pleased with it..."

This from a Vice-President of a Federal Savings & Loan:

"In the past several weeks, I have used QUIKPRO software on four different programs. I am pleased with the results achieved so far and with your help over the telephone.

Special Sanyo Deal

Sanyo users can get QUIKPRO+II direct at the introductory price of \$74.50 plus shipping and handling with a special 10 day satisfaction guarantee from delivery. You can order now by calling TOLL FREE 24 hours daily 1-800-824-7888, ask for operator 441. In California call 1-800-852-7777, operator 441. Specify your Sanyo Model. Send mail orders to: ICR-FutureSoft, 1718 Kingsley Ave., P.O. Box 1446-SA, Orange Park, FL 32073 Dealer inquiries call (904) 269-1918 QUIKPRO+II is also available on IBM-PC, TRS-80, CP/M 8" and Osborne.



SOMETHING FISHY IN MASSACHUSETTS

Editor:

I made the mistake of sending \$15 to join one of the Sanyo user groups publicized in your magazine (September, '84, Page 39) — specifically, the Massachusetts group run by one Jim Hornig-Rohan, who seems to have skipped the country with my money. I have received nothing for my money, not even an acknowledgement from Mr. Hornig-Rohan that my two letters of inquiry have been received. My bank did return my cashed check, but I would like to get my money back, since Mr. Hornig-Rohan has offered nothing in return.

I trust that you will stop advertising what appears to be a mail-order fraud and will warn your readers not to deal with that person.

Aside from that experience, I find that your magazine does a good job of providing a much-needed channel of communication, although I do wish that you would make more of an effort to deliver information directly from Sanyo about their product, the MBC-550/555.

William Dzombak Latrobe, PA

Editor's Note: Mr. Hornig-Rohan was given an opportunity to respond to this letter and we have yet to receive an answer. Further, upon trying to contact him by phone, we finally reached a Mr. Rohan in Cambridge, Mass., who has no contact with the group but who said that he had received several related complaints from irate callers. So, readers, be advised of the present state of the situation. We intend to strike the Sanyo Users Group/USA from our listing.

To paraphrase several public service

ads, if you suspect mail fraud, contact the Postal Service. If Mr. Jim Hornig-Rohan or any other members of the group (if indeed there are any?) would like to contact us to clear this matter up, they are invited to do so.

See the following related letter.

Editor:

I am not sure why I am doing this. Perhaps I am just sick to death of hearing people contact us at the Sanyo National Users Group (S.N.U.G.) and complaining that they have been taken by a particular individual claiming to operate a national users group. It has happened six times in a week. This individual cashes their checks and that is the last they hear from him. He cashed my check back in February. It is a blot on the record of all honest groups.

Here is my offer to you people: If you have sent money to someone who promised to operate a national users group, and who gave you nothing in return, send your canceled check to S.N.U.G., P.O. Box 3445, Moscow, ID 83843. We will put you on the mailing list for our newsletter and make you a full member until one full year after the date the check was cashed. Let me make this clear - if you have been defrauded, we want no money from you. Rescuing failing publications has a long tradition in the magazine industry and, if we want the name SNUG, we ought to earn it. We can probably supply everything you were promised. Thank you for owning a Sanyo. Michael Russell, Ph.D.

President
Sanyo National Users Group

Editor's Note: Mr. Russell, you and the Sanyo National Users Group deserve to be highly commended for taking this stand. You and others like you exemplify the type of people that we like to think make up the Sanyo community of users. We at SOFT SECTOR salute you and your efforts.

PATCHING THE STARS

Editor:

In regard to one of the letters in the last issue of SOFT SECTOR (November, '84, Page 7), it is possible to run MicroPro's *Correct-Star* on the MBC-550 computer if you are using the MS-DOS 2.11 operating system.

One of the files must be patched using DEBUG before CorrectStar can be used. You must patch one byte in CORRSTAR. OVR using the following instructions:

At the system prompt enter DEBUG CORRSTAR.OVR

At the *DEBUG* prompt enter E3C0 and press ENTER

At the next prompt enter 90 and press ENTER

At the next prompt enter

W and press ENTER Leave *DEBUG* by typing

Q and press ENTER

This version of CorrectStar will run on the MBC-555-2. There will be a problem however. After you are finished using the spelling checker and return to WordStar, there will be some words in inverse video left on the screen. This will not disappear until you do some paging and scrolling through the document. MicroPro has indicated that there is no easy fix to this, but it is a small problem compared to the convenience of having an excellent spelling checker like CorrectStar.

Mark Zeiger Sanyo Business Systems Computer Division

Editor:

I find that I use my Sanyo predominately to run *WordStar* and am interested in anything that simplifies or speeds things up.

Continued on Page 72.





"TLS is the best MS-DOS training we have seen" and asked us to configure it for their MBC550 & 555 Computers.

These Manufacturers Agree TLS IS BEST!!

AT&T, Compaq, Heath/Zenith, ITT, Sperry, Tandy, Visual & Wang

SANYO TRAINING BONUS PACK A \$70.00 Value for only \$39.95

Includes TLS and TLS Tutor for WordStar/MailMerge

"TLS"

A Disk Based Tutorial for MS-DOS

Graphics and text create a pleasant learning environment. Individual levels of training are selectible by First Time Experienced or Professional users. Training is hardware specific, enabling the user to define hard disk, single or dual floppy instructions. A reference guide leads first time users through getting started. All command subjects are summarized for easy review.

Retail Price \$39.95

"TLS Tutor-WordStar/MailMerge"

Interactive Training on Audio Cassette

In less than an hour you will be using WordStar to create correspondence, mailing lists, form letters and all the other features of these powerful programs.

Audio cassette training from Total Learning Systems lets you use the actual software not a simulation. TLS Tutor step-by-step instructions are as effective as if you had a private trainer, but much less expensive,

Retail Price \$29.95

Combined Price "Sanyo Bonus Pack" \$39.95*

TLS Tutor for CalcStar and InfoStar Special \$30.00 (\$60.00 value)

TLS for IBM-PC and PC Compatibles available from most Sanyo dealers and participating Heathkit, Entre and Computerland Stores.

Dealer Inquiries Invited

PC America Dealers Contact Your Representative 305-485-6882

Total Learning Systems

3451 N.W. 55th Street Ft. Lauderdale, FL 33309

If Not Locally Available order MC/VISA - UPS/COD

See Us at The Sanyo Booth at Comdex





Does Anybody Really Know What Day It Is? By Dr. Michael W. Ecker Soft Sector Contributing Editor

lthough the paraphrase contained in the title comes from music ("Does Anybody Really Know What Time It Is?" - Chicago, 1970), the question is an intriguing one since it is surprising to some people, upon first reflection, that it is possible to get the day of the week from knowledge of the date alone. While there are several variations, the name most frequently identified for the method is Zeller's formula. One of the Canadian readers of my column "Recreational Computing" in Popular Computing, Mr. Gunther Mayerlen, sent most of the information needed for the version which I provide here.

We also will be interested in a different question; namely, the one of determining whether a given year was or will be a leap year. We start with that. But first, a review.

Look Before You Leap

s you know, each year has 365 days. In point of fact, the A period of revolution of the earth about the sun is equivalent to almost 3651/4 days. Hence, every fourth year there is approximately one extra day: thus, leap year.

Now, you will notice that I said "almost" in the previous paragraph when I referred to the number of days in one revolution of the earth about the sun. It really is just a smidgen less. Know what that means? That's right! Our leap year correction needs more correcting!

So, every hundred years — a century year such as 1900 even though the year number is a multiple of four and would have otherwise been a leap year, that year is not a leap year.

Hence 1700, 1800 and 1900 were not leap years.

What about the year 2000? Does this mean that it won't be a leap year then? Well, guess what! It turns out that this last correction once again swings the pendulum (if you'll pardon the expression) too much the other way once more. So, one last rule which ought to hold us for at least a millenium (thousand years) or so: If the year number is a multiple of 400, it once again is a leap year after all.

Before peeking, you might try writing a small program to allow you to input any year and have the computer determine whether or not it is a leap year. Then compare it to the one shown.

January 1985

```
LISTING 1: LEAP YEAR

10 CLS

20 PRINT "INPUT THE YEAR AND I WILL TELL YOU WHETHER OR NOT IT'S A LEAP YEAR."

30 FOR DELAY=1 TO 1000: NEXT DELAY

40 PRINT: INPUT "YEAR"; Y

50 IF Y/4=INT(Y/4) THEN PRINT "THE YEAR IS A MULTIPLE OF 4, SO MAYBE.":GOTO 70

60 PRINT "NO, NOT A LEAP YEAR.": PRINT: PRINT: GOTO 20

70 IF Y/100=INT(Y/100) THEN PRINT "THE YEAR IS ALSO A MULTIPLE OF 100, SO MAYBE

NOT THEN.": GOTO 90

80 PRINT "YES, IT IS A LEAP YEAR.": PRINT: PRINT: GOTO 20

90 IF Y/400=INT(Y/400) THEN PRINT "AHA, IT IS A MULTIPLE OF 400, HENCE A LEAP YE

AR!": PRINT: PRINT: GOTO 20

100 GOTO 60
```

Now back to Zeller's formula and getting the day of the week from the date. Here, I will take the date to be only for the last few centuries: one source listed Zeller's formula or a variant as being valid after 1753. I do not know for sure how far into the future it holds, but it is probably safe to assume it will provide the correct answer for at least the next few centuries.

However, before getting right into the program, I would like you to notice — as you can see from our discussion of the leap year question alone — that the subject of dates is a very iffy one. Because of this, this topic is a traditional one in BASIC programming where Boolean variables are introduced. George Boole was a 19th century mathematician who developed the algebra of logic. As such, the term "Boolean" is considered synonymous with the topic of logic.

To get a quick understanding, fire up your computer and load BASIC. From the BASIC Ready prompt, type in these lines exactly as shown:

```
PRINT (1=0)
PRINT (1=1)
```

Of course, the first is false and the second is true. Your Sanyo 550/555 computer should print out the number 0 for the first line, and -1 for the second one. (Depending on your machine, if you have another computer besides your Sanyo, you could get either a -1 or 1 for the second line.) Accordingly, you learn one thing about your machine's BASIC: 0 represents false and -1 (or 1 for a few other machines) represents true.

Do not confuse the above PRINT statements with, for example, PRINT "I = 0" which would be the printing of a string, the expression I = 0, exactly as written inside the quotes.

To play around a bit, suppose you wanted to set 'T' equal to 1 if X=100, and 0 otherwise, and then print out the result. You could write this in BASIC:

```
10 IF X=100 THEN T=1 ELSE T=0
20 PRINT T
```

But you could also do it this way:

```
10 T = -(X=100): PRINT T
```

Since your machine uses -1 for true, upon reaching X = 100 in Line 10, the computer assigns -1. Then T = -(X=100) = -(-1), or just 1. If the Sanyo had used 1, we would not have needed the negative in front of the parentheses. For those of you with other machines which do use 1, you should note that you can cover both cases (-1 or 1 for true) by using T = (X=100)*(X=100) in Line 10, as the square of either -1 or 1 is 1.

With this in mind, clever use of Boolean variables can cover a lot of conditional situations. Let's quickly cover the Boolean/logical connectives first. They are AND, OR, IF... THEN and NOT. They are defined analogously to their everyday usage. Using 'F' for the false value and 'T' for the true one:

```
AND T and T = T, T and F = F, F and T = F, F and F = F.

OR
```

```
T or T = T, T or F = T, F or T = T, F or F = F.
```

IF . . . THEN . . .

If T Then T, is T; If T Then F, is F; If F Then T, is T; If F then F, is F. Note that a false premise (the "if" part) being false automatically implies the conclusion, by which I mean that a conditional statement with a false premise is automatically considered true. (People express this at the gut level without being aware of it: "Oh yeah! Well, if you ran the mile in under four minutes, then I'm Superman." The speaker is expressing his belief that the premise is false.)

```
NOT
Not T is F, Not F is T.
```

With all this under our belt, we can go on and write a program using Boolean variables to duplicate what our leap year one did. Try it and then compare it to the one here. Do you get the same answers for these inputs shown in the sample output display?

LISTING 2: BOOLEAN LEAP YEAR

- 10 CLS
- 20 INPUT "TELL ME YEAR AND I'LL TELL WHETHER OR NOT IT'S A LEAP YEAR"; Y
- 30 T = (Y/4 = INT(Y/4)) AND (NOT (Y/100 = INT(Y/100)) OR (Y/400 = INT(Y/400)))
- 40 IF T THEN PRINT "LEAP YEAR" ELSE PRINT "NOT A LEAP YEAR"
- 50 PRINT: PRINT: GOTO 20

EDUCATIONAL SOFTWARE

SPACE SHUTLE
Why wait to become an astronaut? Play Space
Shuttle and blast off on an adventure that will take you out of this world.
Space creatures, satellites and other creepy things await you in outer space.
But the real fun begins when you try to come home!
Assembly Language.
\$29.95



BYTE BUSTERS
You are the BYTE-BUSTER.
Your mission is to clear
all of the "bytes" from the
maze. Hampering your
mission are three dangerous
"Nybblers". These three
foes are out to put the
bite on YOU. Fun game
written in Assembly
Language. Language. \$29.95

"SOFTWARE MADE ON AND EXCLUSIVELY FOR THE SANYO MBC-550 SERIES COMPUTER

WITH OLYMPIC EDUCATIONAL SOFTWARE YOU CAN WORK.....

WITH OLYMPIC EDUCATIONAL SOFTWARE YOU CAN WORK.....

OES INVENTORY

Designed for ease of use while still providing many features. Automatic reorder list, turnover, last date sold. Holds 1200-2200 accounts. 256k memory required. Cash register function prints receipts, sales totals, salesperson's commission and 9 departments.

OES ACCOUNTS RECEIVABLE

Complete billing system. Prints statements of account on computer or preprinted forms, ages accounts, finance rate chart, minimum payment chart. Holds up to 500 accounts. 256k memory required. Secure audit trail. Integrates with Order Entry & General Ledger.

OES ORDER ENTRY

Invoicing with computer or preprinted forms. Integrates with the Inventory and Receivable programs to provide a complete sales system. 5:1es Journal records daily sales, C of GS and GPM. Automatic Back Order function, 256k memory required.

OES GENERAL LEDGER

OES GENERAL LEDGER

Income Statement and Palance Sheet. Holds 500 accounts. Accommodates one or several divisions or companies. Audit trail. Trial balance. 256K memory required. Integrates with Receivable, Payable and Order Entry. Chart of Accounts.Easy to use and set up.

OES ACCOUNTS PAYABLE

Tracks one-time and recurring payables. Holds up to 500 accounts. Integrates with General Ledger. Prints checks; you set the format. An optional voucher system is included. 256K of computer memory is required. Easy to use and understand. Menu driven. \$199,95

OES PAYROLL

Computes payroll for up to 100 employees. Printer required. Prints checks and employee pay slips. Computes local, state and federal taxes for any pay period. Salaried, hourly or piece work pay rates. Each employee has a file with employment information.

MONEY ANALYSIS

Two amortization calculations, Mortgage analysis, Interest on savings. Installment payments, Great for real estate investors or anyone who needs to calculate payments. Menu driven and easy to use, \$19.95

POSTMASTER II

complete mailing list. Easy to use, 750 to 1500 name capability.

Sort by name or zip code. Formats labels for any size. Great for computer rolex cards. These and other features make this a great program, \$49.95

APPOINTMENT BOOK

Plan appointments from now until 1999 with this program. Excellent graphic calendar for each month. Print out a list of appointments for each day. Data disk included. Great for work or home use. \$39.95

FINANCE MANAGER

Works like an accounts payable program, but for the home. Keeps track of items you want to include for your taxes. Program also comes with a graphic calculator and budget helper functions. \$39.95

TRIVIA MANIA

The hottest new trend in games has gone computer! Up to six players travel the computer game board answering trivia questions and trying to be the first to reach the Big Question. Different trivia question disks are available to keep this game exciting.

·FLYBOY

Flying at 8500 feet, you discover that you have only 9 minutes of fuel left Land your aircraft safely with the help of the air traffice controller Graphic instrument panel and runway. Use with a joystick or keyboard. Ni pilot's license is needed to have fun! \$39.95

BLACK JACK
Plays just like the real thing. Big, colorful graphic playing cards make this a very colorful game. You may take a hit, use insurance, double down or aplit. You set the bank at the beginning of the game and try not to go bust. Never a boring minute with Black Jack.

....OR LEARN....

TOUCH SKILLS

A complete typing tutor for the beginning to intermediate typist. First, you are taught finger positions and reaching methods. Then, you are drilled to increase your speed and accuracy. A graphic keyboard and game are included for your enjoyment. \$19.95

BODY SYSTEMS

This program has superb graphics which detail four of the body's main systems. Skeletal, respiratory, digentive and circulatory. You may review each system and then take the quiz to become more familiar with the many different parts of your body systems.

STATES & CAPITALS

Learn each of the fifty United States by their shape. A section of the United States is drawn on the screen using excellent graphics and colors. You try to identify the state and then identify its capital. A fun program for becoming familiar with the U.S. \$29.95

INCHWORM

THE INC. INVERTING THE PROPERTY OF THE PROPERT

FLASH CARD
Flash Card was designed to sharpen your addition, subtraction, division, and multiplication skills. Large graphic numbers. Eight levels. \$29.95

EDUCATIONAL SOFTWARE 1220 So. 356th Street, Suite 3D

FEDERAL WAY, WA 98063

(206) 874-4044 or (206) 952-4114

WE ACCEPT MASTERCARD, VISA, AND AMERICAN EXPRESS (include card # and expiration date), CHECK, COD, OR MONEY ORDER. ALL ORDERS ARE SHIPPED UPS, FREE OF CHARGE. PLEASE ALLOW 4 DAYS TO RECEIVE YOUR ORDER. WASHINGTON STATE RESIDENTS, PLEASE ADD 7.8% SALES TAX. DEALER INQUIRIES INVITED. PROGRAM SUBMISSIONS WELCOME.

Finally, let's get into our original question, the day from date program. The formula involved is a bit esoteric looking, but you might enjoy at least noting the use of Boolean variables, even if the formula is as unclear to you as it is to most people! In any case, it is a fun and useful program, one which you can use over and over. Moreover, I have rewritten it so that it will work on both Sanyos and non-Sanyos. (The original version used I for true on a Sharp PC 5000 and so had to be modified.)

Enjoy!

(Dr. Ecker is Associate Professor of Mathematics and Computer Science at the University of Scranton. He holds a Ph. D in mathematics from the City University of New York and is also a contributing editor of Popular Computing. For information about this article or about Magic Math Plus, a collection of programs published by Dr. Ecker, send a self-addressed, stamped envelope to Recreational Mathemagical Software, 129 Carol Drive, Clarks Summit, PA 18411.)

LISTING 3: DAY FROM DATE

- 10 CLS
- 20 PRINT: PRINT "DAY FROM DATE PROGRAM"
- 3Ø FOR DELAY=1 TO 15ØØ: NEXT:
- 40 PRINT: PRINT "THIS PROGRAM WILL ALLOW YOU TO INPUT A DATE AND TELL YOU ON WHI
- CH DAY IT FALLS."
- 50 T=(1=1): REM TEST TO SEE WHICH VALUE IS USED FOR TRUE ON COMPUTER
- 60 FOR DELAY=1 TO 1000: NEXT
- 70 PRINT: INPUT "FIRST TWO DIGITS OF THE YEAR (19 IF THIS CENTURY) = "; C
- 80 INPUT "SECOND TWO DIGITS OF THE YEAR = "; Y
- 90 INPUT "MONTH (NUMBER FROM 1 TO 12) = "; M
- 100 INPUT "DAY = "; D
- 110° Z=INT(2.6*(M-2+T*12*(M<3))-.199)+D+Y-T*(M<3)+INT((Y-T*(M<3))/4)+INT(C/4)-2*C
- 120 PRINT: PRINT "THAT DATE IS ";
- 130 PRINT MID\$("SUNMONTUEWEDTHUFRISAT",1+3*(Z-7*INT(Z/7)),3)
- 140 FOR DELAY=1 TO 500: NEXT: PRINT
- 150 PRINT: INPUT "<RETURN> TO DO MORE; OR TYPE S THEN <RETURN> TO STOP"; X\$
- 160 IF X\$="S" THEN END
- 170 PRINT: PRINT: GOTO 70





Samurai Systems

division of Pascal & Associates

Sanyo 550-2	\$795	Multiplan	\$145
Sanyo 555-2	1195	dBase II	375
Teac 55B	179	Turbo Pascal	50
Memory 128K	100	Turbo (8087)	80
RS232C Port	75	Books	395
Anchor MK XII	285	Typefaces	100
Panasonic 1090	275	DBX	50
Panasonic 1091	345	Pansi (comm.)	75
Toshiba 1340	750	Printer Cable	35
Toshiba 1351	1250	Modem Cable	35
NEC JB1201	149	8087 NDP	225

NEC APCIII (call for prices)

MasterCard Visa Money Order

 Pascal & Associates
 (800) 972-7225

 136 East Rosemary Street
 (800) 642-0949

 Chapel Hill, NC 27514
 (919) 942-1411

Free 800 telephone support

FLOPPY STORAGE UP TO 3.2 MEG!!!

External Drive Kits —

\$115. (\$85. with Drive Order) Includes all Cables & Instructions. Holds up to 2 Drives.

DISK DRIVES

TEAC SS, DD (200K) \$105.

TEAC DS, DD (400K) \$ 164.

TEAC DS, QD (800K) \$ 184.

Second Drive \$10. Less
1 YEAR WARRANTY ON ALL DISK DRIVES

TURBO PASCAL \$45. SANYO BASIC REF. MANUAL \$29.

Power Type

Letter Quality Printer \$369.
TOLL FREE ORDER LINE: 800 245-6228

NOTE: Add \$30. for AOK DOS which gives 8,9 or 10 sectors per disk and up to 0.8 meg per drive!!!

800 245-6228

M.C. & VISA Accepted
OWL-Services

P.O. Box 116-D Mertztown, PA. 19539

PA (215) 682-6855



TEX+COMP

AUTHORIZED DEALER NCHOR AUTOMATION,

Sanyo

MBC550





Proudly Introduces The VOLKSMODEM

The Complete Low-Cost Plug-In Modem.

It puts computer-to-computer communications within easy reach of

every personal computer owner. Just plug Volksmodem[™] between any wall phone jack and telephone and put your computer into instant communication with thousands of others. It's that easy. No extra parts or tools are necessary—just one adapter cable and software is all that's needed

Completely portable, Volksmodern transmits both voice and data over all common telephone lines, automatically changes from Originate to Answer and back again when you're in the data mode, and uses a low-cost 9V battery or optional plug-in adapter. With Volksmodern's ability to access data sources as well as transmit data information, it's the truly affordable way to maximize your personal computer productivity.

Volksmodem Features

Direct connection for RS-232C type interface Bell 103 compatible Built-in interface cable and connector internal 9V battery Audble carrier detect signal Fullhalf duples switch 0-300 baud

Specifications

Includes shipping & insurance

-plus-FREE Source Sign-On (a \$100 + value

SPECIAL: VOLKSMODEM CABLE FOR SANYO PC (with RS232 interface) only \$8.95 when ordered with Volksmodem (reg \$12.95)

SPECIAL OFFER:

MARK XII 300/1200 Intelligent Modem

HAYES SMARTMODEM COMMAND STRUCTURE

■ 300/1200 BAUD ■ BELL 103 & 212 A COMPATIBLE ■ AUTO ANSWER/AUTO DIAL

AUTOMATIC SPEED MODE SELECTION ■ CABLE INCLUDED [15] ■ 2 YEAR WARRANTY

RS 232 C COMPATIBLE ■ ENHANCED NOISE IMMUNITY (Communication Software Not Included!



(FREE Source Sign-On With Purchase

SANYO TYPE RGB

MONITOR CABLE

TO BE USED WITH MOST RGB MONITORS USING & PIN CONNECTOR

\$23.95 POSTPAID

FOR SANYO MBC-550,555.

SPECIAL: SANYO RS232 INTERFACE (REQUIRED WITH ANY MODEM)\$79.95 POSTPAID



"YOUR HEAD IS DIRTY!"

Smoke in the air, dust on work surfaces, along with fingerprints and other contaminants can destroy your valuable software. Now the leading cause of data loss can be controlled quickly and easily with HEAD Diskette Cleaning Kits.

Apply a few drops of HEAD cleaning solution on one of the cleaning disks included with your kit and in 30 seconds your disk heads are clean. It's that simple! Works with all single and dual drives.

Protect your valuable investment, \$34.95 list

1-4 oz. bottle cleaning

solution
1-Dispensing spout
HEAD COMPUTER PRODUCTS
When you MUST have clean heads



Flip 'N' File TM For 51/4" Mini Disks

'N' File are self contained storage units with closed, protect your disks from dust that can



54" Library Case 10 FOR

Each holds up to ten disketter

GREAT DISKETTES Super low prices LIFETIME WARRANTY

Fast service by mall ... or phone

GEMINI 10X

\$299.95 - 120 CPS, GRAPHICS - TRACTOR & FRICTION

WITH FREE SANYO CABLE

A \$24.95 VALUE

shipping and handling

NEW — DESK TOP PRINTER STAND BY DATUM



80 COL. \$14.95 POSTPAID 132 COL. \$16.95 POSTPAID

Vinyl coated steel stands allows paper storage under printer

Before you plug-in your computer, you'd better consider how you are going to insure or protect your investment from unwanted electrical pollution.

LINEGARD® protects against damaging voltage spikes which can degrade or destroy the internal components of your solid state equipment. Acts as a "shock absorber" without interferring with normal current flow! Just plug it into any 15A, 125 VAC outlet,

Spike Protection

Model LG-10

- Wall plug-in unit
- 6 "U" ground outlets
- Indicator light
- Internal overload protection

\$19.95 FREE SHIPPING

SANYO COMMUNICATIONS SOFTWARE BY MICHTRON. SUPPORTS 300/1200 BAUD MI-TERM only .. \$59.95 with modem purchase!

SEND ORDER AND MAKE CHECKS PAYABLE TO:

P.O. BOX 33084 - GRANADA HILLS, CA 91344

TERMS All prices FOB Los Angeles: For fastest service use cashiers check or money order. Personal checks take at least ten days to clear Add 3% shipping and handling (\$300 minimum). East of Mississippi 4/5%. (Free shipping on all software orders over \$100 and on postpaid specials). Add 6/3% ST for delivery in California. Prices and availability subject to change without notices. We reserve the right to limit quanties.



VISA and MASTERCARD HOLDERS CALL DIRECT: (818) 993-5606

Credit Cards add 3%



Revealing WordStar's Secrets



Here are a few little tricks I have picked up using WordStar that are far too trivial to write an article around, but are probably unknown to many programmers and users. I would like to pass them along. . . .

• You're in *WordStar* and the compiler told you the error was on Line 652. How do you get there without paging or searching for some string? No problem. From the top of the file, type:

^Qf

When WordStar displays "Find?," type:

When WordStar displays "Options?," type 651 ENTER WordStar will stop at the beginning of Line 652.

• Have you ever wanted to print a part of a file you're editing without returning to WordStar's top menu? The documentation will tell you it can't be done. They like to keep secrets.

All you have to do is mark off the section you want to print (PF7 and PF8) and type:

^Kw (Used to write a file.)

WordStar will ask you for a filename. You respond with PRN. This is the MS-DOS device name for the printer. You will see the message:

FILE PRN EXISTS — OVERWRITE? (Y/N)

Answer 'Y'es and your printer will spring to life producing

hardcopy of the block you marked. The only catch I've found with this technique is that some printers won't expand tab characters.

• Sometimes it would be handy to have more than one block "marked" at the same time. WordStar will only allow one, but you can fool it into marking any number of blocks simultaneously. It works like this. Mark a block normally and type:

^Kw

Give it a filename such as B1.

Repeat this process for as many blocks as you want, making sure to give each a unique filename (i.e, B1, B2, B3).

Once they're all marked, you can insert them wherever you like. Just move to the place in your text where you want to insert one of these blocks and type:

^Kr

You'll be asked for a filename. Type in the name of the block you want and *WordStar* will fetch it for you from the disk and insert it into your text.

Note: I use the naming convention Bn because it makes disk clean-up simple. When I have returned to DOS, I can delete all the blocks by issuing the MS-DOS command:

DEL B?

Just be sure that you don't give anything you want to keep a filename of the form Bn.

Lionel Gibbons Pincourt, Quebec

NEW SANYO 550 - IBM CARD

Run LOTUS 1-2-3, FLIGHT SIMULATOR, etc., e

Special \$ 187 ORDER NOW!

Comes with new GW-BASIC and new MS-DOS 2.11 . . . Quantities Limited

****** OTHER COMPUTERMAN SPECIALS ******

64K RAM \$39 # MODEM with RS-232 & Software \$195

2 nd Disk Drives - 160/180K \$75 - 320/360K \$145 - 730/800K \$155


* PANASONIC 1091 PRINTER \$295! CABLE \$21 *


Certified Computers - 404-482-7883 I-20 East Exit 38 Atlanta, GA

PICASSO

by Bill Dunlevy

This is the one to set the standards! Try the unbelievably outstanding computer graphics system that Soft Sector magazine reviewed, saying "PICASSO is head and shoulders above the rest." PICASSO's large, helpful menus eliminate cumbersome graphic commands while giving you an unparalled selection of 64 pre-mixed colors and over 20 different brush styles. PICASSO is Keyboard and Joystick controlled in an "directional" or "freehand" format offering an endless range of innovative, creative styles. But wait-there's more! With PICASSO one is never restricted-you can create ANY kind of shape or form from eliptical pentagons to perfect circles! And use your picture files with MichTron's FREEZE FRAME graphic printing utility for top-notch hard copy pictures. PICASSO is THE computer graphics program that'll turn your imagination into reality.







CORNERMAN by J. Weaver Jr.

Does your desk look like an old battlefield littered with notes, calendars, and calculators? Let MichTron's latest tool for Sanyo computers come to your rescue. Acting as the perfect servant, Cornerman waits patiently in memory while you use another program such as WordStar™. When you need to make a calculation or leave a note—no problem. With one press of a key, a portion of your screen is instantly replaced with Cornerman. Cornerman will leave notes for you, do mathematical problems, instantly recall names and phone numbers, plus much more! Once you've finished with Cornerman, he quickly departs. You're put back into your program without a single item being disturbed. Hire the perfect servant for your Sanyo today . . . give Cornerman a try!

CORNERMAN.....

ECHO ENERGY MANAGEMENT SYSTEM

Software by Dean Brown

The ECHO ENERGY MANAGEMENT SYSTEM offers a breakthrough in industrial and commercial energy maintenance for your MS-DOS computer. Using the remarkable ECHO Software and Hardware, complete computer control over ALL appliances and electrical devices in your home or office becomes a reality. THE ECHO ENERGY MANAGEMENT SYSTEM can save the industrial installation or average office thousands of dollars per year in energy savings. This unique package is completely menu-driven, providing even the most inexperienced user fast, efficient service. Add the ECHO ENERGY MANAGEMENT SYSTEM to your personal computer and it takes control of lighting, thermostats, appliances or ANY type of electrical device (up to 50 devices). Outstanding features make ECHO your complete Energy Management System.

nequires.	
ECHO TRANSMIT UNIT	\$199.95
ECHO SOFTWARE	\$199.95
Separate Control units for each electrical device	\$24.95





PERSONAL MONEY MANAGER

By Jonathon Kring

Throw away that old shoe box and prepare to enter the information age! The PERSONAL MONEY MANAGER is a unique menu-driven database and reporting system for an unlimited range of financial information. By your selection of budget categories, the PERSONAL MONEY MANAGER's capacity ranges from simply keeping track of tax records and balancing a checkbook to reporting on every dollar of your income and expense. Although extremely fast and powerful, the "MANAGER" was designed exclusively for users' needs. The PERSONAL MONEY MANAGER provides a question-andanswer type format which eliminates remembering complicated command keys. Printed reports will display your current financial status at any time. It can even create projected budgets for future expenses and income! Get organized and hire your own PERSONAL MONEY MANAGER today!

PERSONAL MONEY MANAGER.....\$49.95

DS DOS PLUS 2.11

by Tim Purves

80 track drives? 10 sector formats? What does that have to do with MS DOS 2.11? The answer: ABSOLUTELY NOTHING. but it has a lot to do with DS DOS 2.11. DS DOS 2.11 is specifically designed to support 80 track drives on YOUR Sanyo 550/555 computer. Along with this, it also allows for 10 sector formats on regular 40 or 80 track drives (single or double sided). And that's not all! With this new version of DS DOS, we've totally rewritten the FORMAT and DISKCOPY utilities to increase speed and performance. But let's talk versatility. This one DOS can control any combination of 40 and 80 track drives, read any 40 track disk in an 80 track drive, read or write 8, 9, or 10 sector formats on a 40 track drive, handle up to 512K memory, remember date on reset, and format for 160, 180, 200, 320, 340, 360, 400 or even 800K (80 track double sided) on a disk. If that's not enough, then how about an extra 11 utilities to help you use your DOS better? What else could you possibly want? Take a closer look at DS DOS PLUS 2.11 TODAY. From MICHTRON . . . of course.

DS DOS PLUS 2.11	\$49.95
DS DOS PLUS 1.25	



576 S. Telegraph Pontiac, Michigan 48053 Orders & Info: (313) 334-5700

FOR YOUR CONVENIENCE. NOW AVAILABLE FROM YOUR **FAVORITE SANYO DEALER!**

Storing, manipulating and retrieving information was the raison d'etre for the first computers and, though their uses have increased, it remains one of the things that they do best. If your life could use a little organization, we introduce you to . . .



DATABASE M-A-N-A-G-E-R


BY JOHN M. LESHER

The Database Manager program was written to fulfill a need for some way to store information in an organized fashion. This program allows the user to store data sequentially on the disk and use only as much space as is needed. That is to say, if you had defined a file with 100 records maximum but had only used 10, the system only stores the 10 records with data in them—not all 100 records.

The main screen of the *Database Manager* program will erase itself after approximately 20 seconds. If, after that time, you wish to use the program, any key will bring the display back for another 20 seconds. This feature will help to keep from burning the main display on the CRT if the program were to be left running for an extended period of time. If you prefer the display to remain on the screen for a longer period of time, you can increase the 200 in Line 200 of the program listing.

In addition to putting the program on your disk, you may want the system to come up running from power up. This can be accomplished by first formatting a blank disk with systems contained. Once that is done, copy the BASIC. EXE file from your system disk. All that is left to do is to write the AUTOEXEC. BAT file shown

(John Lesher is an engineer working for a corporation which manufactures instrumentation and chemical reagents used for the electronic analysis of blood chemistries in hospitals and commercial laboratories. He can be contacted at P.O. Box 68462, Indianapolis, IN 46268.)



FRENCH CURVES is a slick product! Extremely easy to use ...

Arthur Shebar National Sales Manager Sanyo Business Systems

Sanyo Business Systems
FRENCH CURVES is a versatile program
with which even I can produce high quality
graphics, charts, blueprints or other graphics as desired.

Bob MacDonald Soft Sector Magazine

FRENCH CURVES is one of the best, most exciting Sanyo graphics programs I've seen yet. Moreover, FRENCH CURVES' screen dump to the printer is tops ...

Bill Lathrop
Computer Trader Magazine

Computer Trader Magazine
FRENCH CURVES works as advertised!
Richard Goehl
Computer Consultant

Creative Computers
FRENCH CURVES is a graphics program to allow you to draw on the Sanyo. Anything the hand can draw, FRENCH CURVES can duplicate and more! You can enlarge or reduce your graphics creations, save or load to disk, combine graphics and dump to most dot matrix printers. Create graphics with FRENCH CURVES and incorporate in your own programs. FRENCH CURVES comes with a 30 page illustrated users manual.

By Joseph Bolus\$29.95 CHECK TRACKER™ - The ultimate high speed, machine language, checking account manager which should win an award for its flexibility, data retrieval and ease of data entry/edit. Reconciles bank statement, provides unlimited group codes with multiple retrieval search.

By Joseph Bolus\$39.95
NUMBER FUNT - Learn ADD/SUB/MUL/
DIV the fun way for grades K thru 9. Provides happy face for lower grades with
large full screen numbers and selective
difficulty levels.

By Yvon Bourque. Only! \$29.95 PROGRAMMERS: Computer Engineers is always looking for Top Quality Sanyo and Generic MSDOS software to publish. For consideration, send copy of program and documentation to Computer Engineers, Inc., Attention: John Shackleton.

* Dealer Inquiries Invited *



below and copy the *Database Manager* program onto the disk.

BASIC "DATABASE"

The Database Manager program stores data on the disk with the extension .DAT. Therefore, when the "List" option is selected from the main display, only those files with that extension will be displayed.

Although this program was generated on a system containing 256K, two disk drives and MS-DOS Ver. 1.25, it will function with a minimum of 128K, one disk drive and under either MS-DOS 1.25 or 2.11.

For those users who only have one drive, Line 40 of the program should read as follows:

40 DISK\$="A:":ALTDISK\$="B:": FAULT\$="Program Error"

This will make the program default to drive A: instead of B:. All references to ALTDISK could be omitted for single drive users; however, I would recommend leaving these in should you decide to upgrade to a dual drive system at a later date.

By utilizing the subroutine beginning at Line 3620, this program will allow the usage of both upper- and lowercase letters. I found it simpler to use this routine than to ask for both upper- and lowercase comparisons when the user enters a response to a query.

The Database Manager program was written so that it will function on both the Sanyo 550/555 and the IBM PC. I wanted to make this program portable between the two computers, so I have refrained from using commands that work only in one BASIC or the other.

Main Display Options

<A>ccess an existing data file

By entering an 'A', the user may gain access to current data files. The user will be asked to enter the name of the file to be loaded. After the RETURN key is depressed, the disk will be accessed and the screen will display how many records have been used out of the maximum possible. The user will then be asked if he would like to change the maximum number of possible records. If 'N' is entered, the disk will again be accessed to finish loading the data file and the data file manipulation screen will be displayed. If 'Y' is entered, the user will be asked to enter the new maximum record number and the

system will finish loading in the data file and continue on to the data file manipulation screen. If the file is not saved at the end of the manipulation session, the maximum number of possible records will not be changed to the new value.

<C>reate a new data file

By entering a 'C', the user may create a new data file. The program will then ask for the following information:

- 1) New data file name
- 2) Maximum number of records
- 3) Number of fields per record
- 4) The name of each field

Finally, the program will display all of the information about the new file and ask the user to verify by entering 'Y'. If the user enters 'N', the program returns to the main display. When 'Y' is entered, the program continues to the data file manipulation screen.

<D>elete a data file

By entering a 'D', the user may delete an existing data file. The user will be asked to enter the name of the file to be deleted. The program will then display the following information.

File Name — Data filename is displayed here

Logged Drive — The disk to be accessed is displayed here

Are You Sure [Y/N]

Enter 'N' to return to the main display and 'Y' to delete the file.

<E>xit to operating system

By entering an 'E', the program will exit to the operating system.

<L>ist existing data files

By entering an 'L', the program will list the existing data files from the logged disk drive. The default is set to read from B:

<R>ead and write from A: instead of B:

By entering an 'R', the user may change the drive that will be read from and written to. When 'R' is entered, the display will change to "<R>ead and write from B: instead of A:." If 'R' is entered again, the screen will return to the display shown above.

<S>et time and date

By entering an 'S', the user may

change the date and/or the time. The following screen will be displayed:

<D>ate Set

<E>xit to Main Display

<T>ime Set

By entering the desired code, the user may set the date and/or time or return to the main display.

Data File **Manipulation Options**

1 Input Data

By entering a '1', the user may enter new data into an existing file or begin entering data into a new file. The program will start at the first empty record and will continue to allow the user to enter new data until the word STOP is entered into one of the fields. The record that stop was entered in will not be stored in memory.

2 Scan Field

By entering a '2', the user may scan the records of the file being manipulated. By using the asterisk key (*) during the scan process, the user may end the scan option. The scan option will always begin at the first record.

3 Delete Records

By entering a '3', the user may delete an existing file from the disk. The program will first ask if the record number is known. If the record number is not known, the user may scan the file to determine which record is to be deleted. When a record is deleted, all records after the one deleted will decrement one record number. For example, if record 10 were deleted, record 11 would become 10, record 12 would become 11 and so on to the end of the file.

4 Sort File

By entering a '4', the user may sort a file. The file may be sorted on one or two fields. The first field selected takes priority over the second field. If two records have the same data in the first field, the program will sort those two records, first by the first field and then by the second field.

5 Save File

By entering a '5', the user may save a file to the disk. The program will display the name of the file and the default disk drive. The user will be asked if any changes are desired. The user may change the name and/or the

default disk drive at this time. If no changes are desired, the user must enter 'N' to save the file to the disk.

6 Word Search

By entering a '6', the user may search for a word or a phrase. The case selection must be exact. That is to say a search for the word DATA will not find the word Data. The program will display all matches to the word or phrase entered. The matches will be displayed in inverse video until all matches have been found.

7 Modify Record

By entering a '7', the user may modify an existing field within the selected record. As was the case for the deletion of a record, the user must know the record number to be modified. When the number of the record to be modified is entered, the program will display each field one at a time. If no change is to be made to the field depress the RETURN key to continue to the next field. To make a change, enter the new data for that field followed by a RETURN.

8 Print a File

By entering an '8', the user may print the current file. The user will then be asked the following questions:

Input desired printout title

The user may at this time enter a title that will be printed at the top of every page.

Do you want record numbers printed

The user may select whether or not the file record numbers will or will not be printed prior to each record.

Do you want field titles printed [Y/N] The user may select whether or not the field titles will be printed with each field.

After the above questions have been answered, the user will then be asked to ensure that the printer is ready. Once the RETURN key is depressed the file will begin outputting data to the printer.

9 Return to Main Display

By entering a '9' the program will return to the main display. The data that has been manipulated during this session will not be saved by the system unless the "Save File" option has been used prior to this option.

Listing begins on Page 36.

SANYO

Supplement-Commands that Sanyo omitted from its 550/555 Operations Manual. A "must" for only \$5.00.

200 + Programs-Over 200 Sanyo compatible programs listed by category, program name, company name and telephone numbers. Only \$4.00.

Command/AssistTM-Your DOS Manual on disk. There when you need it. Just type HELP and the command name. A MUST to have. Only \$49.95.

IBM to Sanyo-Run IBM BASICA Programs on your Sanyo-"Ready to Run"-We've done the work for you. Incredibly only \$39.95.

Keyboard Extension Cable-4' Extension Cable that connects your keyboard to CPU. Special \$19.95.

COPYLINKTM-Communications software "ready to run" on your Sanyo. Complete flexibility and ease for only

CPeMULATOR™-Run CPM on Sanyo for only \$79.95.

Run Lotus – Multiplan–PFS Series and many other IBM programs. SANYO VIDEO BOARD–a giant stride towards IBM compatability. Includes MS-DOS 2.11 and GW Basic. Available NOW. \$199.99.

Unprotect-Unprotects programs saved from Sanyo Basic. A "must" to have for only \$54.95.

Key Plus Program-Program over 3 dozen individual function keys. \$19.95.

Sanvo Music Box-Add music and sound to your Sanyo. Complete for only \$29.95.

Technical Newsletter-\$15.00 per year. RS232-Serial Card-Communications Board. Only \$69.95.

Free Catalog-of all products available.

Sanyo Tutorial-Step-by-step instruction in the use and programming of Sanyo MBC 550/555 Computer. "Quick Start Bonus Pack" includes audio cassette training tape for Wordstar/ MailMerge instruction. **Only \$43.95**.

128K Upgrade-Add 128K of memory for 1/2 the price. (150-NS) Complete at only \$79.95

Custom-Made Sanyo Computer Dust Covers-\$13.95 to \$29.95.

HARDWARE PRICES-Call us today for all your computer needs.

Modem Communications Package-Very simple, easy-to-use. Designed for Sanyo. \$25.00.

★\$2.00 postage and handling charge ★


* COD orders extra *

★ Dealers inquiries invited ★
 ★ Check, Visa, Mastercard and Money Order ★

BLOCK MARKETING, INC. 6009 Wayzata Blvd., Suite 102B Minneapolis, MN 55416

(612) 546-3776 (Block Marketing is a recognized Sanyo Dealer.) MN residents must add 6% Sales Tax.

SOFT SECTOR



BUSINESS SECTOR

CHARLOTTE & BRIAN STONE Soft Sector Contributing Editors

Q. How can I use WSCOLOR.BAS to add color to the other programs in the "Star" package?

Daniel A. Prosser Normal, IL

A. There are no provisions at the present time to allow the other "Star" products to function in color as does WordStar. It seems that MicroPro felt that these other programs would be confusing due to their screen formats, which are not as consistent as WordStar.

If at anytime in the future this changes, I am sure you will be made aware of it in SOFT SECTOR, and also, how you can go about changing your existing product to take advantage of color.

Q. Originally, my Sanyo PR-5500 printer would print bi-directionally and also do boldface printing. Somehow, during my learning process, I turned both of these features

(The authors, Charlotte and Brian Stone, have been involved with computers since their purchase of the original Radio Shack Model I in July of 1978. Since April, 1984, Charlotte has been using the Sanyo in her daily work routine as office manager for a Detroit firm. Brian has been using a variety of Sanyos since May of 1983. Of the five computer systems they presently own, two are Sanyos.)

off. I have tried everything, but I cannot get them back on. What am I doing wrong?

Gordon S. Taylor San Bernardino, CA

A. From what is in your letter, the best I can do is speculate as to what your problems are. First, did you install the printer with *INSTALL* as shown in the first issue of SOFT SECTOR? The Sanyo PR-5500 printer should be installed as a Diablo 1610-type printer.

Second, the Sanyo PR-5500 printer will only print bidirectionally with WordStar. If you do not get bi-directional printing at any other time, this is normal. You should not use ".BP" because the printer will always print bidirectionally with WordStar. No special commands are necessary if WordStar has been installed correctly.

To get bold print, you must hold down the CONTROL key, then press the 'P' and then the 'B' keys. Your screen should look like this: ^BBold Print^B. There is no way to turn off the bold function all of the time unintentionally.

Q. I have been told by several people that files from WordStar and CalcStar can be merged. However, none of them knew how it was accomplished. Any help from you will be appreciated.

Daniel W. Sheppard Palm Harbor, FL

A. A CalcStar file in its normal configuration can't be handled by WordStar. First, you must write the file to your disk, not by simply saving the file in CalcStar, but by using the print command (;P) to send the file to a disk instead of your printer. The program responds to your ";P" command with the prompt:

To which file? PRINTER:

Instead of pressing RETURN to enter the default (PRINTER:), type a name for the file and then press RETURN. This will send the output to a disk file with an automatic filename extension .TXT. You will still need

OUR MOST POPULAR SANYO ACCESSORIES AND SOFTWARE

Hard drives (6 to 36 meg)

Rloppy disk drives

RS282 Communications interface

Professional grade jogsticks
(4) Disk drive interface cable

Parallel printer cables

Parallel printer cables

Computer A/C powerline filters

Printer switch (2-printers on 1-computer)

Keyboard extender cable 6-ft long

Panasonic 18* hi-res color monitor RGB/composite

TV tuner VHF/UHF for composite monitors

Color RGB monitor interface cable

124,05

102k Ram expansion kit (150ns prime quality)

256k Ram expansion kit (150ns prime quality)

Disk drive head cleaner kit

Printers, large selection best prices

Term 123, smart terminal software package By:Tim Purves

Ram Spooler, free your computer while printing By:Tim Purves

Screen dump to printer (text only) By:Tim Purves

Ramdisk, in memory phantom disk drive By:Tim Purves

Ramdisk, in

Authorized SSANYo™ sales and service center

Tevel IV Products, Inc.

28194 Schoolcraft Road Livonia, Michigan 48150 (313) 525-6200

Dealer inquiries invited

Visa/Master Charge/Check/C.O.D. shipping/handling/insurance 2% or \$3 minimus







to define some options: the beginning and ending cells of the report, the print width and the titles. Careful selection of the beginning and ending cells will enable you to print or write to disk a portion of your spreadsheet rather than the whole thing.

The resulting .TXT file can be read into a WordStar file using the ^KR command. It can also be edited or enhanced with WordStar's print commands.

Q. Is there a limit to the number of files you can have on a disk with WordStar?

Dix Bruce Oakland, CA

A. WordStar has no control over how many files can be on the disk; this is a function of the operating system software which, in this case, is MS-DOS. MS-DOS Version 1.25 will allow a maximum of 64 files on single-sided disks and 112 files on double-sided, nine-sector disks. MS-DOS Version 2.11 will allow over 700 files if you have the storage capacity (i.e., a hard disk drive).

U. My Juki 6100 printer will print proportional spacing from BASIC just fine but it will not do proportional spacing with WordStar. I wrote to MicroPro and they told me WordStar does not support proportional spacing, which I feel begs the question. How can I keep WordStar from turning off the proportional feature after I turn it on from BASIC? There must be some simple control statement in WordStar which works this unwanted mischief.

Alan Lipschitz, M.D. New York, NY

A. I am sorry to have to inform you that MicroPro is correct and WordStar does not support proportional spacing. This may seem hard to understand since your printer does support it. WordStar has a function called microjustification, which simulates proportional spacing, but is not compatible with it.

Microjustification inserts incremental spaces between words to give a close approximation to proportional spacing, and it is this feature which will not work with proportional spacing. You could install WordStar to send the code to your printer as outlined in my first two articles in SOFT SECTOR, but I am sure you will not be pleased with the results. To have proportional spacing function correctly, the software must support it and WordStar does not. If you feel you must try, follow the instructions in the first article and use one of the "User Defined Function" areas and insert the control code before any text is typed, but after the dot commands, if any are used.

[Editor's Note: There is a separate program on the market named ProportionalStar, by Writing Consultants, that will install proportional spacing in WordStar on a daisy wheel printer. ProportionalStar was reviewed in the December issue, Page 59.]

U. I have a Gemini-10X printer and I am having two problems since installing it per your article. First, the printer is always in double-strike, or emphasize mode, and the right margin is always reformed without giving these instructions. Second, there is always a number '1' at the top of the next page when printing a letter. This last condition was there before I installed WordStar.

C.C. McClintock Greensboro, NC

A. Let's take the problems you are having one at a time. First, please go back through the installation sequence and make sure that you have installed all of the instructions as detailed in the article. If you have, please send me a copy of your owner's manual covering all of the control sequences and tables and I will try to see what is wrong. Possibly, your printer is newer than the information furnished in the original article. The reformed margins are a result of the OJ justify margin command that you must turn off if you want to have ragged right margins in your

Accounts Receivable, Accounts Payable, Accounts Payable, General Ledger and Inventory. Bookkeeper

BEAUTIFULLY SIMPLE!

Completely menu driven, double entry accounting with excellent documentation.

Powerful!

Dynamic file allocation allows an average of 200 accounts with over 750 monthly transactions on 160Kb drives.

Does everything you'd expect a powerful accounting system to do: prints invoices, statements, checks, trial balance, profit & loss, balance sheet, detailed ledgers, on-hand/re-order reports, sales analysis & extended standard reporting. Other features include Rolodex cards/mailing labels, auto billing, finance charges, auto/manual invoice pay selection, auto interfaces and three color displays.

Everything considered, including a ninety-day limited warranty, the LPR Bookkeeper is Simply BEAUTIFUL!



Single Module \$150

Tri-Pak \$375 Quad-Pak \$475 AP, AR, GL AP, AR, GL, INV Also available in MS/PC-DOS & CP/M

Minimum requirements: dual 160 Kb drives, 128K RAM, 80 Column printer.



3001 Northridge Dr. "D" P.O. Box 10612, Farmington, NM 87499

(505) 326-5833 Dealer inquiries invited letters. Since WordStar is a sophisticated word processor, this is one of the defaults because most people prefer the smooth look to their letters.

Now, if you will reread the section of the manual on page numbering, you will find that WordStar always numbers the pages and this must be turned off if unwanted. The command to do this is ".op" and it means omit page number. This is a "dot command" and its uses, as well as all of the other dot commands, are covered in the manual. The reason your page number is at the top of the next page is because of where you have positioned the paper in the printer. If you wanted this much top margin, there is a dot command for this also.

Of course, if you wish to turn off WordStar's page numbering feature entirely - which you may wish to do if letter writing is your primary use - you can do this by running the INSTALL program and turning the "omit page number" toggle to on.

Q. I have a Sanyo PR-5000 printer and it will not make use of a number of WordStar's functions as shown by PRINT.TST. What printer of comparable cost will? Also, the printer won't make a ditto worth a darn, even with double strike.

> Connie Mack Rea California, PA

A. The SanyoPR-5000 printer emulates a Diablo/Xerox 1610/1620, which is one of the choices available in the WordStar installation menu. If you install the printer in this fashion rather than as an IBM printer, as WordStar is installed when you received it, you will get all of the WordStar functions.

After reinstalling WordStar, please run PRINT. TST and see what happens. There is no need to replace the printer.

As for making a ditto on the printer, you do not specify what your problem is so I don't know how to answer your question. If the printer is not hitting the ditto hard enough, you might try setting the printer as if you were using one piece of paper (see your manual). Or you might try inserting

a second sheet of paper under the ditto so that you get a harder impression from the printer.

Q. How do you use SpellStar with an MBC-555 with dual, single-sided disk drives? There is not enough disk space to get all of the files on two diskettes.

Robert Seljan Cleveland Heights, OH

A. To run SpellStar on dual, single-sided drives, you need three diskettes configured as follows:

Disk one must contain these files:

- 1) WS.COM
- 2) WSMSGS.OVR
- 3) WSOVLYI.OVR
- 4) SPELSTAR.OVR

Disk two must contain the text you wish to check and disk three must contain the file SPELSTAR.DCT.

Put disk one into drive A: and disk two into drive B:. Enter WordStar and change the logged disk drive to B: by using the 'L' command in the opening menu.

Press 'S' to begin SpellStar. You will be asked which file is to be checked for spelling. Enter the filename and press RETURN. The SpellStar menu will now appear read it carefully. At this time, remove disk one from the A: drive and insert disk three (the one with SPELSTAR. DCT on it). You will be prompted to do this by SpellStar. Then press 'C' to check the spelling. A new menu will appear; at this time the logged disk drive must be changed to the A: drive. Press 'W' and you will be asked for the new working drive. Type 'A' and the menu will respond with this change.

At this point you can begin checking your spelling by pressing RETURN. Follow the directions for SpellStar in the WordStar training guide.

After the errors have been flagged in your document, remove disk three from drive A: and reinsert disk one into that drive. Press RETURN and follow the screen messages. Also, refer to the SpellStar section of the WordStar training guide to continue with the error corrections.

Total Management Planning Software presents

The TIME FREEFORM FILER: THE PREMIER TEXT/FILING PROGRAM!

The TMP FREEFORM/FILER

\$124.95 . . . In A Class By Itself! **UNIQUE CAPABILITIES:**

- THE OBJECTIVE: Designed for busy and creative individuals who want the FREEDOM to randomly store information, but need the POWER to retrieve that information in seconds.
- ★ THE KEYWORD SYSTEM: As you enter or edit your text, you can select any word as a "KEYWORD" or "KEYPHRASE." Each "CARD" can contain as many as 117 KEYWORDS, and up to nine pages of text similar to a 3" x 5" card, with no field restrictions. Each "FILE DRAWER" can contain up to 32,767 pages!

THE EDIT: Includes an onscreen editing menu, word wrap, mov-

 ★ THE SEARCH: Search for the Card Title, KEYWORD, or a combination of both. Plus, "WILD CARD SEARCHES" save time!
 ★ THE RESULTS: List the titles of cards found in the search, print the cards, or write them to a disk file for later printing or use with

a word processor. THE EASE OF USE: This fully prompted program has "HELP" available at any point, and comes with an extensive Tutor Section.

A unique text/filer program that bridges the gap between traditional data base management and word processing programs!

GIVE YOU MORE ABILITIES:

BUSINESS: Appointments, office phone and address indexes, inventory, service calls, vendor lists, and sales orders.

* ATTORNEYS: Find the cases affected by new court decisions.

DOCTORS: List all patients affected by new medications.
WRITERS AND RESEARCHERS: For indexing, cross-referen-

cing or cataloging.

** PERSONAL: The possibilities are endless . . . art and coin collections, bill paying, income tax records, and home inventory.

SOFT SECTOR MAGAZINE said no other filing program "can match the abilities and capabilities" of the TMP FREEFORM/FILER for "applications that require a lot of text, very variable search criteria, speed and efficiency."

REQUIREMENTS: The TMP FreeForm Filer runs on SANYO MBC 550 and MBC 555 and requires 64k RAM, one disk drive, and an 80-column screen. (Also available for IBM and IBM-compatible computers, and Zenith Z-100, Canon AS-100, Victor 9000, and Tandy

ORDERING INFORMATION► MAIL TO: TMP SOFTWARE • 2431 E. Douglas • Wichita, Kansas • 67211 OR CALL TOLL-FREE: 1-800-255-1382 Ext.47 We accept Visa, MasterCard, American Express, Money Orders and Checks.





Computer Gallery

WE MEET OR BEAT ALL PUBLISHED PRICES ON SANYO MBC-PACKAGES!

20 Hillwyck Drive . P.O. Box 7420 .

Toledo, Ohio 43615 • (419) 535-7370

YOUR CHOICE WITH EITHER PACKAGE PANASONIC DOT MATRIX GRAPHICS PRINTER LQ-2 12cps LETTER QUALITY PRINTER





ALL HARDWARE SHIPPING IS CHARGED AT ACTUAL COST.

SANYO MBC-550-2

CRT-30 Monitor as shown in photo. Not a CHEAP substitute. SOFTWARE FREE WORDSTAR - CALCSTAR EASYWRITER - SANYO BASIC MS-DOS 2.11

ADD 1595.00 FOR 10MEG HARD DRIVE ADD 1350.00 FOR NEC 1216 RGB MONITOR

SANYO MBC-555-2

CRT-30 Monitor as shown in photo FREE SOFTWARE in package #1 PLUS MORE! SPELLSTAR — MAILMERGE INFOSTAR — DATASTAR REPORTSTAR

QUBIE 300/1200 SMARTMODEM \$329 00 WORKS JUST LIKE HAYES 1200 MODEM LOOKS JUST LIKE HAYES 1200 MODEM DOES NOT COST LIKE HAYES 1200

PRINTER SPECIAL

PANASONIC KXP-1090

BM & FPSON COMPATABLE GRAPHICS AND CODES RICTION AND TRACKTER FEED CORRESPONDENCE MODE

ONLY \$235.00 CALL FOR OTHER PRINTER PRICES

HARDWARE SPECIALS

TEAC-55B	169.00
2 TEAC-55B with DS-DOS PLUS 360-400K	376 00
SANYO RS-232-PORT	79.00
128K RAM KIT 150ns PRIME CHIPS	95.00
8087 MATH CHIP	165.00

USE WITH TURBO PASCAL

MONDAY

SOFTWARE WE STOCK ALL MICHTRON

AND OTHER SOFTWARE FOR THE SANYO AND IBM

ALL SOFTWARE IS A MINIMUM

0 OFF FREE SHIPPING ON SOFTWARE

TURBO PASCAL \$44.95

TURBO **WITH 8087** SUPPORT \$81.95

WITH 8087 CHIP \$239.00

ASTER GRAP

40% 15% 10% 15%

MAKES BAR. 3-D. LINE, AREA, PIE EXPLODED PIE. MULTIPLE PIE. AND TEXT ONLY GRAPHS.

TEXT MAY BE ENTERED ANYWHERE ON THE GRAPH IN ANY SIZE AND COLOR.

MAKES PRESENTATION. BUSINESS AND STATISTICAL GRAPHS EASILY!

WITH WINDOWS!

ULTRA FAST WINDOWS MAKE IT EASY AND FAST TO USE

FULL SCREEN EDITOR MAKES DATA ENTRY FASTER THAN A SPREADSHEET

LOADS IN DATA FROM SPREADSHEETS LIKE CALCSTAR!!!!

BUILT IN SCREEN DUMP PRODUCES SHADES OF B&W OR COLOR!

LOADS & SAVES SCREENS TO DISK FOR INTERFACING WITH PICASSO AND FREEZE FRAME

WEDNESDAY

THURSDAY

FRIDAY

REGIONAL SALES

ANY HHERE

THESDAY

CURVE FITTING

SUPPORTED PRINTERS

IBM AND EPSON COMPATABLES PROWRITER 8510A. 8510BPI NEC-8023 GEMINI 10. GEMINI 15X

QUADJET COLOR INKJET CANNON COLOR INKJET MANNSMANN TALLY MT180 AND SPIRIT 80 MASTER GRAPH 3

ONLY

256K

ALSO AVAILABLE FROM YOUR DEALER

Further And Further Into EDLIN

DANNY HUMPHRESS Soft Sector Technical Editor

iewed topically, the jungle we call MS-DOS appears to be a single living entity. Upon closer examination, it is revealed to be an entire galaxy of nebulae, quasars and solar systems; each solar system being another complex world of planets, asteroids, and moons.

EDLIN, the MS-DOS line editor that we've been exploring these past two months, is such a solar system in the MS-DOS galaxy. Its special commands and keystrokes make it a unique being that enhances the usefulness of the operating system. It was not by circumstance that Microsoft included it in MS-DOS. Rather, it is an integral part of the day-to-day operation of the computer system. Many MS-DOS commands and features, which lie in the solar systems soon to be explored, rely upon files that must be created with a file editor such as EDLIN.

To date, we've used *EDLIN* to create some small files and edit those files with special editing keys and a subset of *EDLIN* commands. On this, the third day of our *EDLIN* explorations, we'll take a look at some of the more advanced commands.

You'll need your usual set of tools: a copy of your MS-DOS 2.11 disk (which should have the *EDLIN.COM* program on it) and, of course, your Sanyo 550/555. If you have the disk that you used for last month's "Mastering MS-DOS" with the *CITIES* file on it, we'll be using the same file again this month. To refresh your memory, the file contained the following lines:

- 1: Atlanta, GA
- 2: Chicago, IL
- 3: Denver, CO

(Danny Humphress, SOFT SECTOR's Technical Editor, is the owner of a computer software and consulting firm in Louisville, Ky. Danny brings to SOFT SECTOR his extensive experience with small business computers and applications software.)

- 4: Los Angeles, CA
- 5: Louisville, KY
- 6: Miami, FL
- 7: New York, NY
- 8: Orlando, FL
- 9: Palo Alto, CA
- 10: San Francisco, CA

Baker's Dozen

EDLIN gives you extensive control over the contents of a data file through the use of its 13 single-letter commands. We've already learned about listing with 'L' and page listing with 'P' as well as using 'E' to end the editing session.

Parameters

Two EDLIN commands, 'E' (End) and 'Q' (Quit), are complete and require no other information to do their jobs. The others all require that you specify or "imply" parameters such as line numbers, search and replace strings, and counts. The format for specifying these parameters is similar on all the commands, so once you get accustomed to using EDLIN, they will come naturally. As a general rule, line numbers come before the command letter and all others appear after the command.

By omitting parameters on some commands, you can imply that you want *EDLIN* to use the current line and/or default values that are specific to the individual commands. As we touch on each command, this concept will become clear.

Line Numbers

As you have noticed by now, each line in an *EDLIN* file is given a sequential "line number." It is by using these numbers that we tell *EDLIN* which lines we are editing.

There is always a current or "default" line that is marked with an asterisk (*) in the listing. EDLIN assumes that we are working on this line if we do not specify another line number. You'll remember that the current line is changed by simply typing the line

number at the *EDLIN* prompt. This takes you immediately into the line editing mode where you may use *EDLIN*'s function keys to make changes in the text. Similarily, just pressing ENTER at the *EDLIN* prompt lets you edit the current line.

In addition to using numbers to specify lines, we have a few shortcuts at our disposal. The period (.) may be used with *EDLIN* commands to specify the current line which is always the last line edited. A pound/number symbol (#) is used to specify the line just past the last line of the file. Thus, if the file is 10 lines long, # would be Line 11 (bear with me here).

You can also specify line numbers relative to the current line by using plus (+) and minus (-). For instance, to indicate five lines higher than the current line, you could use "+5" instead of the actual line number; "-5" could be used to indicate the line that is five lines lower than the current line.

Insert Lines

The 'I' EDLIN command allows you to insert text immediately preceeding a specified line. If no line is specified and the "I" command is used alone, text is inserted before the current line. All text, from the specified line down, is shifted down to make room for the inserted line or lines. When you finish adding lines, press CTRL-C to exit the Insert mode.

We used Insert earlier to add lines to an empty file. When the file is empty, there is no need to specify line numbers with Insert. It will begin with Line 1.

Let's add a couple of cities to our file between New York and Miami. Since New York is line 7, we'll tell EDLIN to insert before at this line. Type:

7I press ENTER

The screen should look something like this:

*71

7:*_

Now type the name of the first city to insert at line 6, "Charlotte, NC" and press ENTER. EDLIN will automatically skip to line 8 and allow you to insert text there. Type "Albuquerque, NM" and press ENTER. When EDLIN advances to line 9, press CTRL-C to exit the Insert mode. The screen should look something like this:

*7I
7:*Charlotte, NC
8:*Albuquerque, NM
9:*^C

The old text has been shifted down to make room for the two new entries. List the file to see for yourself. Type:

1L press ENTER

You'll see this:

*1L

- 1: Atlanta, GA
- 2: Chicago, IL
- 3: Denver, CO

- 4: Los Angeles, CA
- 5: Louisville, KY
- 6: Miami, FL
- 7: Charlotte, NC
- 8: Albuquerque, NM

12: San Francisco, CA

- 9:*New York, NY
- 10: Orlando, FL
- 11: Palo Alto, CA

*_

Notice that line 9 (New York) is marked as the current line. After an insertion, the line immediately following the inserted text becomes the current line.

One of the more frequent uses of Insert is to add lines to the bottom of the text file. This is done by using "#" as the line number parameter for the 'I' command (#I). This is not neccessary, as we have learned, if there are no lines in the file — just type 'I' and EDLIN will get the meaning just fine.

Delete Lines

Now that our list has grown by two cities, let's remove two other cities to get the size back down to 10. This, of course, is accomplished with the Delete (D) command.

When using Delete, you specify a range of lines that are to be removed. Any lines below the deleted lines are instantly shifted up to fill in the "empty" spaces.

There are actually two ways to delete lines. You can delete a single line by just specifying a single line number — or no number at all if you're deleting the current line, or you can delete a block of lines by specifying the beginning and ending line numbers. Again, if you omit any number, *EDLIN* will take that to mean that you're implying the current line (be careful).

We want to delete New York and Orlando from our file (lines 9 and 10). This could be done one of many ways. We could delete each individual line by typing "9D" and "10D." Another, more direct, method would be to type "9,10D" to indicate that we want to delete the range of lines from line 9 to line 10. Try this method. Type:

9,10D press ENTER

If you list the file, you'll discover that New York and Orlando are gone and Palo Alto and San Francisco have taken over lines 9 and 10:



AVAILABLE The latest technology in 51/4" Winchester Disk Drives

(and the solution to hard-disk backup problems)

SYSTEMS PERIPHERLS CONSULTANTS PRESENTS

Diskit
"REMEDY"® 10Mb
Removable
Cartridge Drive



for IBM*, TI*, Sanyo*, Corona*, Kaypro*, etc.

The "REMEDY" is the *only* 10Mb cartridge drive on the market and can be combined with other Diskit drives up to 60Mb in one small chassis. Perfect for all applications requiring removable random-access, high speed storage. Functions as reliable backup device, eliminating the need for streaming tape drives. This *is* the economical solution. Call now!

SYSTEMS PERIPHERALS CONSULTANTS

9747 Business Park Avenue • San Diego, CA 92131 • (619) 693-8611

*1L

1: Atlanta, GA

2: Chicago, IL

3: Denver, CO

4: Los Angeles, CA

5: Louisville, KY

6: Miami, FL

7: Charlotte, NC

8: Albuquerque, NM

9:*Palo Alto, CA

10: San Francisco, CA

As with Insert, the line immediately following the deleted lines becomes the new current line.

Since 9 was the current line, we could have omitted the reference to line 9 and just enter ",10D." Taking that one step further, we could have entered ",+1D" where "+1" would mean "one line from the current line."

Search Text

One of the handiest features of EDLIN is its ability to quickly search through a file to find a specific string of characters such as a word, phrase, number — or anything. If our cities file were longer (and had more important information about each city than the

state it's in), Search (S) would almost instantly locate Springfield, Missouri from a list of hundreds of cities. If you want to see Springfield, Missouri and Springfield, Illinois, Search can handle that also.

Type this command:

1.#SCA press ENTER

You told EDLIN to search between line I and the end of the file (#) and find the first line that has the string "CA" in it. Notice that there is no space between the 'S' and the search string. Everything that follows 'S' is considered to be part of the search string including spaces. Another thing to keep in mind is that uppercase and lowercase letters are two distinct things to EDLIN. "CA" and "Ca" may look alike to us, but they're very different to the computer.

The screen should look something like this after you enter the above command:

*1.#SCA

4:*Los Angeles, CA

The search terminates and line 4 becomes the new current line. Type just 'S' and press ENTER. EDLIN will search for the next occurrence of "CA" starting with the line after the current line (which is, of course, Line 4):

9:*Palo Alto, CA

Try typing this:

1,#?SCA press ENTER

The only difference in this command from the one we just did is the question mark that preceeds the 'S' command. A question mark (?) makes Search stop after each find and wait for you to tell it whether to stop or continue searching. This is used when you expect to find more than one line containing the string but you are looking for one specific line. It is also an easy way to see all the lines containing a search string.

After each find, EDLIN will stop and display the message:

O.K.?

If you press either 'Y' or ENTER, the search stops and the line becomes the

NANCY'S DISCOUNT

SANYO 550-2 W/SOFTWARE	700
SANYO 555-2 W/SOFTWARE	1000
SANYO LOTUS BOARD AS RELEASED	200
BY SANYO	

TEAC DS/DD DRIVE 360K/720K	160/190
128K RAM 150 ns	100
JUKI 6100 10-12-15 PS 2K BUFFER	400
BROTHER HR-15 10-12-15-PS 3K BUFFER	350
BROTHER HR-25/HR-35	600/825
BROTHER HR-5 THERMAL DOT MATRIX	180
OLYMPIA COMPACT 2 PAR/TYPEWRITER	400
OLYMPIA R/O OR TTX W/TF SERIAL & PAR 10-1:	2-15 350
DIABLO 630 API 40CPS	1600
BMC 401 MFG SILVER REED (550)/SANYO PR 55	00 440
OKIDATA 92P/IBM92	390/390
OKIDATA 82A/83A	290/535
OKIDATA 93P/IBM93	600/600
OKIDATA 84P/IBM84	700/700
BMC-CP LEDGEND-COMPACT	No. of Contract of
(SQUARE DOT 80 CPS)	230

Send \$75.00 deposit and we will ship COD UPS actual

Cash prices only No credit cards honored Prices are higher for in-store delivery & support

> **BUSINESS MACHINE CONSULTANTS** 1435 DUNCAN STREET, WALNUT CREEK, CA 94596 (415) 930-9600

CAN YOUR SANYO RUN LOTUS 1-2-3 AND OTHER IBM GRAPHIC PROGRAMS YES

CALL FOR MORE INFO ON SANYO-IBM GRAPHIC CARD.

UNBELIEVABLE DISKETTE PRICES

Box of 10 SS/DD DS/DD STORAGE MASTERS

\$16.99

\$19.40

WE HAVE SANYO SOFTWARE TOO!

HARDWARE

SPIRIT 80 (Dot Printer)	\$259.00
GEMINI 10X (Dot Printer)	\$254.00
JUKI 6100 (Letter Printer)	\$405.00
PRINTER CABLE	\$ 24.95
BEEP STOPPER	\$ 7.95
PANASONIC	\$308.00

INTEGRATED TECHNOLOGIES

6915 TABLE MT. RD. TUCSON, AZ. 85718 PHONE: 602-299-2358



The MBC 550 Series are high performance, MS-DOS, 16 bit personal computers with color graphics and up to 256K RAM expandability.

Available with either 160K or 360K drive(s).

All models come with MS-DOS, Basic, WordStar*, CalcStar*, EasyWriter I.**

Dual drive models come with additional IUS or MicroPro* bundled software.

And, the powerful operating system allows you to run many of the IBM PC business software programs. All for a price that can't be beat.

If your needs are for word processing, accounting, spreadsheets, data base management, advanced integrated programs, or home and educational applications, experience the power of the Sanyo MBC 550 series now.



SI Joseph Street, Moonachie, NJ 07074
YOU'LL FIND OUR NAME EVERYWHERE.

current line. If you press any other key, the next matching line is displayed and you are again given the choice to proceed or stop. When the end of the file is reached, you'll get this message:

Not found

On the above example, press 'N' each time the "O.K.?" question appears. The screen will look like this:

*1,#?SCA
4:*Los Angeles, CA
O.K.?N
9:*Palo Alto, CA
O.K.?N
10:*San Francisco, CA
O.K.?N
Not found

If you omit the first line number in the command, EDLIN will assume that you want to begin searching from the line following the current line. If you omit the second number, the search will continue through the last line of the file. If you omit the search string, EDLIN remembers the last string specified in a command (if any) and uses it. Thus, when you typed 'S' with no other parameters, EDLIN started at the line

following the current line and searched through the end of the file for the search string you used earlier.

Replace Text

Just as you can search for occurrences of a string in a file, you can also have *EDLIN* automatically find strings and replace them with another string with, you guessed it, Replace.

Replace is used much like Search except that you give it two strings — one for the search and one for the replace.

Let's take the Search example one step further and change the "CA" to "California" on all the text lines. Type the following command:

1,#RCA^ZCalifornia press ENTER

The "^Z" is generated by pressing CTRL-Z. This is used in *EDLIN* to indicate the end of a string of characters.

EDLIN will zip through the file doing its replacing. Unlike Search, it will not stop after each line, but will continue until it reaches the end of the file. The screen will look like this:

*1,#RCA^ZCalifornia

4: Los Angeles, California

9: Palo Alto, California

10: San Francisco, California

Notice that only the lines containing "CA" were displayed. Had "CA" appeared more than once in a line, EDLIN would have repeated scanning the line until all replacements had been made. The line is displayed each time a replacement is done.

You can omit any or both of the line numbers, the same rules apply as with Search. If you omit the second string, the search strings are replaced with nothing. In other words, they are deleted.

The question mark (?) can be used with Replace to have it show you each replacement and ask for your approval (again with "O.K.?"). If you press ENTER or 'Y' the replacement is made and the next matching string is located. Pressing 'N' rejects the change and leaves the line unchanged. Again, the search will continue.

Are We There Yet?

No, not yet. I wanted to complete our discussion on *EDLIN* with this issue, but there just wasn't room. So, we'll have to wrap it up next month.

But, hey, you've worked so hard today — get outside for a bit and enjoy the brisk winter air. Prepare yourself for the *EDLIN* finale in February.

RENT MY SOFTWARE LIBRARY!

Public Domain and User Group Software isn't copyrighted! So now you can enjoy your Sanyo 550/555 to a fuller capacity. Business, educational, games, graphics, finance, utilities, and more. Hundreds of programs that you can copy yourself. Some of these programs are as good as, if not better than some of the high priced commercial packages available.

25 DISK LIBRARY rents for only \$35.00 + \$7.50 for shipping, handling, and insurance (plus \$50 refundable security deposit). Rental is for 7 days after you receive the software library.

Send 55 for sample diskette or send your name and address for more information on Software Library Rentals, to: FUTURESYSTEMS, P.O. BOX 3040, VISTA, CA 92083

BLANK DISK SALE-1st quality, lifetime guarantee SS/SD \$1.60 DS/DD \$1.95 each-bulk pack of 25 (add \$3 postage & handling).

Personal checks accepted-California residents add 6% sales tax.

MS-DOS DISK CATALOG SYSTEM (DCS)

Menu driven Turbo PASCAL System written for any MS-DOS (Ver 1 or 2) Personal Computer. DCS provides the capability to read any formatted disk and store the directory in a database. You can add/replace or delete disk volumes in the database. An option exists when adding/replacing or from the print menu to print a 4 x 1½ inch label listing the directory of a specific disk in alphabetical order. Inquiry and print capabilities are provided for selective listings in alphabetical sequence by file name or file name within volume name, as well as a disk summary listing. Included are installation programs to initialize DCS for your brand of computer, a database reorganization program and a printer customization program to set the appropriate control characters to print the labels on your brand of printer. System limits are 40 directories per diskette, 150 files per diskette and 500 diskettes. System requirements are 128K memory and one (1) disk drive.

INTRODUCTORY PRICE is \$39.95 + \$3.00 S/H(FL residents add 5% tax)

PALM BAY SOFTWARE . P.O. Box 61625 Palm Bay, FL 32906

YOUR SOUTHERN CALIFORNIA SANYO DEALER

HAMMER INDUSTRIES, INC. 5482 OCEANUS DRIVE, SUITE B P.O. BOX 2419 HUNTINGTON BEACH, CA 92647

(213) 598-8869

(714) 898-7324

SANYO HARDWARE AND SOFTWARE SPECIALISTS
WE SUPPORT ALL WE SELL

Bogged Down by a Heavy Duty Word-Processor? Try W-ED!

the simple-to-use writing tool with the best features of a full-screen editor and word-processor.

W-ED is intuitive and comfortable.

The number of features packed into **W-ED**'s small size is amazing! **W-ED** is very fast, handles files up to 750 lines and is perfect for jobs like letters, short reports or program source code.

You can tailor W-ED's features to suit your needs. W-ED runs on SANYO 550 and 555 computers and costs \$40.

WyndhamWare

P.O. Box 729 Renton, WA 98057-0729
(In Washington State add 8.1% Sales Tax. MC & VISA—include card no., exp. date and signature)



10 Reasons Why We're #1 for & Sanyo 555-2's

With each Sanyo 550-2 and 555-2 we now include, at no additional charge: (1) Sketch-A Color Graphics drawing program; (2) 15 Games for the Sanyo, a \$29.95 package; (3) Datemate - an appointment program with a perpetual calendar; (4) Diagnostics - tests your RAM, display, and keyboard; (5) PC Filer - the program that made "freeware' famous; (6) Three extra utilities that don't come on the systems disk; (7) I.S. Manager - Allows you to change the structure of existing InfoStar records.

Plus if you buy from Scottsdale Systems (8) you can choose between MicroPro and IUS software on the two drive systems; (9) we stock reference manuals for our customers; and (10) we offer factory trained service. Sure we have the best prices around, but we have much more, and that's why we've sold more Sanyo computers than any other dealer in America.

Sanyo 1100's w/2 drives		\$888
-------------------------	--	-------

PRINTERS

Gemini 10X	\$244
Okidata 92 \$498 \$1	25 off
Epson FX-80 \$569 \$1	80 off
Juki 6100	\$399



SPECIAL SALE! SANYO DMC7500 MONITORS

These are the 13" RGB models that exceed the color output of the 550's. 488 dots horizontal, by 288 dots vertical, and a list price of \$598. While they last we're including a Sanyo RGB cable and sending them out the door for a mere

S369



Scottsdale Systems, Ltd. 617 N. Scottsdale Rd., #B, Scottsdale, Az 85257 (602) 941-5856

MODEMS

Passwords												\$309
Mark XII												\$249



The Quick Silver Fox™ Jumps Over The Big Blue Dog.

We really hate to pick on the big guys but compared to the Silver Fox your basic IBM-PCTM is an overpriced dog.

256k RAM

Why? Well, for starters, your basic Silver Fox comes with 256k of RAM which acts like a disk drive so that more of your software is accessed at the speed of light rather than the speed of a mechanical drive head.

1.6 Megabytes

You also have more than twice as much software to access because the Silver Fox comes with dual 800k disk drives for a total of 1.6 Megabytes. Yet the Silver Fox can read and write to all popular PC formats.

Free Silverware

- 1. MS-DOS
- 2. HAGEN-DOSTM
- 3. M-DISK
- 4. WordStarTM
- 5. EasyWriter
- 6. DataStar
- 7. ReportStar 8. FILEBASE
- 9. CalcStar
- 10. Color Graphics Basic
- 11. MailMerge
- 12. SpellStar
- 13. 25 Games, graphics and utilities

The best free software bundle in the business, and the Fox will run some programs written for the IBM-PC like dBase II and Multiplan, and programs written for Sanyo's new MBC-550 series.

Reliability

Because the Silver Fox is born on a totally automated production line in Japan it is inherently more reliable than

systems built by hand. The Fox is burned and tested for 14 days in Japan, and further tested after final assembly here in the good old U.S.ofA.

One Year Warranty

The Silver Fox is built better so we can back it with a limited. one-year warranty, four times longer than IBM. We're Scottsdale Systems and since 1980 we've shipped over \$10,000,000 of microcomputer equipment directly to microcomputer users.

Because we deal directly with users, we think we have a better idea of what you want. So the Silver Fox includes graphics with twice IBM's resolution, a printer port, a keyboard with a big return key, and a 12", highresolution monitor as standard equipment.

Of course, you could spend \$4729 at Computerland for an IBM-PC that will perform almost as well as a Silver Fox. But why bother when you can call

1 (602) 941-5856

to perform like \$4729?

For additional information call 1 (602) 941-5856, or write Scottsdale Systems, 617 N. Scottsdale Road #B. Scottsdale, AZ 85257.

IBM. PC price is based on a phone quote from the Mesa. Az Computerland on July 30, 1984. Price included 256k. RAM. dual 360K. drives (800K's weren't available), software, and a graphics monitor.

Trademarks: Silver Fox and Hagen-DOS, Scottsdale Systems Ltd. IBM.-PC. International Business Machines Corporation. Wordstar, Calcstar, Mailmerge, Spellstar, and Infostar, Microspor International. MS-DOS, Multiplan, Microsoft Corporation. Filebase, EWDP Software, Inc. crosoft Corporation Filebase, EWDP Software,

Microsoft Corporation Filebase, EWDP Software, Inc.
dBASE II. Ashton-Tate
Ordering Telemarketing only, all prices are for cash,
F.O.B. Scottsdale, price subject to change, product
subject to limited supply. Visa, Mastercard add 3%, AZ
residents add 6%. Returned merchandise subject to a
20% restocking fee Personal/company checks take up to
3 weeks to clear. No C.O.D.'s or A.P.O.'s.



If you have any money left after financing your computer hobby, here's a program to help you put it to work

TAKING STOCK

raking money on the stock market is not always an easy task. Brokerage houses and investment firms have staffs to analyze stocks or groups of stocks and predict what the market will do in the future. Even then, they are not right all the

One of the simplest methods of stock analysis is used by the National Association of Investment Clubs (NAIC). The NAIC promotes the formation of investment clubs which meet periodically to invest in stocks. The method they recommend to members is covered in their stock selection guide.

To use the guide you must have access to certain company data for the past five years. The required data, obtained from a Standard and Poor sheet, are the sales (revenues), earnings per share, and high and low price per earnings ratios (P/E). These Standard and Poor sheets can generally be obtained from any broker or investment firm. Also needed is the current price of the stock.

By plotting historic sales and earnings on special graph paper you can determine the average yearly growth rates. These figures are used in estimating what you think the future growth of the company will be.

The heart of the selection guide is the price forecast, where the estimated high and low prices of the stock over the next five years are calculated. To do this you estimate the high and low earnings per share, based on the historic growth, and compute the average high and average low P/E ratios.

The average high (Price/Earnings) multiplied by the estimated high (Earnings/Share) equals the estimated high (Price/Share). The same calculations using the average low P/E and low estimated E/S give the low estimated price.

The difference between the high and low estimated prices, called the range, is then divided into thirds. The lower third is called the "Buy Zone," the middle third the "Maybe Zone," and the upper third the "Sell Zone."

Also calculated are the upside and downside ratios. The upside ratio is the difference between the high estimated price and the current price and is a measure of the potential gain of the stock. The downside ratio is the difference between the current price and

D433/

IN THE MARKET

BY RANDOLPH MATEER

the low estimated price and represents the risk of loss. The higher these ratios, the higher the chance of gain and the lower the risk of loss.

The stock analysis program reaches the same end in a slightly different way. You are asked to enter sales (S) and earnings (E), beginning with the first year and ending with the most recent one. Next, you enter the low and high price/earning ratios (LPE and HPE). Finally, the computer needs the current price of the stock (CP).

First, the computer calculates the yearly percentage growth in sales and earnings (GS and GE) and the average yearly percentage growth (AGS and AGE). These last two figures are displayed in the appropriate part of the program and are to be used by you in

estimating future growth.

When you go to the sales or earnings areas, you are given the average historic growth figures and allowed to enter your estimate of future growth. The computer then displays the appropriate table for the 10 year period, based on your estimated growth, and allows you to change this growth, return to the main menu or print the table.

In the price forecast area you are given the high calculated E/S, based on historic growth, and asked to enter your estimated high and low earnings per share (HES and LES). The computer then displays the upside and downside ratios and the three zones, again allowing you to make changes in your estimates.

The program will not make you rich,

at least I don't think so. However, it may provide you with some insight into stocks and also some enjoyment. By the way, if you come across any hot stocks, call me before you call your broker.

(Randolph Mateer has two degrees in chemistry and is a freelance writer specializing in how-to articles. Although his work has been published in woodworking, photographic and outdoor magazines, this is his first computer oriented submission. He may be contacted at 20524 Gardendale, Detroit, MI 48221.)

CTO 30% RSO SD9

SOF+1 500.16

USTING.STOCK FORECAST 100 150			
100	LISTING: STOCK FORECAST	1%	Ŧ
400 'DETROIT, MI 48221 500 CLS 500 CLOATE 5,1: PRINT "What is the Name of the Company" 700 PRINT: PRINT: INPUT NS 800 CLS 900 LOCATE 5,1: PRINT "Enter Sales for the Past Five Years" 1100 PRINT: PRINT 110 S 1200 PRINT: PRINT "Any Corrections (y/n)" 1200 PRINT: PRINT "Any Corrections (y/n)" 1200 PRINT: INPUT AS 1200 PRINT: PRINT "Any Corrections (y/n)" 1200 PRINT: P	100 'STOCK FORECAST	00	臣
400 'DETROIT, MI 48221 500 CLS 500 CLOATE 5,1: PRINT "What is the Name of the Company" 700 PRINT: PRINT: INPUT NS 800 CLS 900 LOCATE 5,1: PRINT "Enter Sales for the Past Five Years" 1100 PRINT: PRINT (100 PRINT) 1100 FOR X=1 TO 5 1200 PRINT: INPUT S(X) 1300 PRINT: PRINT "Any Corrections (y/n)" 1300 PRINT: INPUT AS 1500 PRINT: PRINT "Any Corrections (y/n)" 1300 PRINT: PRINT "Any Corrections (y/n)" 1400 PRINT: PRINT "Any Corrections (y/n)" 1500 PRINT: PRINT "Any Corrections (y/n)" 1600 PRI	200 'RANDDOLPH MATEER	Ĕ	ō
500 CLS 600 LOCATE 5,1: PRINT "What is the Name of the Company" 700 PRINT :FRINT : INPUT N\$ 800 CLS 900 LOCATE 5,1: PRINT "Enter Sales for the Past Five Years" 1000 PRINT :FRINT 1100 FOR X=1 TO 5 1200 PRINT :INPUT S(X) 1300 NEXT X 1400 PRINT :INPUT A\$ 1600 IF AS="y" THEN 800 ELSE 1700 1300 PRINT :INPUT A\$ 1600 PRINT :INPUT E(X) 1300 PRINT :INPUT A\$ 1500	300 '20524 GARDENDALE		S
DOCATE 5,1: PRINT "What is the Name of the Company" PMP FRINT : INPUT N\$ PRINT : PRINT "Enter Sales for the Past Five Years" PMP PRINT : PRINT	500 CIC 48221	31/4	
### PRINT : INPUT NS ### PRINT : PRINT "Enter Sales for the Past Five Years"		X	
1000 PRINT : FRINT 1100 FOR X=1 TO 5 1200 PRINT : INPUT S(X) 1300 NEXT X 1300 PRINT : INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS 1800 LOCATE 5,1: FRINT "Enter E/S for the Past Five Years" 2000 FOR X=1 TO 5 2000 IF A\$="y" THEN 1700 ELSE 2600 2000 IF A\$="y" THEN 2600 ELSE 3500 3000 FRINT : INPUT A\$ 3000 FRINT : INPUT A\$ 3000 FRINT : INPUT A\$ 3000 IF A\$="y" THEN 3500 ELSE 4400 4400 IF A\$="y" THEN 3500 ELSE 4400 4500 IF A\$="y" THEN 3500 ELSE 4400 4600 FRINT : INPUT A\$ 4800 IF A\$="y" THEN 3500 ELSE 4400 4800 IF A\$="y" IF A\$="y" THEN 3500 ELSE 4400 4800 IF A\$="y" I	700 PRINT : PRINT : INPIT NO	0	50
1000 PRINT : FRINT 1100 FOR X=1 TO 5 1200 PRINT : INPUT S(X) 1300 NEXT X 1300 PRINT : INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS 1800 LOCATE 5,1: FRINT "Enter E/S for the Past Five Years" 2000 FOR X=1 TO 5 2000 IF A\$="y" THEN 1700 ELSE 2600 2000 IF A\$="y" THEN 2600 ELSE 3500 3000 FRINT : INPUT A\$ 3000 FRINT : INPUT A\$ 3000 FRINT : INPUT A\$ 3000 IF A\$="y" THEN 3500 ELSE 4400 4400 IF A\$="y" THEN 3500 ELSE 4400 4500 IF A\$="y" THEN 3500 ELSE 4400 4600 FRINT : INPUT A\$ 4800 IF A\$="y" THEN 3500 ELSE 4400 4800 IF A\$="y" IF A\$="y" THEN 3500 ELSE 4400 4800 IF A\$="y" I	800 CLS	S	34.
1000 PRINT : FRINT 1100 FR X=1 TO 5 1200 PRINT : INPUT A\$ 1300 PRINT : INPUT EX 1300 PRINT : INPUT A\$ 1400 PRINT : INPUT A\$ 1400 PRINT : INPUT A\$ 1500 PRINT : INP			16
1100 FOR X=1 TO S 1200 FRINT :INPUT S(X) 1300 NEXT X 1500 FRINT :INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS 1800 LOCATE 5,1: FRINT "Enter E/S for the Past Five Years" 1900 FRINT :INPUT E(X) 1200 FRINT :INPUT A\$ 1200 FRINT :INPUT LPE(X) 1300 FRINT :INPUT LPE(X) 1300 FRINT :INPUT A\$ 1400 FRINT :INPUT A\$ 1500 FRINT :	1000 PRINT :PRINT	60	
1500 FRINT :INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS		(1)	10
1500 FRINT :INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS		5	.16
1500 FRINT :INPUT A\$ 1600 IF A\$="y" THEN 800 ELSE 1700 1700 CLS		5	8
1700 CLS 1800 LOCATE 5,1: PRINT "Enter E/S for the Past Five Years" 1900 PRINT :PRINT 2000 FOR X=1 TO 5 2100 PRINT :INPUT E(X) 2200 NEXT X 2300 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2900 FOR X=1 TO 5 2000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3500 CLS 3500 CLS 3500 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT A\$ 4000 PRIN	1400 PRINT :PRINT "Any Corrections (y/n)"		5
1700 CLS 1800 LOCATE 5,1: PRINT "Enter E/S for the Past Five Years" 1900 PRINT :PRINT 2000 FOR X=1 TO 5 2100 PRINT :INPUT E(X) 2200 NEXT X 2300 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2900 FOR X=1 TO 5 2000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3500 CLS 3500 CLS 3500 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT A\$ 4000 PRIN	1600 TE AC="" THEN OUT AS	90	No.
1800 LOCATE 5,1: PRINT "Enter E/S for the Past Five Years" 1900 PRINT: PRINT 2000 PRINT: INPUT E(X) 2200 NEXT X 2300 PRINT: INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT: INPUT A\$ 2800 PRINT: INPUT A\$ 2800 PRINT: INPUT LPE(X) 3100 PRINT: INPUT LPE(X) 3100 PRINT: INPUT A\$ 3200 PRINT: INPUT A\$ 3200 PRINT: INPUT A\$ 3500 CLS 3500 CLS 3500 CLS 3500 CLS 3500 PRINT: INPUT A\$ 3500 PRINT: INPUT A\$ 3500 PRINT: INPUT A\$ 3500 PRINT: INPUT BETON	1700 CLS	ш	
1900 PRINT :PRINT 2000 PRINT :INPUT E(X) 22000 NEXT X 2300 PRINT :INPUT As 25000 IF AS="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT AS 3400 IF AS="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT AS 4300 IF AS="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REIN**AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GE(X)+S(Y)-S(X) 5400 GS(X)=GE(X)+S(Y)-S(X) 5500 GS=CS+GS(X)/S(X)		S	86
2100 PRINT :INPUT E(X) 2200 NEXT X 2300 PRINT :PRINT "Any Corrections (y/n)" 2400 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT "2000 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT LPE(X) 3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT "Any Corrections (y/n)" 3300 PRINT :PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT "Brint "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT "Any Corrections (y/n)" 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :PRI	1900 PRINT : PRINT	13%	1
2300 PRINT :PRINT "Any Corrections (y/n)" 2400 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3500 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :INPUT A\$ 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM**AVERAGING SUBROUTINE***REM 4800 CLS 4500 GS(X)=6: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=6: GE(X)=0 52000 Y=X + 1 5300 GS(X)=6: GE(X)=6(X)+S(Y)-S(X) 5400 GS(X)=6: GE(X)+S(Y)-S(X)		43	4
2300 PRINT :PRINT "Any Corrections (y/n)" 2400 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3500 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :INPUT A\$ 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM**AVERAGING SUBROUTINE***REM 4800 CLS 4500 GS(X)=6: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=6: GE(X)=0 52000 Y=X + 1 5300 GS(X)=6: GE(X)=6(X)+S(Y)-S(X) 5400 GS(X)=6: GE(X)+S(Y)-S(X)		L	8
2400 PRINT :INPUT A\$ 2500 IF A\$="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :INPUT A\$ 3600 FOR X=1 TO 5 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM**AVERAGING SUBROUTINE**REM 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4800 CS=0:0: GE=0 5000 FOR X=1 TO 4 5100 CS(X)=0: GE(X)=0: 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 CS=CS+GS(X)/S(X)		0	19
2500 IF As="y" THEN 1700 ELSE 2600 2600 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT As 3400 IF As="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 PRINT :INPUT As 4300 IF As="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GCS=CS+GS(X)/S(X) 5400 GCS=CS+GS(X)/S(X)	2300 PRINT :PRINT "Any Corrections (y/n)"	Q 4	
2700 CLS 2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 38000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :INPUT A\$, 3400 LF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT A\$, 4300 LS 4500 LOCATE 5,1: PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$, 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM**AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=G: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=0: GE(X)=5(X)+S(Y)-S(X) 5400 GS(X)=GS(X)+S(Y)-S(X) 5400 GS=GS+GS(X)/S(X)	2400 PRINT :INPUT A\$	93.1	4
2700 LOCATE 5,1: PRINT "Enter Low P/E for the Past Five Years" 2800 PRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 PRINT :INPUT LPE(X) 3300 PRINT :INPUT As, 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 PRINT :INPUT HPE(X) 4000 PRINT :INPUT HPE(X) 4000 PRINT :INPUT A\$, 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GCS=GS+GS(X)+S(Y)-S(X) 5500 GS=GS+GS(X)+S(Y)-S(X) 5500 GS=GS+GS(X)+S(Y)-S(X)	2500 IF AS= y THEN 1/00 ELSE 2600	S	63
2900 FRINT :PRINT 2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :PRINT "Any Corrections (y/n)" 3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=6 5200 Y=X + 1 5300 GS(X)=0: GE(X)+S(Y)-S(X) 5400 GS=(SX+GS(X)/S(X)) 5400 GS=(SX+GS(X)/S(X)) 5400 GS=(SX+GS(X)/S(X))		E .	
2900 FOR X=1 TO 5 3000 PRINT :INPUT LPE(X) 3100 NEXT X 3200 PRINT :PRINT "Any Corrections (y/n)" 3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT HPE(X) 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=0: GE(X)+S(Y)-S(X) 5400 GS=GS+GS(X)+S(Y)-S(X) 5400 GS=GS+GS(X)/S(X) 5400 GS=GS+GS(X)/S(X)	2800 PRINT : PRINT		
3100 NEXT X 3200 PRINT :PRINT "Any Corrections (y/n)" 33000 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		9	S.
3100 NEXT X 3200 PRINT :PRINT "Any Corrections (y/n)" 33000 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		151	=
3300 PRINT :INPUT A\$ 3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GS(X)+S(Y)-E(X) 5500 GS=CS+GS(X)/S(X) 4000 CS=CS+GS(X)/S(X)			+
3400 IF A\$="y" THEN 2600 ELSE 3500 3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT :PRINT 3800 FOR X=1 TO 5 3900 PRINT :INPUT HPE(X) 4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT :INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=0: GE(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 CS=(SS+GS(X)/S(X)	3200 PRINT :PRINT "Any Corrections (y/n)"	Ш	X
3500 CLS 3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT: PRINT 3800 FOR X=1 TO 5 3900 PRINT: INPUT HPE(X) 4000 NEXT X 4100 PRINT: PRINT "Any Corrections (y/n)" 4200 PRINT: INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT: PRINT: INPUT CP 4700 REM**AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GS=GS+GS(X)+S(Y)-S(X) 5500 GS=GS+GS(X)/S(X)		13%	
3600 LOCATE 5,1: PRINT "Enter High P/E for the Past Five Years" 3700 PRINT:PRINT 3800 FOR X=1 TO 5 3900 PRINT:INPUT HPE(X) 4000 NEXT X 4100 PRINT:PRINT "Any Corrections (y/n)" 4200 PRINT:INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT:PRINT: INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GS(X)=GS(X)+S(Y)-S(X) 5500 GS=GS+GS(X)/S(X)	3400 IF AS= y" THEN 2600 ELSE 3500	9	
4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GCS=GS+GS(X)/S(X) 5500 GS=GS+GS(X)/S(X)		13	16
4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GCS=GS+GS(X)/S(X) 5500 GS=GS+GS(X)/S(X)	3700 PRINT :PRINT		t
4000 NEXT X 4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GCS=GS+GS(X)/S(X) 5500 GS=GS+GS(X)/S(X)		31/4	F
4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		X	SC
4100 PRINT :PRINT "Any Corrections (y/n)" 4200 PRINT :INPUT A\$ 4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT :PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		0	100
4300 IF A\$="y" THEN 3500 ELSE 4400 4400 CLS 4500 LOCATE 5,1: PRINT "What is the Current Selling Price of the Stock" 4600 PRINT: PRINT: INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)	4100 PRINT :PRINT "Any Corrections (y/n)"	S	
4600 PRINT : PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)			0
4600 PRINT : PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)	4300 IF AS Y THEN 3500 ELSE 4400	60	4.5
4600 PRINT : PRINT : INPUT CP 4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		00	16
4700 REM***AVERAGING SUBROUTINE***REM 4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)	4600 PRINT: INPUT CP	1	
4800 CLS 4900 GS=0: GE=0 5000 FOR X=1 TO 4 5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		O	10.00
5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)	4800 CLS	%	16
5100 GS(X)=0: GE(X)=0 5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GE(X)=GE(X)+E(Y)-E(X) 5500 GS=GS+GS(X)/S(X)		30	Ö.
5200 Y=X + 1 5300 GS(X)=GS(X)+S(Y)-S(X) 5400 GS=GS+GS(X)/S(X) 5500 GS=GS+GS(X)/S(X)		W.	2(
53ØØ GS(X)=GS(X)+S(Y)-S(X) 54ØØ GE(X)=GE(X)+E(Y)-E(X) 55ØØ GS=GS+GS(X)/S(X)			ALK S
5500 GS=GS+GS(X)/S(X)		33%	7 2
5500 GS=GS+GS(X)/S(X)		040	98
5600 GE=GE+GE(X)/E(X) 5700 NEXT X 5800 AGS=100*GS/4		2	
5700 NEXT X 5800 AGS=100*GS/4		S	41
5800 AGS=100*GS/4		31/4	.88
	5800 AGS=100*GS/4	6	15

		10	T .
	AGS=INT(AGS*100+.05)/100 AGE=100*GE/4	T T	ΚΥ
	AGE=INT(AGE*100+.05)/100	Ш	
	REM***MENU SUBROUTINE***REM	64%	
6300		9	9
	LOCATE 5,1: PRINT "1) Earnings"	FTS	Ŧ
	PRINT :PRINT "2) Sales"	-	F
	PRINT :PRINT "3) Price Forecast"		SOFT
	PRINT :PRINT "4) Enter Another Stock"	31/4	SC
6800	PRINT :PRINT "5) End Program"	- A	
6900		0	
	ON O GOTO 7300,9900,12400,500,7100	RSO	
	PRINT :PRINT :END		.50
	REM***EARNINGS SUBROUTINE***REM	60	64.
	CLS	(1)	7
7400	ESG=Ø	СТО	State of
	PRINT :PRINT "Historic E/S Growth is "AGE" Percent"	5	
	PRINT :PRINT "Enter Your Estimated E/S Growth"		16
	PRINT : PRINT : INPUT EEG	0%	0
7800	CLS	3	500.16
7900	FOR X=6 TO 10	Ä	
8000	$E(X)=\emptyset$	TS 4	
8100	Y=X-1	T	~
8200	E(X)=E(X) + E(Y) + EEG*E(Y)/100	43	98
8300	E(X)=INT(E(X)*100+.05)/100	T Q	
8400	NEXT X	SO	4
8500	SYMBOL(2,1),N\$,2,1,2,Ø: LOCATE 1,4Ø		98.41
	PRINT "Historic E/S Growth is"AGE"Percent": LOCATE 3,40	31/4	19
Ale Park	一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	33	

DEALERS

IBM PC™Compatible

 SANYO

Business Computer System

STANDARD FEATURES:

· MS DOS

• 16 Bit 8088 CPU

SANYO BASIC

128K Internal Memory

Centronics Printer Port

 Color Graphic Capabilities Diagnostics, Utilities, Speaker

& Joystick Port



1 single sided/double density disk drive (160K)
 WordStar & CalcStar Included

MBC 555

2 single sided/double density disk drives (320K)
128K memory expandable to 256K
WordStar, CalcStar, DataStar, InfoStar, & MailMerge Included Also available in double sided drives



MICRO EQUIPMENT CORPORATION 6180 Atlantic Blvd.

Suite H

Norcross, Ga. 30071

404/843-3128

TANNER and the JUNGLE TEMPLE

Hidden deep in the jungle, a temple waits, guarding a secret as old as Time itself. Death and the promise of wealth await those who would dare its forlorn and dusty passages. For hidden somewhere in the labrynthine ways is a sacred jewel, beyond price, to be claimed by one bold enough to walk the hidden ways - to dare the wrath of the dark cult which has for centuries protected the secret. The old professor dared and madness was his reward, but he left for you the map by which the temple may be found and a cryptic message which unlocks the hidden ways.

MENU DRIVEN - GRAPHICS - 9 LEVELS

Send Check or M.O. (personal checks held two weeks) for \$25.00

The MOONWOLF Game Company 1480F Terrell Mill Road Suite 712 Marietta, Georgia 30067

```
8700 PRINT "Estimated Growth is "EEG" Percent"
8800 PRINT :PRINT "Year", "E/S"
8900 PRINT
9000 FOR X=1 TO 10
9100 PRINT X.E(X)
9200 NEXT X
9300 PRINT :PRINT :PRINT "1) Change Estimated Growth Rate"
                                                                                   50
9400 PRINT "2)
               Return to Main Menu"
                                                                           RSO
                                                                                   64.
9500 PRINT "3)
                Print a Copy of the Earnings Report"
9600 PRINT : PRINT : INPUT D
9700 ON D GOTO 7300,6300,18400
9800 REM***SALES SUBROUTINE***REM
9900 CLS
                                                                                   500.16
10000 ESG=0
10100 PRINT : PRINT : PRINT "Historic Sales Growth is "AGS" Percent"
10200 PRINT :PRINT "Enter Your Estimated Sales Growth"
10300 PRINT : PRINT : INPUT ESG
10400 CLS
                                                                           S
10500 FOR X=6 TO 10
10600 \, S(X) = 0
                                                                                   98.41
10700 Y=X-1
10800 S(X)=S(X)+S(Y)+ESG*S(Y)/100
10900 S(X) = INT(S(X))
                                                                           ō
11000 NEXT X
11100 SYMBOL(2,1),N$,2,1,2,0: LOCATE 1,40
11200 PRINT "Historic Sales Growth is"AGS"Percent": LOCATE 3,40
                                                                                   63/4
11300 PRINT "Estimated Sales Growth is "ESG" Percent"
11400 PRINT :PRINT "Year", "Sales"
11500 FOR X=1 TO 10
11600 PRINT X,S(X)
11700 NEXT X
11800 PRINT :PRINT :PRINT "1) Change Sales Growth'
11900 PRINT "2) Return to Main Menu"
12000 PRINT "3)
                 Print a Copy of the Sales"
12100 PRINT : PRINT : INPUT E
12200 ON E GOTO 9900,6300,19500
                                                                                   FT+16
12300 REM***PRICE FORECAST SUBROUTINE***REM
12400 CLS
12500 LPE=0: HPE=0
12600 FOR X=6 TO 10
12700 E(X) = 0
128ØØ Y=X-1
12900 E(X)=E(X)+E(Y)+AGE*E(Y)/100
13000 E(X) = INT(E(X) * 100 + .05) / 100
13100 NEXT X
                                                                                   64.
13200 X=10
13300 LOCATE 5,1: PRINT "The Calculated High E/S is"E(X)
13400 PRINT :PRINT :PRINT "Enter Your High Estimated E/S"
13500 PRINT : PRINT : INPUT HES
                                                                                   500.1
13600 PRINT : PRINT : PRINT "Enter Your Low Estimated E/S"
13700 PRINT : PRINT : INPUT LES
13800 CLS
                                                                           S
13900 IF LES>HES GOTO 13300
14000 FOR X=1 TO 5
14100 LPE=LPE+LPE(X)
14200 HPE=HPE+HPE(X)
14300 NEXT X
                                                                                   98.41
14400 ALPE=LPE/5
14500 AHPE=HPE/5
```

```
14600 HI=HES*AHPE
14700 HI=INT(HI*100+.05)/100
14800 LO=LES*ALPE
14900 LO=INT(LO*100+.05)/100
15000 R=(HI-LO)/3
15100 R=INT(R*100+.05)/100
15200 G=HI-CP
15300 G=INT(G*100+.05)/100
15400 L=CP-LO
15500 L=INT(L*100+.05)/100
15600 SYMBOL(2,1),N$,2,1,2,0: LOCATE 1,40
15700 PRINT "Low Estimated E/S is"LES: LOCATE 3,40
15800 PRINT "High Estimated E/S is"HES
15900 X=10
16000 PRINT :PRINT "Calculated High E/S is"E(X)
16100 PRINT :PRINT "Upside Ratio is"G"to 1 Downside Ratio is"L"to 1"
16200 PRINT :PRINT "Current Price is"CP
16300 PRINT :PRINT :PRINT "Buy Range is"LO"to"LO+R
16400 PRINT :PRINT "Maybe Range is"LO+R"to"LO+2*R
16500 PRINT :PRINT "Sell Range is"LO+2*R"to"HI
16600 PRINT : PRINT "1) Make Changes in the Estimated High and Low E/S"
16700 PRINT "2) Return to Menu"
16800 PRINT "3) Print a Copy of the Price Forecast"
16900 PRINT : PRINT : INPUT A
17000 ON A GOTO 12400,6300,17200
17100 REM***PRICE FORECAST PRINT SUBROUTINE***REM
17200 CLS
                               Current Price is "CP
17300 LPRINT N$ "
17400 LPRINT :LPRINT "Low Est E/S is "LES" High Est E/S is "HES
17500 X=10
17600 LPRINT :LPRINT "Calculated High E/S is "E(X)
17700 LPRINT :LPRINT "Upside Ratio is"G"to 1 Downside Ratio is"L"to 1"
17800 LPRINT :LPRINT :LPRINT "Buy Range is"LO"to"LO+R
17900 LPRINT :LPRINT "Maybe Range is"LO+R"to"LO+2*R
18000 LPRINT :LPRINT "Sell Range is"LO+2*R"to"HI
18100 LPRINT : LPRINT : LPRINT : LPRINT
18200 GOTO 15600
18300 REM***EARNINGS PRINT SUBROUTINE***REM
                  Historic E/S Growth is "AGE" Percent
18400 CLS
18500 LPRINT N$ "
18600 LPRINT :LPRINT "Estimated Growth is "EEG" Percent"
18700 LPRINT :LPRINT "Year", "E/S"
18800 LPRINT
18900 FOR X=1 TO 10
19000 LPRINT X,E(X)
19100 NEXT X
19200 LPRINT : LPRINT : LPRINT : LPRINT
19300 GOTO 8500
19400 REM***SALES PRINT SUBROUTINE***REM
                               Historic Sales Growth is "AGS" Percent
19500 CLS
19700 LPRINT :LPRINT "Historic Sales Growth is "AGS" Percent"
19800 LPRINT :LPRINT "Estimated Sales Growth is "ESG"Percent
19900 LPRINT :LPRINT "Year", "Sales"
20000 LPRINT
20100 FOR X=1 TO 10
20200 LPRINT X,S(X)
20300 NEXT X
20400 LPRINT : LPRINT : LPRINT : LPRINT
                                                                     SOFT SECTOR
20500 GOTO 11100
                                                            January 1985
```

```
LISTING: DATABASE
10 ' *** Last Update October 14, 1984 by J.M.Lesher ***
20 OPTION BASE 1
30 DIM DISK$(2),ALTDISK$(2),FAULT$(40),NEWNAME$(8)
40 DISK$="B:":ALTDISK$="A:":FAULT$="Program Error"
50 CLS
60 ON ERROR GOTO 3340
70 LOCATE 2,32,0:PRINT"DATA BASE MANAGER"
80 LOCATE 6,18:PRINT"Written by R.S.Davis, J.M.Lesher & C.R.Runshe"
90 LOCATE 10,27:PRINT"<";:COLOR 6:PRINT"A";:COLOR 2:PRINT">ccess an existing dat
100 LOCATE 12,27:PRINT"<";:COLOR 6:PRINT"C";:COLOR 2:PRINT">reate a new data fil
110 LOCATE 14,27:PRINT"<";:COLOR 6:PRINT"D";:COLOR 2:PRINT">elete a data file"
120 LOCATE 16,27:PRINT"<";:COLOR 6:PRINT"E";:COLOR 2:PRINT">xit to operating sys
130 LOCATE 18,27:PRINT"<";:COLOR 6:PRINT"L";:COLOR 2:PRINT">ist existing data fi
140 LOCATE 20,27:PRINT"<";:COLOR 6:PRINT"R";:COLOR 2:PRINT">ead from & write to
";ALTDISK$;" instead of ";DISK$
150 LOCATE 22,27:PRINT"<";:COLOR 6:PRINT"S";:COLOR 2:PRINT">et time & date"
160 SPACE1=0
17Ø DELAY=Ø
                                                ":TIME$
18Ø A$=INKEY$:LOCATE 4,27:PRINT DATE$;"
19Ø IF A$<>"" THEN 23Ø
200 DELAY=DELAY+1: IF DELAY<200 THEN 180
210 CLS:A$=INKEY$:IF A$="" THEN 210
22Ø GOTO 5Ø
23Ø GOSUB 362Ø
24Ø ON INSTR("ACDELRS", A$) GOTO 258Ø, 29Ø, 368Ø, 321Ø, 323Ø, 331Ø, 339Ø
25Ø GOTO 18Ø
260 CLS:LOCATE 1,1,1:PRINT""
27Ø A$=INKEY$:IF A$="" THEN 27Ø
28Ø GOTO 5Ø
290 LOCATE 1,1,0
300 CLS:LOCATE 2,27:PRINT"CREATE A NEW DATA BASE FILE"
310 LOCATE 10,22,1:INPUT"Enter Data Base File Name";FILENAME$
320 IF FILENAME$="" THEN 50
330 LOCATE 13,22:INPUT"Number of records"; MAXREC
340 LOCATE 14,22: INPUT Number of fields "; NUMFLDS
350 DIM DAT$ (MAXREC, NUMFLDS)
360 PRINT
370 FOR LOOP=1 TO NUMFLDS
380 LOCATE (LOOP+15),22:PRINT "What is the name of field"LOOP;
39Ø INPUT FLDNAME$(LOOP):NEXT LOOP
400 CLS:PRINT TAB(10)"The Data File Set-Up is as follows:":PRINT
410 LOCATE 5,10:PRINT "File Name - "FILENAMES:PRINT
42Ø SPACE2=Ø
430 FOR LOOP=1 TO NUMFLDS
440 PRINT TAB(10); "Field "LOOP" - "FLDNAME$(LOOP)
450 LENGTH=LEN(FLDNAME$(LOOP))
460 IF LENGTH>SPACE2 THEN SPACE2=LENGTH+4
470 NEXT LOOP
480 PRINT: PRINT TAB(10); "Max# of Records - "MAXREC
490 PRINT: PRINT TAB(10); "Is this correct [Y/N]";
500 A$=INKEY$:IF A$="" THEN 500
510 GOSUB 3620
520 IF AS="N" THEN RUN
53Ø IF A$="Y" THEN GOTO 54Ø ELSE 4ØØ
```

540 NXTREC=1 55Ø CLS 56Ø SPACE1=29 570 LOCATE 2,29:PRINT"DATA FILE MANIPULATION" 580 LOCATE 5,1,1:PRINT TAB(SPACE1+2)"SELECT 1-9" 590 PRINT: PRINT TAB(SPACE1)"1 Input data" 600 PRINT TAB(SPACE1)"2 Scan Field" 610 PRINT TAB(SPACE1)"3 Delete Records" 620 PRINT TAB(SPACE1)"4 Sort File" 630 PRINT TAB(SPACE1)"5 Save File" 640 PRINT TAB(SPACE1)"6 Word Search" 650 PRINT TAB(SPACE1)"7 Modify Record' 660 PRINT TAB(SPACE1)"8 Print a File" 670 PRINT TAB(SPACE1)"9 Return to Main Display" 680 PRINT:PRINT TAB(SPACE1)"Enter Desired Function "; 69Ø A\$=INKEY\$:IF A\$="" THEN 69Ø 700 IF AS="9" THEN RUN 71Ø ON INSTR("12345678",A\$) GOSUB 73Ø,82Ø,1ØØØ,123Ø,219Ø,169Ø,197Ø,294Ø 73Ø CLS 74Ø PRINT:PRINT TAB(10) "Record #"NXTREC 750 FOR LOOP=1 TO NUMFLDS 76Ø PRINT "Enter "FLDNAME\$(LOOP)TAB(SPACE2+5);:LINE INPUT DAT\$(NXTREC,LOOP) 77Ø IF DAT\$(NXTREC,LOOP)="STOP" OR DAT\$(NXTREC,LOOP)="stop" THEN 81Ø 78Ø NEXT LOOP 790 NXTREC=NXTREC+1: IF NXTREC>MAXREC THEN 550 800 GOTO 740 810 DAT\$(NXTREC,LOOP)="":GOTO 550



Use your Sanyo to improve your performance at the track! These fine programs for **Thoroughbreds**, **Harness Horses** and **Greyhounds** combine the power of your Sanyo 550 series computer with the savvy of a veteran handicapper. Spend a few minutes entering data, and The Handicapper will rank the horses or dogs in each race. All the information is readily available from the Thoroughbred Racing Form, harness or greyhound track program. We even provide a diagram showing you where to get the data you need!

Horse racing factors include speed, class, past performance, post position, stretch gain, beaten favorite, jockey or driver's record, weight (for thoroughbreds) and parked-out signs (for trotters). Greyhound factors include speed, past performance, class, favorite box, kennel record, breaking

tendencies, beaten favorite.

Complete instructions and wagering guide included. Thoroughbred, Harness or Greyhound Handicapper, only \$49.95 each. Any two, just \$74.95. All three only \$99.95. Checks, Money Orders or VISA/MC welcomed.



Federal Hill Software 825 William Street Baltimore, MD 21230 301-685-6254



NOW AVAILABLE! The Only Internal Hard Disk Drive For The SANYO 550



Systems Peripherals Consultants is now providing the answer to your mass storage problems with fast access Winchester disk drives from 10 Mb. to 40 Mb. in a convenient *internal* installation or up to 480 Mb. in our external chassis.

We also provide removable Winchester drives with 5.4 Mb. capacity which double as both an on-line storage device and high speed backup. Installation requires only a screwdriver and takes about ten minutes, and we deliver from stock... not promises.

Call SPC now and ask for more information. Quantity and prepayment discounts are available.

SYSTEMS PERIPHERALS CONSULTANTS

9747 Business Park Avenue • San Diego, CA 92131 (619) 693-8611

```
820 CLS
83Ø PAGE=INT(24/(NUMFLDS+3))
84Ø FOR LOOP1=1 TO NXTREC-1 STEP PAGE
850 FOR LOOP2=LOOP1 TO LOOP1+(PAGE-1)
860 IF LOOP2>=NXTREC THEN 970
870 PRINT:PRINT "Record #"LOOP2
890 PRINT " "FLDNAME$(LOOP3); TAB(SPACE2)" - "DAT$(LOOP2,LOOP3)
880 FOR LOOP3=1 TO NUMFLDS
900 NEXT LOOP3
910 NEXT LOOP2
920 PRINT: PRINT "Enter <*> to stop scan"
93Ø PRINT "Enter <CR> to continue";
94Ø A$=INKEY$:IF A$="" THEN 94Ø
950 IF A$="*" THEN 550
960 CLS:NEXT LOOP1
970 PRINT:PRINT"***** LAST RECORD *****";
98Ø A$=INKEY$:IF A$="" THEN 98Ø
1000 CLS:RECORD=0:LOCATE 2,28:PRINT"DELETE A DATA FILE RECORD"
1010 LOCATE 5,9,1:PRINT"To delete -- The record # must be known. Is it known? [Y
/N]";
1020 A$=INKEY$:IF A$="" THEN 1020
1Ø3Ø GOSUB 362Ø
1040 IF AS="Y" THEN 1100
1050 IF AS="N" THEN LOCATE 7,9:PRINT"Enter <S> to scan records"; ELSE 1000
1060 A$=INKEY$:IF A$="" THEN 1060
1070 GOSUB 3620
1080 IF AS="S" THEN 820
1090 GOTO 550
1100 LOCATE 7,9:INPUT "What is the record #"; RECORD
1110 IF RECORD>NXTREC-1 THEN 1090
1120 IF RECORD=0 THEN 550
1130 FOR LOOP1=RECORD TO NXTREC-2
1140 FOR LOOP2=1 TO NUMFLDS
1150 DAT$(LOOP1,LOOP2)=DAT$((LOOP1+1),LOOP2)
1160 NEXT LOOP2
1170 NEXT LOOP1
1180 FOR LOOP=1 TO NUMFLDS
1190 DAT$(LOOP1,LOOP)=""
1200 NEXT LOOP
1210 NXTREC=NXTREC-1
1220 GOTO 550
1230 CLS:LOCATE 2,29:PRINT"SORT DATA FILE RECORDS"
1240 LOCATE 6,30,1:PRINT"1 Sort on one field"
1250 LOCATE 8,30:PRINT"2 Sort on two fields"
1260 LOCATE 12,30:PRINT TAB(30)"Enter your selection ";
1270 A$=INKEY$: IF A$="" THEN 1270
1280 VALUE=VAL(A$)
1290 IF VALUE<1 OR VALUE>2 THEN 550
1300 CLS:LOCATE 2,29:PRINT"SORT DATA FILE RECORDS"
131Ø PLURAL$=" "
1320 IF VALUE=2 THEN PLURAL$="s"
1330 LOCATE 6,25:PRINT"Select the field"; PLURAL$; "you will sort by"
1340 FOR LOOP=1 TO NUMFLDS
1350 LOCATE (LOOP+7),29:PRINT LOOP" - "FLDNAME$(LOOP)
1360 NEXT LOOP
1370 IF VALUE=1 THEN LOCATE (NUMFLDS+9),30,1:PRINT "Select field";:GOTO 1400
1380 IF VALUE=2 THEN LOCATE (NUMFLDS+9),30,1:PRINT "Select 2 fields (x,y)";:GOTO
 1530
```

INTELLICOM

MAKES YOUR COMMUNICATIONS EASY

NOW AVAILABLE FOR THE SANYO 550/555 COMPUTER, Intellicom allows you to "reach out" and tap the tremendous number of information data bases available within easy reach of your telephone. Information services such as The Source, CompuServe, Dow Jones and Newsnet can easily be accessed. Communicate with your office mainframe and transfer files while in the comfort of your home. Check into remote bulletin board systems and download free public domain software. Send and receive electronic mail. The list of possibilities is limited only by your imagination. Intellicom provides the INTELLIGENT COMmunications program your Sanyo needs.

Don't Compromise. Your Sanyo PC can be the smartest terminal you could ever hope for. Intellicom is a full feature terminal emulation program that allows you to choose from a menu of terminals that include:

- Digital VT52
- Digital VT100ADDS Viewpoint
- ADDS 25
- Televideo 910
- ADM3A
- Simple TTY
- ADM 5

Both binary and text files can be transferred using simple ASCII, ASCII Capture, Xon/Xoff, XMODEM and CompuServe A protocol! You can operate at any speed up to 4800 baud!

Intellicom features an easy to use menu selection system with a built in Help facility that leaves the reference manual on the shelf.

Autodial directories are supported (requires Hayes or equivalent modem) as is simultaneous printer operation. Version 2.1 even includes a DOS WINDOW that allows you to actually run another program concurrently!

If you're linking to an in-house digital DecSystem 10, 20 or VAX, the mainframe host support code is available for only \$10.00 at time of purchase!

Hard to believe? Send us \$15.00 and we'll ship you a completely functional demo version. We are sure you will agree Intellicom V2.1 is the best price performer on the market today.

Please note version 2.1 of Intellicom requires MSDOS 2.0 or higher. Terminal emulation includes most or all attributes of the specific terminal emulated. A less extensive version is available for users with MSDOS 1.25 (Intellicom 1.9S).

INTELLICOM is priced at only \$69.95
Order INTELLICOM from your local Sanyo dealer or direct from:

THE COMPUTER TOOLBOX

1325 East Main Street — Waterbury, Conn. 06705

Toll Free Number 1-800-321-DATA

In Connecticut Telephone (203) 597-0273

MasterCard, Visa and COD orders are welcome. Specify DOS Version when ordering. Connecticut residents add 71/2% sales tax — orders (except for demo version) add \$5.00 for shipping.

COMPARE AT ANY PRICE

```
1390 GOTO 1230
1400 INPUT SEARCH1
1410 IF SEARCH1<1 OR SEARCH1>NUMFLDS GOTO 1230
1420 SEARCH=0
1430 FOR LOOP1=1 TO NXTREC-2
1440 IF DAT$(LOOP1, SEARCH1) <= DAT$(LOOP1+1, SEARCH1) THEN 1500
1450 FOR LOOP2=1 TO NUMFLDS
146Ø SWAP DAT$(LOOP1,LOOP2),DAT$(LOOP1+1,LOOP2)
1470 NEXT LOOP2
148Ø SEARCH=1
149Ø LOOP1=LOOP1-1:IF LOOP1<1 THEN LOOP1=1:GOTO 144Ø
1500 NEXT LOOP1
1510 IF SEARCH=1 THEN 1420
1520 RETURN
1530 INPUT SEARCH1, SEARCH2
1540 IF SEARCHI<1 OR SEARCH1>NUMFLDS THEN 1230
 1550 IF SEARCH2<1 OR SEARCH2>NUMFLDS OR SEARCH2=SEARCH1 THEN 1230
 156Ø SEARCH=Ø
 1570 FOR LOOP1=1 TO NXTREC-2
 158Ø SEARCH1$=DAT$(LOOP1, SEARCH1)+DAT$(LOOP1, SEARCH2)
 159Ø SEARCH2$=DAT$(LOOP1+1, SEARCH1)+DAT$(LOOP1+1, SEARCH2)
 1600 IF SEARCH1$<=SEARCH2$ THEN 1660
 1610 FOR LOOP2=1 TO NUMFLDS
 1620 SWAP DAT$(LOOP1,LOOP2),DAT$(LOOP1+1,LOOP2)
 1630 NEXT LOOP2
 164Ø SEARCH=1
 1650 LOOP1=LOOP1-1:IF LOOP1<1 THEN LOOP1=1:GOTO 1600
 1660 NEXT LOOP1
 1670 IF SEARCH=1 THEN 1560
 1680 RETURN
  1690 CLS:LOCATE 2,31:PRINT"WORD/PHRASE SEARCH"
  1700 LOCATE 6,15,1:PRINT"Enter the Word or Phrase to search for";
  1710 INPUT SEARCH$:SEARCHCNT=0
  1720 CLS:COUNT=0
  173Ø FOR LOOP1=1 TO NXTREC-1
  1740 FOR LOOP2=1 TO NUMFLDS
  1750 CHARNUM=INSTR(DAT$(LOOP1,LOOP2),SEARCH$)
  1760 LENGTH=LEN(DAT$(LOOP1,LOOP2))
  1770 IF INSTR(DAT$(LOOP1,LOOP2), SEARCH$) THEN GOTO 1780 ELSE GOTO 1920
  1780 SEARCHCNT=1:PRINT:PRINT "Record #"LOOP1:COUNT=COUNT+1
  1790 FOR LOOP3=1 TO NUMFLDS
  1800 IF LOOP2<>LOOP3 THEN 1850
  1810 PRINT " "FLDNAME$(LOOP3); TAB(SPACE2)" - ";:IF CHARNUM=1 THEN 1820 ELSE PRI
  NT LEFT$(DAT$(LOOP1,LOOP3),CHARNUM-1);
  1820 COLOR 6: PRINT MID$(DAT$(LOOP1,LOOP3), CHARNUM, LEN(SEARCH$));
  1830 IF LENGTH=CHARNUM+LEN(SEARCH$)-1 THEN PRINT ELSE COLOR 2:PRINT RIGHT$(DAT$(
   LOOP1,LOOP3),LENGTH-(CHARNUM+LEN(SEARCH$)-1))
   1840 COLOR 2:GOTO 1860
   1850 PRINT " "FLDNAME$(LOOP3); TAB(SPACE2)" - "DAT$(LOOP1,LOOP3)
   1360 NEXT LOOP3
   1870 PAGE=INT(24/(NUMFLDS+3))
   1880 IF COUNT<PAGE THEN 1930
   1890 PRINT:PRINT"Enter <CR> to continue";
   1900 A$=INKEY$:IF A$="" THEN 1900
   1910 COUNT=0:CLS
   1920 NEXT LOOP2
   1930 NEXT LOOP1
   1940 IF SEARCHCNT=0 THEN PRINT:PRINT "*** NO MATCH ***" ELSE PRINT:PRINT "*** AL
   L MATCHES FOUND ***"
```

```
1950 PRINT"Enter (CR) for Main Display";
196Ø A$=INKEY$:IF A$="" THEN 196Ø ELSE RETURN
1970 CLS:RECORD=0:LOCATE 2,28:PRINT"MODIFY A DATA FILE RECORD"
1980 LOCATE 5,9,1:PRINT"To modify -- The record # must be known. Is it known? [Y
199Ø A$=INKEY$:IF A$="" THEN 199Ø
2000 GOSUB 3620
2010 IF A$="Y" GOTO 2070
2020 IF A$="N" THEN LOCATE 7,9:PRINT"Enter <S> to scan file";ELSE GOTO 1980
2030 A$=INKEY$:IF A$="" THEN 2030
2040 GOSUB 3620
2050 IF A$="S" THEN GOTO 820
2060 GOTO 550
2070 CLS: PRINT "Enter a '0' to exit"
2080 INPUT "What is the record #"; RECORD
2090 IF RECORD-0 THEN RETURN
2100 CLS
211Ø FOR LOOP=1 TO NUMFLDS
2120 PRINT " "FLDNAME$(LOOP); TAB(SPACE2)" - "DAT$(RECORD, LOOP)
2130 LINE INPUT "Enter new data or <CR> for next field: ";A$
214Ø IF A$="" THEN 216Ø
2150 DAT$ (RECORD, LOOP) = A$
216Ø NEXT LOOP
217Ø GOTO 207Ø
2180 ' *** Save A Record ***
2190 LENGTH=LEN(FILENAMES)
2200 IF MID$(FILENAME$,2,1)=":" THEN FILENAME$=RIGHT$(FILENAME$,LENGTH-2)
2210 LENGTH=LEN(FILENAMES)
```

VOICE (313) 348-4477



MODEM (313) 348-4479

MICHIGAN SOFTWARE DISTRIBUTORS INC. 43345 GRAND RIVER

NOVI, MICHIGAN 48050

	CHI	CAL	VI C	DFT	ALA	DE.
IVI		GA		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	NA	1.1-

PFkey	Save Screen
Keyword 9.95	Character Generator 24.95
U.S. Capitals & States 29.95	SDT/Sanyo Direct Transfer29.95
Screen Print	Sanyo Host
	Recipe File

CUSTOM SANYO DUST COVERS

Grey Leather "Like" — Two Year Warr	anty
Green Monitor and CPU/ONE Unit	.29.95
Keyboard/Only	.12.00
CPU/Only	. 19.95

MICHTRON:

Cashman	Thunderchief 34.95
Demon Seed	Super Zap
Grafiti	Mi-Term
DS Dos + 1.25 49.95	M-Disk34.95
Joystick Extender 29.95	Solitare34.95
Mi-Key34.95	Picasso99.95
DS Dos + 2.1149.95	Mighty Mail
LEVEL IV:	

SANYO 555 COMPUTER SYSTEMS CALL FOR PRICES

. VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D., CHECK .

. DEALER INQUIRES INVITED .

Prices subject to change

Add 3.00 shipping and handling

ATTENTION SANYO MBC-550 & 555 USERS

Sure, you bought a great computer at a super price. It's IBM-MS-DOS compatible and readily expandable, BUT, what software is truly compatible, what hardware, which cables, and how about moders and telecommunication software? It you own a Sanyo, you need our help? We can provide answers to your questions AND quality products at great prices. Call or write for more information and check out these items. (PLEASE SPECIFY WHICH MODEL YOU OWN)

	RS-232 SERIAL BOARD This product is 100% compatible and includes RF shielding for superior reliability and immunity to noise and is unconditionally quaranteed for 90 days after purchase		74.95
	COPYLINK by U.S. Digital CopyLink is an extremely flexible communications package that includes thorough documentation to al easy access to any information service. This product is available for the Sanyo MBC-1000, 1100, 1200 at 550 Series computers, as well as other MS-DOS and CPM computers. (includes Free Dow Jones S	low	
	COMPLETE COMMUNICATIONS PACKAGE #1 This will include an RS-232 board, 1200/300 baud Anchor Mk XII modem, and CopyLink	\$4:	29.50
	COMPLETE COMMUNICATIONS PACKAGE #2 This will include an RS-232 board, 300 baud J-Cat or Volks modem, and CopyLink	\$2	29.50
k	CPEMULATOR by U.S. Digital This program will allow the Sanyo 550 Series computer to run the huge number of programs written for CP/M computer mark.		99.95
	RAMDISK by American Digital	\$ k.	34.95

2ND DISK DRIVE UPGRADE	
SINGLE-SIDED, DOUBLE-DENSITY DRIVE your choice of EasyPac* or StarPac*	\$319.00
DUAL-SIDED, DUAL-DENSITY - complete with New 2.11 DOS	*
Your choice of EasyPac* or StarPac*	\$399.00
NOTE EasyPac from IUS contains Easymailer II. Easywriter II. Fasy Planner Fasy Filer	
StarPac from Micropro contains Infostar: Mailmerge, Spellstar	

TEAC DUAL-SIDED, DUAL-DENSITY	DRIVES n	o software	\$1	199.50
SOFTWARE				
TURBO PASCAL	\$44.95	DATABASE MANAGER	S	49.95
KNOBELSPIEL GENERAHL		***************************************	S	19.95
1, 2 or more player game for the entire fam	ily that require	s your mind, rather than muscle or reflex, ages 8-8	0	

INFOCOM -NOW IN S	STOCK FOR SANYO (2.1 DOS)
INFIDEL	95 ZORK I \$34.95 95 ZORK II \$34.95 95 ZORK III \$34.95 95 ENCHANTER \$39.95 95 SORCERER \$39.95
	00,00,00,00
PLUS — EDUCATIONAL &	BUSINESS SOFTWARE AVAILABLE
PARALLEL PRINTER CABLES for Sanyo DS/DD 51/4 Disks	\$ 29.95 BOX OF 10 \$ 19.95
ORDER ONLY — CALL	TOLL FREE - 1-800-233-3266
VISA, MASTERCARD, or C.O.D.	Shipping & Handling 3% - \$3.00 Minimum

Shipping & Handling 3% - \$3.00 Minimum For information, technical service, catalog requests and in PA call Mon.-Sat. 1-717-836-4522



M.W.S. COMPUTERS
22 EAST TIOGA ST., TUNKHANNOCK, PA 18657



```
2220 IF RIGHT$(FILENAME$,4)=".DAT" THEN FILENAME$=LEFT$(FILENAME$,LENGTH-4)
223Ø A$=FILENAME$:GOSUB 362Ø:FILENAME$=A$
2240 CLS:LOCATE 2,30:PRINT"SAVE A DATA BASE FILE"
2250 LOCATE 8,20:PRINT "Parameters are as follows:"
2260 LOCATE 10,20:PRINT"File name: ";FILENAME$
2270 LOCATE 11,20:PRINT"Logged Drive: ";DISK$
2280 LOCATE 17,20:PRINT"'ESC' key will return to menu"
2290 LOCATE 15,20: PRINT"Do you wish to make any changes [Y/N]
2300 A$=INKEY$:IF A$="" THEN 2300
231Ø GOSUB 362Ø
232Ø IF A$=CHR$(27) THEN 55Ø
233Ø IF A$="N" THEN 241Ø
2340 LOCATE 17.20: INPUT Enter New File Name (<CR> = Same Name) "; NEWNAME$
235Ø IF NEWNAME$<>"" THEN FILENAME$=NEWNAME$
2360 LOCATE 18,20:PRINT"Change to other disk drive?";
237Ø A$=INKEY$:IF A$="" THEN 237Ø
238Ø GOSUB 362Ø
239Ø IF A$="Y" THEN SWAP DISK$, ALTDISK$
2400 GOTO 2190
 2410 CLS:LOCATE 10,22:PRINT "Please wait -- File is being stored"
 242Ø FILENAMES=DISKS+FILENAMES+".DAT"
 2430 OPEN "O",1,FILENAME$
 2440 WRITE# 1, MAXREC
 2450 WRITE# 1, NUMFLDS
 2460 WRITE# 1,NXTREC
 2470 FOR LOOP=1 TO NUMFLDS
 2480 WRITE# 1,FLDNAME$(LOOP)
 249Ø NEXT LOOP
 2500 FOR LOOP1=1 TO NXTREC-1
 2510 FOR LOOP2=1 TO NUMFLDS
 2520 WRITE# 1, DAT$(LOOP1, LOOP2)
 253Ø NEXT LOOP2
 2540 NEXT LOOP1
 255Ø CLOSE 1
 256Ø RETURN
 2570 ' *** Load A Record ***
 2580 CLS:LOCATE 2,24:PRINT"ACCESS AN EXISTING DATA BASE FILE"
 2590 LOCATE 10,22,1:INPUT"Enter Data Base File Name";FILENAMES
 2600 A$=FILENAME$:GOSUB 3620:FILENAME$=A$
 2610 IF FILENAMES="" THEN 50
 2620 CLS:LOCATE 10,22,0:PRINT"Please wait -- File is being loaded"
 2630 LENGTH=LEN(FILENAME$)
 2640 IF MID$(FILENAME$,2,1)=":" THEN FILENAME$=RIGHT$(FILENAME$,LENGTH-2)
  2650 LENGTH=LEN(FILENAME$)
  2660 IF RIGHT$(FILENAME$,4)=".DAT" THEN FILENAME$=LEFT$(FILENAME$,LENGTH-4)
  2670 FILENAME$=DISK$+FILENAME$+".DAT"
  2680 OPEN "I", 1, FILENAMES
  2690 INPUT# 1, MAXREC
  2700 INPUT# 1, NUMFLDS
  2710 INPUT# 1,NXTREC
  2720 LOCATE 14,5:PRINT NXTREC-1; "of a possible"; MAXREC; "records have been used"
  2730 LOCATE 15,6:PRINT"Do you wish to change the maximum number of records [Y/N]
  274Ø A$=INKEY$:IF A$="" THEN 274Ø
  275Ø GOSUB 362Ø
  2760 IF A$="Y" THEN LOCATE 17,6:INPUT"Enter new maximum number ";MAXREC
  2770 LENGTH=0
  2780 FOR LOOP=1 TO NUMFLDS
  2790 INPUT# 1,FLDNAME$(LOOP)
```

```
2800 LENGTH=LEN(FLDNAME$(LOOP))
2810 IF LENGTH>SPACE2 THEN SPACE2=LENGTH
2820 NEXT LOOP
283Ø SPACE2=SPACE2+3
2840 DIM DAT$ (MAXREC, NUMFLDS)
285Ø FOR LOOP1=1 TO NXTREC
2860 FOR LOOP2=1 TO NUMFLDS
287Ø IF EOF(1) THEN 291Ø
288Ø INPUT# 1,DAT$(LOOP1,LOOP2)
289Ø NEXT LOOP2
2900 NEXT LOOP1
2910 CLOSE
2920 GOTO 550
2930 ' *** Output To Printer ***
2940 PAGE=INT(58/(NUMFLDS+2))
2950 CLS:LOCATE 2,27:PRINT"OUTPUT DATA FILE TO PRINTER"
2960 LOCATE 8,20,1:INPUT"Input Desired Printout Title";TITLE$
2970 LENGTH=LEN(TITLES)
298\emptyset SPACE1=4\emptyset-(INT(LENGTH/2))
2990 LOCATE 10,20: INPUT Do you want record numbers printed [Y/N] "; REC$
3000 IF REC$="" THEN REC$="N"
3010 AS=RECS
 3020 GOSUB 3620
 3Ø3Ø REC$=A$
 3040 LOCATE 11,20:INPUT"Do you want field titles printed [Y/N] ";FLD$
 3Ø5Ø IF FLDS="" THEN FLDS="N"
 3Ø6Ø A$=FLD$
 3070 GOSUB 3620
 3080 FLD$=A$
 3090 LOCATE 15,20,0:PRINT"Ensure printer is ready and depress <CR>"
 3100 A$=INKEY$:IF A$="" THEN 3100
 3110 FOR LOOP1=1 TO NXTREC-1 STEP PAGE
 3120 LPRINT:LPRINT:LPRINT TAB(SPACE1)TITLE$:LPRINT:LPRINT
 313Ø FOR LOOP2=LOOP1 TO LOOP1+(PAGE-1)
 3140 IF LOOP2>=NXTREC THEN 3190
 3150 IF RECS="Y" THEN LPRINT: LPRINT "Record #"; LOOP2 ELSE LPRINT: LPRINT
 3160 FOR LOOP3=1 TO NUMFLDS
 3170 IF FLD$="Y" THEN LPRINT " "FLDNAME$(LOOP3); TAB(SPACE2)" - "DAT$(LOOP2,LOOP
 3) ELSE LPRINT DAT$(LOOP2,LOOP3)
 3180 NEXT LOOP3: NEXT LOOP2
 3190 LPRINT CHR$(12):NEXT LOOP1
  3200 RETURN
  321Ø SYSTEM
  3220 ' *** Display DBM Files ***
  323Ø CLS
  3240 LOCATE 2,29: PRINT"DATA BASE MANAGER FILES"
  3250 LOCATE 8,1,0:COLOR 2
  326Ø A$=DISK$+"*.DAT"
  3270 FILES A$
  3280 LOCATE 24,1:PRINT"Depress any key to continue"
  329Ø A$=INKEY$:IF A$="" THEN 329Ø
  3300 GOTO 50
  331Ø SWAP DISK$, ALTDISK$
  3320 LOCATE 20,27:PRINT"<";:COLOR 7:PRINT"R";:COLOR 2:PRINT">ead from & write to
   ";ALTDISK$;" instead of ";DISK$
  333Ø GOTO 16Ø
  3340 LOCATE 23,1:PRINT FAULT$
  3350 PRINT"Input any key to continue"
  3360 FAULT$="Program Error"
```

```
337Ø A$=INKEY$:IF A$="" THEN 337Ø
 338Ø RUN
3390 CLS:LOCATE 2,31:PRINT"TIME & DATE UTILITY"
3400 LOCATE 10,30:PRINT"<";:COLOR 7:PRINT"D";:COLOR 2:PRINT">ate Set"
3410 LOCATE 12,30:PRINT"<";:COLOR 7:PRINT"E";:COLOR 2:PRINT">xit to Main Display
3420 LOCATE 14,30:PRINT"<";:COLOR 7:PRINT"T";:COLOR 2:PRINT">ime Set"
                                                 ";TIME$:IF A$="" THEN 3430
3430 A$=INKEY$:LOCATE 5,27:PRINT DATE$;"
344Ø GOSUB 362Ø
3450 ON INSTR("DET", A$) GOTO 3470,50,3530
346Ø GOTO 343Ø
3470 LOCATE 18,20,1:INPUT"Enter new date: ";DAT$
348Ø IF DAT$="" THEN 352Ø
3490 LENGTH=LEN(DATS)
3500 IF LENGTH>=3 AND LENGTH<=5 THEN DATS=DATS+"-84"
3510 DATE$=DAT$
3520 GOTO 3390
3530 LOCATE 18,20,1:INPUT "Enter new time: ";DAT$
3540 IF DATS="" THEN 3600
3550 LENGTH=LEN(DATS)
356Ø IF LENGTH=1 THEN DAT$="Ø"+DAT$+":ØØ:ØØ"
357Ø IF LENGTH=2 THEN DAT$=DAT$+":00:00"
358Ø IF LENGTH=5 THEN DAT$=DAT$+":ØØ"
359Ø TIME$=DAT$
3600 GOTO 3390
3610 ' *** Change Lower Case To Upper Case ***
3620 FOR CHARCNT=1 TO LEN(A$)
3630 CHAR=ASC(MID$(A$, CHARCNT, 1))
3640 IF CHAR>=97 AND CHAR<=122 THEN MID$(A$, CHARCNT, 1)=CHR$(CHAR-32)
3650 NEXT CHARCNT
366Ø RETURN
3670 ' *** Delete A Data File ***
3680 CLS:LOCATE 2,31:PRINT"DELETE A DATA FILE"
```

TURN YOUR SANYO 550/555 INTO A MUSIC MAKER.

- ALL HARDWARE NEEDED TO PRODUCE MUSICAL TONES.

- INSTALLATION INSTRUCTIONS SO YOU CAN INSTALL KIT YOURSELF.

PROGRAM THAT PLAYS SONGS FROM DATA FILE CREATED BY WORDSTAR. SOURCE CODE OF PROGRAMS THAT PRODUCE MUSICAL TONES FROM ASSEMBLY LANGUAGE AND SANYO BASIC. ----- PRICE \$44.95

FOR MURE INFO OR TO PLACE ORDER, CALL, WRITE OR SEND CHECK TO:

PORT ONE 15770 BELLARE BLVD. #112, HOUSTON TX 77083 (713) 568-1505

512K UPGRADE

100% Fully Compatible — With Existing Hardware & Software! Pre-assembled Kits — Use existing internal slots on main PC board.

128K to 512K Upgrade — (No Software) Kit #114 = \$299.95

Bundled Software Included -

DS-DOS Plus 1.25 or 2.11 (Required to access added RAM supports SS/DD, DS/DD, AND QUAD drives)

M-Disk (Up to 360K RAM DISK)

PRINT SPOOLER (ALLOWS UP TO 64K PRINT BUFFER)

128 TO 512K Upgrade — (Bundled Software) Kit #115 = \$374.95

TAMPA-BAY DIGITAL (813) 527-7145 5620 - 4th Street North, St. Petersburg, Fl. 33703

AUTOTYPE FOR THE SANYO COMPUTER

This is a program which allows anyone with the Sanyo computer to add typewriting capability to their computer.

With only two control sequences "to remember" "Q (to Quit typing) and ((to Clear the screen) Autotype is simple to use with a letter quality or dot matrix printer at a fraction of the cost. Also, the only limitations to the style of printing available are those of the printer used.

Why use two different keyboards when you are accustomed to your computer's

14008 Nacogdoches

Use Autotype \$83.77 San Antonio, Tx 78247

LOOK!

Legal Software Thought Works-Hard Disks Medical-Medicalus

Farmers-Vertical Software

General Accounting-Star Software Micro Main-Hard Disks Accountants-TCS Software McGraw Hill-Software + Publications

SANYO 555-2 W/CRT 30 ONLY 1200.00 + FREIGHT SANYO 555-2 W/CRT 36 ONLY 1230.00 + FREIGHT

DEALER INQUIRES INVITED

B-T Distributors P.O. Box 3115 Carbondale, IL 62902-3115 (618) 529-5557 (618) 687-3368

Catalog available upon Request

44

```
3690 LOCATE 6,15: INPUT Enter name of file to delete ";FILENAME$
```

3700 LENGTH=LEN(FILENAMES)

3710 IF MIDS(FILENAMES, 2.1)=":" THEN FILENAMES=RIGHTS(FILENAMES, LENGTH-2)

3720 LENGTH=LEN(FILENAME\$)

3730 IF RIGHT\$(FILENAME\$,4)=".DAT" THEN FILENAME\$=LEFT\$(FILENAME\$,LENGTH-4)

3740 FILENAMES=DISKS+FILENAMES+".DAT"

3750 LENGTH=LEN(FILENAME\$)

3760 LOCATE 11,20:PRINT"File name : ";RIGHT\$(FILENAME\$,LENGTH-2)
3770 LOCATE 12,20:PRINT"Logged drive : ";DISK\$

378Ø LOCATE 15,2Ø:COLOR 6:PRINT"ARE YOU SURE [Y/N] ":COLOR 2

379Ø A\$=INKEY\$: IF A\$="" THEN 379Ø

3800 GOSUB 3620

381Ø IF A\$<>"Y" THEN 5Ø

3820 KILL FILENAMES

383Ø GOTO 5Ø



(416)335-3300

COME MEET THE SANYO CANADIAN PERSONAL COMPUTER DEALERS

ALBERTA

DEALER	CITY	PHONE
Computer Department o		
London Drugs		
Ltd.	Edmonton	(403)483-8444
CWC Compu-		
Ware Corp.	Edmonton	(403)432-0083
Information		
Connection	Edmonton	(403)432-7159
Lew Computer		
Ltd.	Grand Prairie	(403)538-3966
The Computer		
ship of Calga	ry Calgary	(403(243-4356
	Calgary	(403)230-1446
BRITISH	COLUMBIA	
DEALER	CITY	PHONE

market of the content of the	CITY	PHONE
Computer De- partment of		
London Drugs		
Ltd.	Vancouver	(604)872-5177
	N. Vancouver	(604)980-3661
	Surrey	(604)584-3281
	Richmond	(604)278-0788
Computer King	Vancouver	(604)736-7794
	Richmond	(604)276-8271
	Surrey	(604)585-2330
	Prince George	(604)564-3778
Corporate	7 7017	
Computers	Penticton	(604) 493-7234
London Drugs		
Ltd.	Richmond	(604)274-7122
Mitech		OW USDY
Business		
Machines	Nelson	(604)352-5386
	Cranbrook	(604)489-4541

NEW BRU	INSWICK	
DEALER	CITY	PHONE
Atlantic On		
Line Systems		
Group	Fredericton	(506)457-1027

(604)598-4342

(506)548-4558

PHONE (709)579-0044

Bayco Business
Products Ltd. Bathurst **NEWFOUNDLAND**

Odyssey Com-puter Services Victoria

DEALER CITY
Technical Sales
Ltd. St. John's **NOVA SCOTIA**

CITY PHONE DEALER Byte Control

Harbour City Stat. Ltd. Dartmouth Image McLeod Sydney

ONTARIO	Cydney	(302)303-1101
DEALER	CITY	PHONE
C.P. & A.	Toronto	(416)925-9950
Chips Com- puters & Elec-		
tronics Ltd. Computer	Kingston	(613)542-4987
Awareness Computer Be-	Oakville	(416)825-0583
ginnings Inc. Computer	Windsor	(519)258-7966
Junction	Toronto	(416)960-0300
	Mississauga	(416)624-1500
	Scarborough	(416)494-2440
	Waterloo	(519)886-2933
Computer	2	(205)210 0205
Support Computer	Peterborough	(705)748-3785
Workshop Ltd.		(416)366-6192
Marketron Computerized Business	Toronto	(416)366-3168
Systems	Willowdale	(416)225-1434
ConPute	Oshawa	(416)723-6500
Data Marketing E.T. Wilson		(613)542-9450
O.E. Ltd. Hastings Data	Vanier	(613)746-3250
Systems Home Com-	Belleville	(613)962-1551
puter Centre Information	Kitchener	(519)745-6789
Connection	Ottawa	(613)234-1387
	Milton	(416)878-8869
	Toronto	(416)826-1662
	London	(519)672-9950
Minroland Due		

harlant again	Waterloo	(519)653-6404
	St. Catherines	(416)688-2311
Neutron Com-		and the second
puters Inc.	Guelph	(519)742-9821
Scitron Corp.	Mississauga	(416)624-2190
	Mississauga	(416)820-5810
		(416)968-3011 (416)791-7266
	Brampton Scarborough	(416)288-1244
Spectra Colour	Scarborough	(410)200 1244
Ltd.	Willowdale	(416)669-9942
Town &		THE PARTY OF THE P
Country	London	(519)673-4930
QUEBEC		
DEALER	CITY	DUONE
Atlantique	CITY Montreal	PHONE
Attaittique	Rimouski	(514)253-8880 (418)722-8441
	Greenfield Park	
Becterm	Levis	(418)837-5894
Futur Byte	Montreal	(514)863-3693
	Montreal	(514)861-2831
	Montreal	(514)327-3121
	Longueuil	(514)677-5264
	Trois Rivieres	(819)373-7372
	Sherbrooke	(819)564-1202
	Quebec City	(418)653-4397
Informatica		
Drummond	Drummondville	e (819)477-8786
Irisco	Ste. Foy	(418)681-0061
Le Monde P.C.	. Montreal	(514)481-0689
Les Ventes		
Zygote Inc.	Montreal	(514)455-3737
MDS	Montreal	(514)337-1730
Microcible	Montreal	(514)335-0885
Micropole	Repentigny	(514)581-1902
Microtechnie	Sillery	(418)842-8395
P.M.C.	St. Georges	(418)228-5504
R.E. Dumoulir Inc.		/F4 4\000 7040
Selectronic	Montreal	(514)388-7942
Selectronic	Quebec City Montreal	(418)683-2525
	Levis	(514)352-6200
	Charlesbourg	(418)837-6525
	Ste. Foy	(418)626-4841 (418)658-4535
	Ville de Laval	(519)668-9880
Systeme O.M.		(418)833-5213
Trinfec	Granby	(514)372-0625
Unico	Delson	(514)632-2702
Votech Electronique		The National Line
Inc.	Montreal	(514)738-8231
SASKATO		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DEALER	CITY	PHONE
Memory Lane Computers &		



Microland Business Systems Toronto Nelson Busi-ness Machines

For information please contact your local dealer or Sanyo Business Systems, 50 Beth Nealson Drive, Toronto, Ontario, Canada, Tel: (416)421-8344, TLX: 065-24383

(306)665-2707

Software Inc. Saskatoon



ast month, if you recall, we made our way through several of the methods for controlling the formatting of text on the screen using Sanyo BASIC commands. We looked at PRINT, WRITE, IN-PUT, TINPUT, and the delimiters used in conjunction with each of them. Also, we looked at how to make use of the

TAB command, which allows more flexibility in spacing text on a line than PRINT with the comma delimiter.

Other Spacing Commands

Two other commands exist in Sanyo BASIC for spacing on a line. They are not commonly used, but you should know about them in case you see them in a grogram. Also, you might find them handy in applications of your own.

SPACE\$(number) is similar to TAB.

BASIC TRAINING

(Fred Blechman, an acknowledged authority on home computers, has written several articles and books related to microcomputers. He is self-taught in electronics and computer BASIC programming and specializes in writing for beginners. This article is based on material from a forthcoming book by the author, Sanyo MBC-550/555 Beginner/Intermediate Guide, soon to be published by Holt, Rinehart and Winston, a division of CBS College Publishing.) Copyright® 1984 by Fred Blechman.

It generates a designated number of blank spaces, so you don't need to specify TAB locations. Here's a simple example:

10 FOR X=1 TO 10 20 PRINT SPACE\$(4)"TEST"; 30 NEXT X

Don't forget the semicolon at the end of program Line 20. When you RUN this, you'll get 10 "TEST" words (without quotes) with four spaces between them, all on one line.

SPC(number) is a very similar command. Instead of generating blank spaces, it skips ahead the designated number of spaces. In the example above, replace SPACE\$(4) with SPC(4) and the end result on the screen is the same.

PRINTing Text On Your Printer

Unfortunately, Sanyo BASIC does not provide a direct "screen dump" command, available on some other computers. Therefore, to get printer output, you must specify this in the program with the *LPRINT* command. This can be in addition to the *PRINT* command for the screen display, or instead of *PRINT* if you wish to address the printer only.

The printer must be on and ready to print, or else an *LPRINT* statement will cause the program to "freeze" until the printer is ready. The same applies to the *LLIST* command to *LIST* your program on the printer.

In the program just described, you would add another line for printer output, such as:

25 LPRINT SPACE\$(4)"TEST":

If you didn't want or care about this appearing on your screen, you would drop program Line 20.

WIDTH(number) controls printer line

width. The minimum is 30 and the maximum is 225.

Using LOCATE, CSRLIN and POS

There are times when you want to move the cursor to a specific screen position. LOCATE is followed by the row and then the column desired, with a comma between them. Some sample LOCATE positions are shown in Figure

LOCATE moves the cursor to the indicated location, but does nothing else. It defines the next screen printing position.

The CSRLIN statement indicates the screen line number of the present cursor, and POS gives the horizontal location of the cursor on that line. A short program illustrates the use of all three of these statements:

10 CLS

20 LOCATE 5.30

30 PRINT"TEST #1";

40 LOCATE CSRLIN+5, POS-7


50 PRINT"TEST #2";

60 PRINT POS, CSRLIN

When you RUN this program, the screen clears and "TEST #1" (without the quotation marks) appears on the fifth screen line, starting 30 spaces over from the left, as defined by the LOCATE 5,30 in program Line 20.

Program Line 40 says, in effect, "Place the cursor at a new position. Put it five screen lines below its present position, and move it back seven spaces along the new line." Therefore, when "TEST #2" (which occupies seven character spaces) is *PRINTed* by program Line 50, it starts exactly five screen lines below the last *PRINTed* line.

The semicolons at the end of program Lines 30 and 50 keep the cursor from going to the next screen line. Program Line 60 now *PRINTs* the values repre-



senting the cursor's last vertical and horizontal position.

You must be careful to specify POS before CSRLIN, since if you put CSR LIN first, the PRINTing of the CSRLIN position will advance the cursor and POS will then show the new position of the cursor on that line.

Incidentally, LOCATE, CSRLIN and POS will not position your printer head. They are ignored by your printer.

PRINT USING

The PRINT USING command in Sanyo BASIC is one of the most powerful and useful functions available in formatting output to your screen and printer. This very versatility makes it difficult to describe, especially before you've been exposed to much of the BASIC language.

PRINT USING establishes a "template" (sometimes referred to as "image" or "pattern") for text and numbers on a screen or printer line. It allows you to define the number of digits and position them on the screen so the decimal points line up. It automatically rounds off numbers to the specified number of places. It allows you to mix text and numbers on the same line, with a specific number of character spaces for the text. It allows you to place dollar signs in front of numbers. PRINT USING addresses the screen, and LPRINT USING addresses the printer.

It would take a long article just to describe all the variations of *PRINT USING*, many of which are rarely used. This discussion will be confined to the more common usage of *PRINT USING* symbols and templates.

Just Numbers

PRINT USING is used with numbers primarily for tabulations, lining up

decimal points, and number rounding. The most common symbols used with PRINT USING and numbers are the number sign (#), the period (.), the dollar sign (\$), the comma (,), the asterisk (*), the plus sign (+) and the minus sign (-). (In Sanyo BASIC, unlike the IBM PC; the word USING must always follow the space after PRINT or LPRINT to use this function. You cannot put TAB or any other modifying command in between the PRINT and the USING without generating a syntax error when the program is RUN.)

Once again, we'll start with a BASIC program, RUN it, modify it, RUN it again, and see the results to illustrate the effect. Make sure your computer memory is clear of any other program by typing NEW and pressing the ENTER key. Then type in the program shown in Listing 1.

The values of X and Y are READ from the DATA in program Line 100 two at a time (one for X, one for Y) until program Line 30 sees the value of X or Y equals -999.

When you RUN this program, your screen will show two columns of numbers, each column "left justified" at display column zero for the first group and 20 for the second group, as shown in Figure 2.

As you can see, this is somewhat of a mess — but that's the way most computers *PRINT* numbers unless instructed otherwise. Notice that the numbers have no decimal places unless the number is expressed in decimals, and all decimal places are shown (three places for the last number, for example.)

Suppose you wanted a more conventional display, with all decimals lined up vertically, and two decimal places for all numbers. That's where *PRINT USING* can come into play. You can change program Line 40 to accommodate numbers of the size you'll be using. Since six

digit numbers are the largest in DATA, change Line 40 to this:

40 PRINT USING"#######";X; TAB(20)Y

The "######.#" establishes a template for numbers of six digits plus two decimal places. Any number larger than the template will result in a "Print field overflow in 40" error.

Figure 3 shows the result when the program is RUN. The decimal points are all lined up, there are two decimal places for each number, and the last number has been "rounded down" to 1.23. To see the rounding effect of PRINT USING, change the 1.234 in program Line 100 to 1.235 and RUN again. The last number displayed will now be "rounded up" to 1.24.

Adding Dollar Signs

To have the dollar signs flush against the left-most digit of each number, use two dollar signs in the template instead of one, i.e., \$\$########. The result is shown in Figure 5.

Using The Comma

If you use a comma in the template, just ahead of the decimal point, it will separate every three places to the left of the decimal point. Change the template in Line 40 to ######,.## and then RUN to see the result, as shown in Figure 6.



The Sanyo MBC 550 series computer. Beneath that humble gray exterior there lies a wolf. A powerful, world class PC that can give you compatibility, speed and storage. Inside your machine a new world of computing power awaits you. Greywolf Technologies offers you the products you will need to unleash the wolf.

HARD DISK DRIVE — MEGA BYTES WITHOUT MEGA BUCKS

Our 10 megabyte hard disk, the HD10, gives power and performance at a price that is equally unbeatable. The external unit combines the highest quality hardware with the most flexible and sophisticated software available. The system comes with everything that you will need including:

★ over 60 times the storage of a standard 160K floppy diskette. ★ faster operation, running almost twenty times the speed of floppy disks. ★ state-of-the-art Winchester technology using the highly reliable Shugart 10 megabyte hard disk. ★ a superefficient switching power supply with built-in surge protection and AC line filtering.

★ fast, 700 KBS data transfer rate. ★ runs on the MS-DOS 1.25, 2.1 and the Super System with user definable partitioning available on version 1.25 systems.
 ★ a SORTDIR program which produces alphabetized and sorted listing of your file directory. ★ the ability to run complex programs which previously only ran on XT computers.

CLOCK/CALENDAR BOARD — UP AND RUNNING IN REAL TIME

If the world ran on the clocks in the standard 550 series computers, Christmas would come in July. The clocks in these machines are turned off whenever the disk drives are used. For those who need something less surrealistic, the Greywolf Clock/Calendar board brings the accuracy and affordability of digital watches to computer time-keeping. For half the cost of many comparable boards for other computers, the Greywolf Clock/Calendar board:

★ will give you accuracy to seconds a month. ★ comes with built-in rechargeable battery. ★ will keep accurate time even if unplugged for weeks. ★ is easily set directly from the operating system.

GREYWOLF SUPER SYSTEM — TOP GRADE UPGRADE

The Greywolf Super System upgrade gives you power, flexibility and ease-of-use. New capabilities which are written into the BIOS of the upgrade offer unique ways to increase compatibility, storage, and speed without a second mortgage. The system can be purchased either as an upgrade kit for current 550 series owners or as an assembled system for those who need full functioning right from the start. The Super System upgrade consists of:

★ twin 800K Teac disk drives, preconfigured and fully guaranteed. ★ software offering virtually 100% disk compatibility across MS-DOS and PC-DOS including the ability to read, write and format disks from hundreds of computers including the IBM-PC, the DEC Rainbow and the Tandy Model 2000. ★ a built-in RAM disk program offering disk access which is hundreds of times faster than floppies, and allows the user to choose the number and size of RAM disks. ★ the SORTDIR program to alphabetize and sort the large directories that these drives can hold. ★ a certificate to purchase directly from Greywolf the top selling data base Personal Pearl for only \$99.95, a savings of \$200.00. Personal Pearl is a product of Pearlsoft, Inc.

MORE FOR SURE

We have a number of additional products, both here and now and up and coming. Available immediately is a serial board allowing the Sanyo to use modems, serial printers and other devices. The Greywolf Serial Board corrects problems found in standard designs and is less costly. Coming soon is a *Super System* running version 2.1 of MS-DOS and a number of other expansion items.

DEALER APPEALERS

Our products are available through qualified dealers across the country. Some products are designed specifically for dealers, such as our line of vertical market software. These systems can run on Sanyos, taking advantage of the hardware that we produce, or they can run on standard PC compatible hardware. Included in this line are point of sale packages for video rental and tire stores. Demonstration disks are available and dealer inquiries are invited on all of our products.

PACKING IT IN

If you own a Sanyo 550 series computer or are considering getting one, we can help you release its full potential. From software to hardware, from serial boards to hard disks, we offer quality without compromise at an affordable price. Call or write to see how easy it is to get all you can from your computer. Get up and running with THE WOLF.



18 Dog Lane, Storrs, CT 06268 (203) 429-9209

For orders and information call (203) 928-6555/(203)928-3654

Using The Asterisk

If you place two asterisks at the front of the template, then asterisks will be printed in all unoccupied spaces of the template. However, when you do this, you can only use one dollar sign. In Line 40, remove one dollar sign and add two asterisks in front of the remaining dollar signs and your template will now look like this: **\$######,.##. When you RUN the program, the result is shown in Figure 7.

If you'd rather have the dollar sign printed ahead of the asterisks, do that in the template, so it looks like this: \$**#####,.##. The result is shown in Figure 8.

Using The Plus And Minus Signs

Plus and minus signs can be printed ahead of, or following, a number. There is some conflict with the dollar signs and asterisks. If you use a dollar sign, use only one, and put it before anything else in the template. Asterisks clutter up this display, so leave them out.

If you use no sign at the front of the template, minus signs will be printed before those numbers that have negative values; plus signs will not be printed. If you put a plus sign (+) at the front of

the template, all numbers will show a plus or minus sign in front of them.

Placing a plus sign at the end of the template will result in plus and minus signs following all numbers. Placing a minus sign at the end of the template will result in only negative numbers followed by a minus sign.

You can test this out by putting negative signs in front of some numbers in program Line 100.

Strings With PRINT USING

"Strings" (a group of characters) can be used within *PRINT USING* statements as part of the template. Try this for Line 40:

40 PRINT USING"Item:######### Dollars";X;TAB(30)Y

Notice that an extra '#' is used in the template to allow a position for the negative sign added to some numbers in Line 100 (if you did so).

Much more powerful are two more signs, the exclamation point (!) and the ampersand (&), which allow you to design a template for combining strings and numbers. This can get fairly com-

plex, but Listing 2 shows three examples of *PRINT USING* with strings. Clear program memory with *NEW* and ENTER, then type in Listing 2.

When you RUN this program, the result will look like Figure 9. This certainly requires some explanation!

Line 10 of the program sets the value of string variables A\$, B\$, C\$, D\$, E\$ and the numerical variable X. These are carried in memory once established, unless changed. Line 20 uses an exclamation point as the entire PRINT USING template. It tells the computer to PRINT only the first character of the designated strings. Therefore, the first line printed is ILMSC, the first character of each of the five strings.

Program Line 30 uses two ampersands separated by seven spaces, designating a total of nine spaces for each string, which is exactly what's printed next. Two ampersands are used for each string, with enough spaces between them to provide the proper field.

Line 40 mixes the ampersands and the '#' signs to format the last printed line. Look at this line closely and you'll learn more than most people about *PRINT USING*.

PERIPHERAL PRODUCTS DISTRIBUTING

 RS-232C Serial Communications Interface board for the MBC-550 Series computer \$69.00

Memory upgrade kits with complete installation instructions.

8 150ns chips/64k set 16 150ns chips/128k set

We received a special order of MAXELL diskettes. Box of 12 diskettes in a hard

plastic flip open storage case.
LIFETIME WARRANTY. LIMITED QUANTITY.
Single Sided/Double Density (MD1) 25.00
Double Sided/Double Density (MD2) 35.00

Okidata Printers
 CALL FOR THE BEST PRICES.....

Why should you buy from us?

Same day shipping (when order rcvd by 2:00 MST)

Free shipping via UPS ground

No additional charge for MC, VISA or COD orders

Overnight and 2 day air services available

PERIPHERAL PRODUCTS DISTRIBUTING P.O. BOX 11986

TUCSON, ARIZONA 85734

DISTRIBUTING (602) 881-4280 P.O. BOX 11986 Allow 18 days for

Allow 18 days for personal checks

64.00

108.00

WOW! LOOK AT THIS ...

SANYO BASIC REFERENCE MANUAL

This Great Book is Now in Stock29.95

MONITORS

PRINTERS

Legend 880 279.95

Brothers HR15 w/cut

sheet feeder 759.95

Memory 128K

DUST COVERS

KEYBOARD CABLE EXTENDERS 14.95

Send cashier check, money order; personal/company checks allow 3 weeks bank clearance. VISA/Master Card accepted. Provide phone number with order. Prices are for cash; VISA and Master Card add 3%. Introductory special pricing limited to stock on hand. Also C.O.D.

1-800-55-GRAPH



* * * * * * * * * A-OK Computers

StarPolish "Makes Your WordStar® Shine!"

StarPolish upgrades WordStar to new useful capabilities. Level 1 Enhancements-"What you see is what you get."

Enhanced Screen Attributes

· Using "polished" WordStar, you actually see on your screen boldfaced and underlined text. Superscripts are raised and smaller, subscripts are lowered and smaller. You can also see text italicized. Of course, you also see on your screen combinations of these features.

. No more 'B or 'S to complicate your work.

No more fouled up output because of unmatched control codes.

Expanded Printer Support

 StarPolish patches WordStar to provide full support for the features of popular dot matrix and ink jet printers

If your printer is not on the menu, StarPolish leads you through printer installation by a series of questions. You can even install a laser printer.

Level 2 Enhancements-Improved help menus.

StarPolish supports standard WordStar control codes. In addition, Star-Polish provides faster and simpler control codes and a custom HELP screen to display them.

Level 3-Technical Symbol Support and Keyboard Map.

Now you can use scientific and engineering symbols in your WordStar documents and print them out on your dot matrix printer. This level has an onscreen map of the keyboard to show you what key produces what symbol. Polished WordStar is completely compatible with unpolished WordStar,

MailMerge®, and SpellStar® StarPolish is a trademark of TDI Systems, Inc. A-OK is the sole rep. for the

Sanyo version. A-OK's conversion of StarPolish should be complete and tested before 12/84.

StarPolish Sanyo MBC 55x version-Level 1 only Levels 1 and 2 only \$95 StarPac-InfoStar® (DataStar® and ReportStar®), SpellStar, and MailMerge for your Sanyo MBC 55x \$249

TurboDrive550™ "A Quality Ram Disk for Sanyo"

TurboDrive550 turns your unused RAM into a disk drive. TurboDrive550 is very fast.

• Speeds up all disk intensive processing.

Makes WordStar and FORMSORT run more quickly.

Much faster than a hard disk.

TurboDrive550 has no moving parts.

• Thus it's much more reliable than floppy and hard drives.

· Saves wear on your disk drives and diskettes.

TurboDrive550 is a low-cost alternative to a second disk drive. TurboDrive550 is the Phantom Buster. As of 10/15/84:

TurboDrive550 works even if you only have 128K, M-DISK™ requires

Allocate 250K to an M-DISK, fill it with data and it will crash your system. TurboDrive550 protects you from this.

TurboDrive550 gives you all the space you ask for, M-DISK makes you ask for 7K before it will take any data.

A-OK provides a COM file in 1.25 which lets you gracefully free TurboDrive550's space. MichTron provides only one way to remove an M-DISK-RESET

TurboDrive550 lets you use its menu or parameters. M-DISK requires

You can easily adapt TurboDrive550 to new DOS versions, with M-DISK you've got to wait.

TurboDrive550 comes FREE with every new A-OK DOS 1-4™ and is available as a \$7 upgrade to current A-OK DÓS owners.

TurboDrive550 for other Sanyo DOSs

Sanyo PC Graphics Board

New video board from Sanyo lets you run Lotus 1-2-3, Flight Simulator and most other IBM software employing graphics.

Sanyo PC Graphics Board \$189

A-OK DOS-4™ "The Standard Quad-Density DOS"

We at A-OK Computers thank you for making A-OK DOS-4™ the standard DOS for quad-density drives on the Sanyo. Hundreds of copies of DOS-415 are now in use in the most demanding applications-yours. Potential bugs have been identified and corrected, making DOS-4 a mature, well-seasoned tool. Your constant feedback has resulted in the successive refinement of our documentation. After thorough testing and comparison to would-be competitors,

Scottsdale Systems selected DOS-4 as the standard DOS supplied with their Silver Fox." Because DOS-4 is now the standard, our 730K and 800K formats are also regarded as the standard. Of the quad-density operating systems, only A-OK DOS-4 supports the very popular PrintScreen550. Soft Sector sums it up well in their September 1984 review entitled "A-OK DOS and PrintScreen550-An Unbeatable Combination'

HAGAN™ DOS is A-OK DOS-4.

Don't trust your work to an experimental DOS, be sure your operating system is A-OK.

Our MS-DOS 2.11 version of A-OK DOS-4 is now available.

Look for these features in a quad-density drive DOS:

- 1. The system automatically recognizes 8/9/10 sector, 40 and 80 track formats without reconfiguration or using alternate drive symbols (e.g. E:, F:, etc.).
- Uses low-cost ordinary double-density diskettes.

Free ramdisk-TurboDrive550".

- FORMATS, READS, WRITES, and DISKCOPYS all MS-DOS standard formats employed by the Sanyo 550 Series. Uses the standard **DOS-4** 730K and 800K formats.

Built-in text screen to printer dump.

- System boots quad drives from all of the formats it supports.
- Supports the only graphics screen dump software built into the DOS-PrintScreen550.
- Control C and Control S support.
- 10. Employs a legal installation procedure.

N-CODE™ "If You are Serious about Data Security"

N-CODE allows you to encode your data files so that no one else can use the information in them, thereby protecting your sensitive or valuable information.

· Who needs N-CODE?

- · Businesses with sensitive personnel or valuable financial data
- · Lawyers, Doctors, Psychologists, Pharmacists, etc.
- Bankers
- Anyone who doesn't want their privacy violated or their communications intercepted.
- . N-CODE is effective through a multi-layered security structure

N-CODE employs a complex encryption methodology

- Each purchaser has a unique coding process. NO OTHER DATA PRO-TECTION SOFTWARE YOU CAN BUY HAS THIS! N-CODE does not use DFS
- N-CODE provides a unique pre-assigned password.
- N-CODE requires a user-selected key-up to 20 characters.

. N-CODE is easy to use

- · All functions are menu-driven or prompted with clear instructions on the
- . N-CODE's User Manual includes a step by step Tutorial to help you get
- The User Manual has chapters on each major function to help you gain easy mastery of N-CODE.
- Each screen message is numbered for easy look-up in the complete Reference Manual.

. N-CODE is fast

- Less than 2 seconds to set up for encryption or decryption.
- About 1 second per K of data to or from floppy.
- About 1/3 second per K of data to or from hard disk.

If you won't compromise on data security, N-CODE is for you.

Officials of the government have informed us that N-CODE may not be exported without a license.

N-CODE for the Sanyo MBC-550 Series \$129

DEALER, DISTRIBUTOR, AND OEM INQUIRES INVITED

SOFTWARE AND HARDWARE DEVELOPERS

Contact us to market your creation. We value our programmers, we give royalties amounting to 30% of the gross.

A-OK Computers • 816 Easley St., Suite 615 • Silver Spring, MD 20910 • 301-585-5105, 301-588-8446 Affiliate: SL Computers, 3402 Fernandina Road, Suite C-4, Columbia, SC 29210, 803-731-9379

LISTING 1:

- 1Ø CLS
- 20 READ X, Y
- 3Ø IF X=-999 OR Y=-999 THEN END
- 4Ø PRINT X; TAB(2Ø)Y
- 5Ø GOTO 2Ø
- 100 DATA 1,12,123,1234,12345,123456,1,1.2,1.23,1.234,-999,-999

LISTING 2:

- 1Ø A\$="I":B\$="LOVE":C\$="MY":X=999:D\$="SANYO":E\$="COMPUTER!"
- 20 PRINT USING"!"; A\$; B\$; C\$; D\$; E\$
- 3Ø PRINT USING"& &";A
 - &";A\$;B\$;C\$;D\$;E\$
- 4Ø PRINT USING"&&& & && \$### & & & &

&"; A\$; B\$; C\$; X; D\$; E\$

FIGURE 1:




FIGURE 2:		FIGURE 5:	
1	12	\$1.00	\$12.00
123	1234	\$123.00	\$1234.00
12345	123456	\$12345.00	\$123456.00
1	1.2	\$1.00	\$1.20
1.23	1.234	\$1.23	\$1.24
FIGURE 3:	of water the world and	FIGURE 6:	
1.00	12.00	\$1.00	\$12.00
123.00	1234.00	\$123.00	\$1,234.00
12345.00	123456.00	\$12,345.00	\$123,456.00
1.00	1.20	\$1.00	\$1.20
1.23	1.23	\$1.23	\$1.24
FIGURE 4:		FIGURE 7:	
\$ 1.00	\$ 12.00	********	******
\$ 123.00	\$ 1234.00	*******123.00	*******12.00 *****1,234.00
\$ 12345.00	\$123456.00	***\$12,345.ØØ	*****123,456.00
	\$ 1.20		
\$ 1.00	\$ 1.24	********1.00	*********1.2Ø

52

**** A-OK Computers *****

The Center of Creation and Dissemination of Sanyo PC Software and Hardware PrintScreen550™ A-OK DOS-2™

"Fast, High-Resolution Graphics and Text from Screen to Printer with One Keystroke'

- PrintScreen550 is designed for the everyday needs of most users.
- PrintScreen550 capabilities
- Prints a screenful of graphics to most popular printers.
 - This prints everything on the screen whether it's graphics or text.
 - User has the option to rotate the image on the paper. This permits Okidata 92s and other printers with less than 640 horizontal dot positions to print out the full screen.
 - Turns your Sanyo into a high-resolution graphics machine
 - Multiscreen facility permits a printed image to be 640 dots by an almost unlimited number of dots in the perpendicular direction.
- PrintScreen550 is flexible and easy to use.
 - Interactive mode
 - Works like the "Print Screen" button on the IBM-PC.
 - One keystroke does it all. No need to embed commands in BASIC. No extra programs to execute.
 - Same single keystroke works in DOS, BASIC and all other software packages that run on the Sanyo
 - Batch mode can be activated in BASIC by a one-line command.
- PrintScreen550 is very fast and a lot of fun!

A-OK's PrintScreen550 software pulls the Print Screen button off the IBM-PC and puts it on your Sanyo MBC-550 series computer.

PrintScreen550 is an option to any A-OK DOS for a meager \$24

128K Memory Upgrade Kit 150ns chips...... \$75

The A-OK™DOS Family

"Upgrade your MS-DOS 1.25 or 2.11"

All members of the A-OK DOS family add these features to your MS-DOS

- A-OK DOS now includes free high-quality ramdisk software—Turbo-Drive550 (a \$33 value).
- A-OK DOS automatically recognizes all formats it supports without reconfiguration or using alternate drive symbols (e.g. E:, F:, etc.).
- Prints a screenful of text to any Sanyo-compatible printer
- Interactive mode
- It works with one keystroke in DOS, BASIC and all other software packages that run on the Sanyo.
- Does not interfere with program execution or affect the data.
- · Batch mode
- Can be activated in BASIC by a one-line command.
- Interrupt-driven and can be called from programming languages.
- Supports the only graphics screen dump software built into DOS-PrintScreen550.
- Includes a special "Sorted Directory" utility
- Has a utility to strip the high-order bit off WordStar document files.
- User-controlled scrolling in all subsystems, not just DOS.
- A-OK DOS system messages are easier to understand.
- Supports up to 4 disk drives

A-OK DOS versions for MS-DOS 1.25 correct flaws in MS-DOS 1.25 without sacrificing its strengths.

- All A-OK DOS/1.25 are much faster and use far less memory than any version of MS-DOS 2.11
- If you try to copy a file to an unformatted disk, A-OK DOS does not crash the system like other 1.25 versions
- Runs all software that comes with the Sanyo.

A-OK DOS versions for MS-DOS 2.11:

- Run all software which runs on the Sanyo under MS-DOS 2.11.
- Support the Sanyo-supplied print spooler.
- Work great with the Sanyo PC Compatible Graphics Board.
- Support installable drivers for hard disks, etc.

A-OK has tailored different versions of its DOS for varying disk drive configurations. This makes our ad more complex, but our DOS more efficient and easier for you to use.

A-OK DOS-1™

"Not just another Double-Sided DOS"

- Any combination of up to four single and double-sided drives.
- · Double-sided drives support single and double-sided diskettes.
- 8 and 9 sector formats—360K, 320K, 180K, and 160K.

* * * * * * * * * * * * * * * * * *

"Increase the Capacity of your Current Drives"

- All the features and formats of A-OK DOS-1
- PLUS it reads, writes, and formats 10-sector formats 400K per double-sided diskette on DSDD drives
- 200K per single-sided diskette on SSDD and DSDD drives
- uses ordinary diskettes
- pays for itself in saved diskettes.

A-OK DOS-2/1.25 or A-OK DOS-2/2.11

800K PER DISK DRIVE A-OK DOS-3™

"A-OK DOS for Double and Quad-Density Drive Systems"

- All the features of A-OK DOS-2
- PLUS up to 4 double-density and quad-density drives
- on double-density drives:
 - reads and writes all formats read by 1.25 and 2.11
 - reads, writes, and formats 200K SSDD diskettes
- · reads, writes and formats 400K DSDD diskettes
- on quad-density drives:
 - reads, writes, and formats 730K and 800K on ordinary diskettes.

A-OK DOS-4™

- All the features of A-OK DOS-2
- PLUS up to 4 quad drives—3.2 Megabytes of removable medium!
- quad drives read all diskettes written by MS-DOS 1.25 and 2.11
 quad drives read, write and format 160K, 180K, 200K, 320K, 360K, 400K, 730K, 800K formats on ordinary diskettes.

"AMBIZ-PAK"TM

Fifteen programs for Amway Product Distributors \$100

XCord550™

"Extension Cord for your Sanyo PC Keyboard"

XCord550 is easy to use. Your present keyboard cord plugs into one end of the XCord550. The other end of the XCord550 plugs into your Sanyo MBC-

XCord550 6 foot XCord550 12 foot

UPGRADE TO 400K PER DRIVE

Increase your disk capacity to 400K per drive using A-OK's DSDD $\mathrm{Kit}^{\mathrm{TM}}$ which

- 2 first-quality new TEAC 55B double-sided double-density (DSDD) disk drives which replace the TEAC 54A's in your SANYO.
- A-OK DOS-2/1.25 or A-OK DOS-2/2.11.
- Complete, easy instructions. All parts needed.
- 1 year warranty.

DSDD Kit..... DSQD Kit™

Upgrade to 800K per drive—same as DSDD Kit but with 2 800K TEAC 55F drives and A-OK DOS-4/1.25 or A-OK DOS-4/2.11.

Ada for SANYO?

You bet! Now you can use the language of the future on your Sanyo or nearly any other micro. Janus/Ada is great for learning Ada and for serious applications development. Janus/Ada's 16 bit version supports floating point arithmetic via 8087. Available are: Pascal to Ada translator, Ada optimizer, source code for run time libraries, 8088 (8086) to 8080 cross compiler, site licenses, and the source code for the compiler (itself written in Ada). The compiler package for MBC series costs only \$495. Get started now with the Janus/Ada manual—\$35

UPDATE POLICY

We at A-OK are constantly improving our products. If you are a registered owner of software developed by us, we will send you the enhanced version of that product for a \$7 shipping and handling fee.

Orders may be placed immediately.

Please send money order or cashiers check. Personal or company checks require 2-3 Please send money order or cashiers check. Personal or company checks require 2-3 weeks to clear. Prices reflect a 3% cash discount. MasterCard/VISA/CHOICE accepted. MD residents add 5% sales tax. Out-of-state order, no tax. Prices subject to change. All brands are registered trademarks. 20% restocking fee for all returned merchandise.

A-OK Computers 816 Easley St., Suite 615 • Silver Spring, MD 20910 301-585-5105, 301-588-8446 Affiliate: SL Computers 3402 Fernandina Road, Suite C-4 Columbia, S.C. 29210 803-731-9379

© Copyright 1984 Apollo Optics & Kinematics, Inc.

FIGURE 8:

FIGURE 9:

ILMSC

I LOVE MY SANYO
I LOVE MY \$999 SANYO COMPUTER!

COMPUTER!



CORRECTIONS

Mr. Richard Kruse has advised us that there was a small error in the article accompanying his Keyclick Mod program ("The Sounding Board," November '84, Page 66). Beginning in the last paragraph of Page 66, the text describes changing the frequency of the "bell" tone by modifing data at address 0040:08F6 for MS-DOS 1.25 and 0040:1246 for MS-DOS 2.11. The correct addresses should be 0040:08F9 and 0040:1249 respectively.

Readers experimenting with the incorrect addresses as

printed should have discovered that the duration of the bell tone, rather than the pitch, was affected.

Also in the November issue was Mr. Lawrence Falk's article, "Personalizing Your Prompt" (Page 14), which dealt with the MS-DOS *PROMPT* command. This command is supported only by MS-DOS Version 2.11 — not Version 1.25 — and should have been flagged more clearly. We apologize to those who spent several frustrating minutes trying to get their machines to say "Good Morning" and, instead, got only "Bad command or file name."

The solution to a problem changes the problem




Have a financially sound mind with our Personal financial Management System (PFMS)

If you would like accurate and timely information about your financial situation, the PFMS can help.

Enter your transaction data on screen, and the PFMS does the rest. You can print reports, budgets, display bar graphs, print ledger enquiries that are easy to read and understand. Requires 128K, 320K disk printer.

PFMS Canadian \$79.95
PFMS U.S.A. \$59.95



P.O. BOX 11659, EDMONTON, ALBERTA T5J 3K8. (403) 423 1175

We take the BYTE out of high prices!

Accessories

•	RS-232C PORT 65.00
	ANCHOR MARK XII 279.00
(1)	ANCHOR MARK X 149.00
	RGB MONITOR 279.00
	6' KEYBOARD
	EXTENDER 9.95
	10 DS/DD
	DISKETTES 21.95
	WORDSTAR
	TEMPLATE 9.95
	BASIC REFERENCE
	MANUAL 30.00
	DATASTAR
	REFERENCE 30.00
	REPORTSTAR REF.
	MANUAL 45.00
	MS-DOS REFERENCE
	MANUAL 49.00
	64K RAM
	EXPANSION60.00
	COMPUSERVE KIT 31.95
	Visa, MC add 3%. Personal cl

Printers

PANASONIC	
KX-P109022	9.00
PANASONIC	
KX-P109131	9.00
OLYMPIA RO LETTER	
QUAL34	9.00
COMREX CR-1 54	9.00

Software

PAYROLL OR	
INVENTORY69.	95
ACCOUNTS PAYABLE OR	
RECEIVABLE79.	
GENERAL LEDGER79.	95
THUNDER CHIEF29.	
PICTURE PURRFECT 19.	
SOLITAIRE	95
MI-TERM MODEM	
SOFTWARE 65.	
DS-DOS 49.	
MAJOR MOTION24.	95

Visa, MC add 3%. Personal checks allow 10-15 days to clear. No CODs. In MD add 5% tax. Add 3% for shipping, \$3.00 minimum. Send for free Sanyo catalog.


Comp-U-Type

.U. Box 777, Millersville, MD 21108





SANYO SYSTEMS SPECTACULAR SAVINGS



MBC 555/CRT 70

SANYO MBC 555-2 With Two DS/DD 360K Drives Your Choice: Sanyo DM 2112N - 12" Green or Amber Monitor Free Software: Worstar ● Calcstar ● Easywriter I Mailmerge ● Spellstar ● Infostar Sanyo Basic • MS-DOS (2.11)

GEMINI 10X (120 CPS Dot Matrix) and Printer Cable \$1499

TTX (12 CPS Letter Quality) and Printer Cable \$1569

LET US CUSTOMIZE A SANYO COMPUTER SYSTEM TO FIT YOUR NEEDS

FF0 0 1-4	769.95
550-2 w/software	STATE OF THE PARTY OF THE PARTY.
555-2 w/software	
360 K DS/DD Drive w/software	
360 K DS/DD Drive	189.95
RS 232 C	74.95
128K Memory	99.95
5 Meg Disk Drive	1195.00
10 Meg Disk Drive	1895.00
20 Meg Disk Drive	2795.00
MONITORS with cable include	d draws of
Sanyo 9" Green	TO MAN THE STREET
Sanyo 12" Green	
Sanyo 12" Amber	
Sanyo CRT 30 Green	119.95
Sanyo CRT 70 Color	599.95
NEC RGB Hi-Res Color	379.95
NEC RGB FII-Nes Color	373.33
PRINTERS	
Gemini 10X (80 column)	259.00
Gemini 15X (136 column)	379.00
Delta 10 (80 column)	
Radix 10 (80 column)	
Powertype Daisywheel	
Epson RX-80 (80 column)	279.00
Epson RX 80 FT (80 column)	
Lpadi ila da i i (da dalalili) i i i i i i	AUGUSTES .

COMPUTERS

Epson FX-80 (80 column)	499.00
Epson FX-100 (136 column)	749.00
Okidata 92P	
Epson RX 100 (136 column)	439.00
TTX Letter Quality Printer (incl. Tractor Feed)	359.95
Sanyo PR 5000 (13")	399.00
Sanyo PR 5500 (17")	
Printer Cable	24.95
OKIDATA 4-COLOR DOT MATRIX PRINTER	
Apple, IBM, C-64 or Atari	
Cable Included	\$269.95
MODEMS - Cable included	
Volksmodem (300 BAUD)	69.95
Signalman Mark X (300 BAUD)	129.95

SANYO AUTHORIZED SERVICE CENTER

Signalman Mark XII (300/1200 BAUD) 259.95

Call for prices and services!

HARDWARE COVERS	
550/555 Keyboard	9.95
Printer Covers	7.95
Monitor Covers	14.95

GENERIC DISKS at FANTASTIC PRICES!!

GENERIC DISKS AS LOW AS 99¢ ea. Generic 100% Defect-Free/Guaranteed.

Includes sleeves, labels, write protect tabs, reinforced hub rings, lifetime warranty.

	SS/SD	SS/DD	DS/DD
DISKETTES 1 or 2 bxs.	12.99	14.99	17.99
(1 bx. min.) 3-9 bxs.	11.50	13.50	16.50
10 per bx. 10+ bxs.	9.90	11.99	14.99

DISKETTE/CARTRIDGE/CASSETTE FILES


riip N File 10	3.95
Flip 'N' File 15	6.95
Data Defender	16.99
Flip 'N' File/The Original	16.95
Disk Bank	3.99
Colored Library Case	2.99
Disk Bank/5 (holds 50)	12.99
Power Strip (6 outlet)	16.95
Lineguard Spike Suppressor	13.99
Disk Drive Cleaning Kit	11.99
Ring King Wallet (holds 10 disks)	4.99
Ring King Wallet (holds 20 disks)	7.99
Joystick	24.95

To order call TOLL FREE -7506 800 **ORDER LINE ONLY**

COMPUTER CREATIONS, Inc.

P.O. BOX 292467 - DAYTON, OHIO 45429







Order Lines Open 8:30 a.m. to 8:00 p.m. Mon.-Fri.; 10:00 a.m. to 4:00 p.m. Sat. (Eastern Standard Time), Minimum \$10 per order. Prepaid Money Order - Free shipping C.O.D. (Add \$2.50). All prices are subject to change without notice. Call toll free number to verify prices and availability of product. Actual freight will be charged on all hardware. Software and accessories add \$3.50 shipping and handling in Continental United States. Actual freight will be charged outside U.S. to include Canada, Alaska, Hawaii, Puerto Rico. Ohio residents add 6% sales tax. Call for return authorization number before sending back any product.

Last month we began to turn our Sanyos into graphics machines. The transformation continues . .

Sketch-It Version 2 Expanding

If you began to get a glimpse of the graphics potential of your Sanyo by putting last month's Sketch-It through its paces, hold on to your seat! Sketch-It ushers in the new year in a flash of eight colors, 13 new commands and a completely new format that makes graphics programming on your Sanyo even easier than before! For those of you who use graphs, illustrations, or simply have a desire to be entertained, Sketch-It is waiting to fulfill your needs.

Last month's program was designed to introduce you to the basic operation of the GCURSOR command and to prepare the way for this enhanced version which would include a larger assortment of graphics capabilities. It was a basic, single-function tutorial program which, hopefully, served that purpose in addition to providing a small amount of entertainment. Since it dealt with only one command, there was ample opportunity to explain each function and to give a complete overview of the program logic. If you understood those principles you will have no trouble with this month's enhancements.

In this final version, you are going to incorporate five new commands which enable *Sketch-It* to unleash an even greater graphics ability in your Sanyo. These BASIC commands, used individually or in combinations with



(Dan Webber began his association with microcomputing in 1978 and is currently completing a degree in mechanical engineering at the University of Missouri in Rolla, Mo.)

varying parameters, allow the following features:

Circles

Semicircles

Arcs (through any three points indicated)

Ellipses

Parabolas

Squares/Rectangles

Sketch (the original Sketch-It

command)

Individual Lines

Pie Charts

Painting

Points

Text (81 size combinations)

Insert File Drawing (allows you to insert any existing drawing or pattern into a current drawing at any location and any proportionate size)

Color (eight choices on all options)

To accomplish all this, the program listing has grown and some fundamental changes have been made. Predominate among these changes is an increase in the file record length which is written to the disk. The LINE(X1, Y1)-(X2, Y2) command, which the first version of Sketch-It utilized, required that we only store four individual numbers in the disk file. These numbers represented the X and Y coordinates of two points which had been connected with a line. This month's new commands still require the coordinates of a point or points, but in some cases require additional information. An example of this extra data would be the size of the radius to use when drawing a circle, or the color of paint to use when filling in an object you have drawn on the

How do these changes affect your drawings created using Version 1? Well, due to the different file lengths stored on the disk, pictures drawn using the original version cannot be read by Version 2. However, by typing in the separate program in Listing 3, your existing drawings will be automatically converted into the new record size, which can then be read by Version 2. Once you have typed in and saved Listing 3, RUN it and you will be asked for the names of the picture files you want to convert. Simply typing in the names, one at a time as you are asked, is all you need do to continue those drawings with the new Sketch-It graphics functions.

Once again, only standard Sanvo BASIC commands are used in the same simple, straightforward style of the original Sketch-It. There are some cases in which the actual mathematics used to compute the X and Y locations may appear a bit overwhelming. I would suggest that they be initially overlooked in favor of observing just how the various commands respond when they are given the different values. Of particular interest is the CIRCLE command. This one command will draw circles, arcs, ellipses, parabolas, semicircles and much more. By simply changing one value (see the CIRCLE command description in your Sanyo Operator's Guide), this same command even creates pie chart wedges for graphs and business applications.

In the sections that follow I will give a brief explanation of how the program code works and what to expect when it is run.

Introduction And Setup

This section of code is very similar to the original version with the addition of one space-saving command used in place of the INKEY\$ function. Line 105 contains the command I\$INPUT\$(1). This allows you to limit the input received from the keyboard to a specific number of characters. By placing the



SANYO SYSTEMS SPECTACULAR SAVINGS



LET US CUSTOMIZE A
SANYO COMPUTER SYSTEM
TO FIT YOUR NEEDS

769.95

339.00

SANYO MBC 555-2 With Two DS/DD 360K Drives Your Choice: Sanyo DM 2112N - 12" Green or Amber Monitor Free Software: Worstar ● Calcstar ● Easywriter | Mailmerge

Spellstar

Infostar Sanyo Basic • MS-DOS (2.11) **GEMINI 10X** (120 CPS Dot Matrix) and Printer Cable \$1499 TTX (12 CPS Letter Quality) and Printer Cable \$1569 Na 4

COMPUTERS

JJU-Z W/SUILWAIC	
555-2 w/software	1099.95
360 K DS/DD Drive w/software	389.95
360K DS/DD Drive	189.95
RS 232 C	74.95
RS 232 C	99.95
5 Meg Disk Drive	1195.00
10 Meg Disk Drive	1895.00
20 Meg Disk Drive	2795.00
MONITORS with cable include	
Sanyo 9" Green	
Sanyo 12" Green	84.95
Sanvo 12" Amber	89.95
Sanyo CRT 30 Green	
Sanyo CRT 70 Color	599.95
NEC RGB Hi-Res Color	379.95
PRINTERS	
Gemini 10X (80 column)	259.00
Gemini 15X (136 column)	379.00
Delta 10 (80 column)	360.00
Radix 10 (80 column)	
naulx 10 (00 coluilli)	

Epson FX-80 (80 column)	499.00
Epson FX-100 (136 column)	749.00
Okidata 92P	449.00
Epson RX 100 (136 column)	439.00
TTX Letter Quality Printer (incl. Tractor Feed)	359.95
Sanyo PR 5000 (13")	399.00
Sanyo PR 5500 (17")	599.00
Printer Cable	24.95
OKIDATA 4-COLOR DOT MATRIX PRINTER	
Apple, IBM, C-64 or Atari	

Apple, IBM, C-64 or Atari \$269.95 MODEMS - Cable included Volksmodem (300 BAUD) 69.95 Signalman Mark X (300 BAUD) 129.95 Signalman Mark XII (300/1200 BAUD) 259.95

SANYO AUTHORIZED SERVICE CENTER Call for prices and services!

Call for prices and services:

HARDWARE COVERS	
550/555 Keyboard	9.95
Printer Covers	7.95
Monitor Covers	14.95

GENERIC DISKS at FANTASTIC PRICES!!

GENERIC DISKS AS LOW AS 99¢ ea. Generic 100% Defect-Free/Guaranteed.

Includes sleeves, labels, write protect tabs, reinforced hub rings, lifetime warranty.

	SS/SD	SS/DD	DS/DD
DISKETTES 1 or 2 bxs.	12.99	14.99	17.99
(1 bx. min.) 3-9 bxs.	11.50	13.50	16.50
10 per bx. 10+ bxs.	9.90	11.99	14.99

DISKETTE/CARTRIDGE/CASSETTE FILES

Flip 'N' File 10	3.95
Flip 'N' File 15	6.95
Data Defender	16.99
Flip 'N' File/The Original	16.95
Disk Bank	3.99
Colored Library Case	2.99
Disk Bank/5 (holds 50)	12.99
Power Strip (6 outlet)	16.95
Lineguard Spike Suppressor	13.99
Disk Drive Cleaning Kit	11.99
Ring King Wallet (holds 10 disks)	4.99
Ring King Wallet (holds 20 disks)	7.99
Joystick	24.95

To order call TOLL FREE 1-800-824-7506



P.O. BOX 292467 - DAYTON, OHIO 45429

For information call: (513) 294-2002 (Or to order in Ohio)

VISA

Order Lines Open 8:30 a.m. to 8:00 p.m. Mon.-Fri.; 10:00 a.m. to 4:00 p.m. Sat. (Eastern Standard Time). Minimum \$10 per order. Prepaid Money Order - Free shipping C.O.D. (Add \$2.50). All prices are subject to change without notice. Call toll free number to verify prices and availability of product. Actual freight will be charged on all hardware. Software and accessories add \$3.50 shipping and handling in Continental United States. Actual freight will be charged outside U.S. to include Canada, Alaska, Hawaii, Puerto Rico. Ohio residents add 6% sales tax. Call for return authorization number before sending back any product.



Powertype Daisywheel .

 Last month we began to turn our Sanyos into graphics machines. The transformation continues . .

Sketch-It Version 2 Expanding

If you began to get a glimpse of the graphics potential of your Sanyo by putting last month's Sketch-It through its paces, hold on to your seat! Sketch-It ushers in the new year in a flash of eight colors, 13 new commands and a completely new format that makes graphics programming on your Sanyo even easier than before! For those of you who use graphs, illustrations, or simply have a desire to be entertained, Sketch-It is waiting to fulfill your needs.

Last month's program was designed to introduce you to the basic operation of the GCURSOR command and to prepare the way for this enhanced version which would include a larger assortment of graphics capabilities. It was a basic, single-function tutorial program which, hopefully, served that purpose in addition to providing a small amount of entertainment. Since it dealt with only one command, there was ample opportunity to explain each function and to give a complete overview of the program logic. If you understood those principles you will have no trouble with this month's enhancements.

In this final version, you are going to incorporate five new commands which enable *Sketch-It* to unleash an even greater graphics ability in your Sanyo. These BASIC commands, used individually or in combinations with



(Dan Webber began his association with microcomputing in 1978 and is currently completing a degree in mechanical engineering at the University of Missouri in Rolla, Mo.)

varying parameters, allow the following features:

Circles

Semicircles

Arcs (through any three points

indicated)

Ellipses

Parabolas

Squares/Rectangles

Sketch (the original Sketch-It

command)

Individual Lines

Pie Charts

Painting

Points

Text (81 size combinations)

Insert File Drawing (allows you to insert any existing drawing or pattern into a current drawing at any location and any proportionate size)

Color (eight choices on all options)

To accomplish all this, the program listing has grown and some fundamental changes have been made. Predominate among these changes is an increase in the file record length which is written to the disk. The LINE (X1, Y1)-(X2, Y2) command, which the first version of Sketch-It utilized, required that we only store four individual numbers in the disk file. These numbers represented the X and Y coordinates of two points which had been connected with a line. This month's new commands still require the coordinates of a point or points, but in some cases require additional information. An example of this extra data would be the size of the radius to use when drawing a circle, or the color of paint to use when filling in an object you have drawn on the

How do these changes affect your drawings created using Version 1? Well, due to the different file lengths stored on the disk, pictures drawn using the original version cannot be read by Version 2. However, by typing in the separate program in Listing 3, your existing drawings will be automatically converted into the new record size, which can then be read by Version 2. Once you have typed in and saved Listing 3, RUN it and you will be asked for the names of the picture files you want to convert. Simply typing in the names, one at a time as you are asked, is all you need do to continue those drawings with the new Sketch-It graphics functions.

Once again, only standard Sanyo BASIC commands are used in the same simple, straightforward style of the original Sketch-It. There are some cases in which the actual mathematics used to compute the X and Y locations may appear a bit overwhelming. I would suggest that they be initially overlooked in favor of observing just how the various commands respond when they are given the different values. Of particular interest is the CIRCLE command. This one command will draw circles, arcs, ellipses, parabolas, semicircles and much more. By simply changing one value (see the CIRCLE command description in your Sanyo Operator's Guide), this same command even creates pie chart wedges for graphs and business applications.

In the sections that follow I will give a brief explanation of how the program code works and what to expect when it is run.

Introduction And Setup

This section of code is very similar to the original version with the addition of one space-saving command used in place of the INKEY\$ function. Line 105 contains the command I\$INPUT\$(1). This allows you to limit the input received from the keyboard to a specific number of characters. By placing the

56



number '1' inside the parentheses, the Sanyo will wait patiently until one key is depressed, then continue normally. If two characters were wanted, a '2' would permit the pressing of two keys before the program proceeded to the next line.

Prepare Screen For Drawing

This section of the program has been slightly rearranged if you compare it with the first version, but with the exception of the use of INPUT\$(x) it operates in exactly the same fashion as originally introduced.

Open Files To Draw Or Redraw

Line 200 begins this operation by calling a subroutine to obtain the filename of the drawing with which you want to work. This subroutine, along with any others which we will reference from time to time will be described later. Concerning the file handling routines that follow, it is best that an in-depth description of random file operations be left for you to obtain from other sources. What is important for now is that lines 205 to 215 prepare your disk to store or retrieve the information that represents your pictures created using Sketch-It. Line 220 then prepares a second file to hold any text that you may want to include in your graph or drawing.

Sketch-It Program Control

The first few lines are almost identical to those found in the original version. Line 270 begins by setting variables used in the program to zero, or "null" in the case of character variables. Lines 275 to 290 print the new options menu. If you are careful in getting the spacing correct on Line 275, when you run the program you should see a menu which has the "key" letter of each command

choice highlighted in a bright color. If your spacing is off and you have bright letters overprinting command words, this is the line to adjust. Line 310 waits for you to select a command from the list and then branches to the program section that corresponds to that command function. Selecting the "Arc" option will display a new menu of circle related commands. This menu is constructed in lines 370 to 375 and again uses the "highlighting" method to indicate which character to depress on the keyboard to select a program option.


Box

These few lines are all that are necessary in Sketch-It to create any size, shape or color of box that can be displayed on your monitor. The subroutine in Line 1440 requests the two diagonal corners using the GCURSOR command. The box is then drawn by Line 445 using the LINE command with a B designation at its end. The variable KOLOR contains the color information to be used when drawing. Line 450 calls the subroutine which stores the box just drawn to the disk file, then GOTO 440 repeats the entire procedure.

To exit from the box drawing routine, and most others for that matter, you must press the return key twice without moving the cross hairs that are shown on your screen. While this may take some getting used to at first, it is much faster and easier than being forced to return to the main menu each time you need to draw multiple objects of the same type.

Dots, Or Points

This program area will turn on the individual pixels of your monitor. The call to subroutine 1500 displays a color menu at the bottom of the screen and



It to mean that you are finished with

this option and ready to return to the

sector

For Your

all Business

Erase Last Figure Drawn

main menu.

November 1984

Function Ke

Personalize

This section of the program allows you to erase from both the screen and disk file. As each object is erased it will be removed from your monitor display. Repeated erase commands will sequentially remove objects drawn, allowing erasures of previous figures from existing filed drawings. Erasure is prohibited only in the case of an "Inserted" drawing, as this function requires related pairs of VIEW commands. Accidental erasure of one member of this pair could cause total havoc when redrawing a file from disk. For this reason, once you insert a drawing or pattern, you will be unable to correct any figures drawn prior to that time.

Insert File Drawing

This program module is possibly the most complex in *Sketch-It*. When you select this option, *Sketch-It* will ask you to identify an area to contain the drawing you want to insert. This is done by indicating opposite diagonal corners as you would in drawing a box or a rectangle. A filename is then requested and, if it exists, it will be redrawn in

the specified location in a size proportional to the area you have defined. Line 550 contains an ON ERROR GOTO statement which will override any situation normally producing an error in a BASIC program. In this specific case we are concerned about mistyping a filename. If this routine was not included and a name was given for a file which did not exist, the screen would scroll and the program would break, displaying an error message. To avoid this confusion, the program is instead routed to Line 615, which prints the message "There are no Sketch-It files . . . on this disk." After waiting November 1984 issue of SOFT SECTOR. The article "Personalizing Your Prompt," by Lawrence C. Falk, gives us a perfect way to facilitate loading Sketch-It by use of a "Batch" file (under MS-DOS 2.11). In this case the lines to type in from the MS-DOS prompt A> would be:

COPY CON:SKETCH.BAT BASIC"SKETCH.BAS" / F:4

Press CTRL and the letter 'Z' at the same time, then ENTER. This enables you to load Sketch-It straight from DOS by simply typing the word

be "painted over" and, in effect, disappear from your screen. For this reason, *Sketch-It* uses a default color when drawing all objects. This insures that a figure drawn will not be overpainted by mistake. An unfortunate consequence of this arises if you attempt to erase an area which you have painted using the default border color.

Sketch-It erases by simply redrawing the object, or repainting the area, using the color black. This gives the appearance of removing the figure from the display screen. If you attempt to repaint an area which has been painted using the default border color, the PAINT command is immediately confused into thinking that it has already reached the objects boundaries and it refuses to paint anything at all.

It is important to realize, however, that even though you will still see the area painted on the screen, the original PAINT command has been removed from the disk file. If the figure is redrame the painted area will not be included.

In the current listing the default color has been chosen as purple. This allows the remaining major colors to be used with ease under normal drawing

conditions.

Text Entry

This section of the program utilizes the SYMBOL command, allowing text to be included in a multitude of sizes, colors and orientations. A good explanation of how this is actually accomplished is found in your Operator's Guide on pages 3-118 and 3-119. Using Sketch-It, you will first be asked to enter the text message you want to display. Your text may contain any alphabetic character or special graphics character that can be entered using the keyboard. If you attempt to enter a text message greater than 50 characters in length, it will be immediately truncated. You must then complete the entire procedure of placing and accepting the location before you are allowed to delete it using the standard "Erase" option. This is also true in the case of misspellings if you have progressed beyond the "TEXT:" prompt.

Once you have entered your text, you will be asked to select a display color and horizontal and vertical magnification. Size one is the standard size that you normally see on your display. Different size combinations will produce the effect of creating different type styles.

"Sketch-It ushers in the new year in a flash of eight colors, 13 new commands and a completely new format that makes programming on your Sanyo even easier than before"

a few seconds, control is returned to Line 540 and the filename is requested again. In order to cancel the error handling routine once our specific use of it is over, ON ERROR GOTO 0 is included in Line 600.

Inspection of the file handling routines in Lines 555 through 605 will disclose that Sketch-It first stores the VIEW selection and then transfers a copy of each file command, one by one, from the inserted drawing into the current drawing. If a file being inserted contains text, there is a need to open an additional file. All in all this means that it may be necessary for your Sanyo to manipulate four files simultaneously. Under normal default values the MBC-550 will handle only three files at one time. Since this is not satisfactory, new parameters must be specified at the time BASIC.EXE is initially loaded. This procedure is explained on Page 3-3 of your Operator's Guide. Trying to remember the correct syntax every time you want to run Sketch-It, however, could become quite annoying! The obvious solution is to let the Sanyo itself provide the correct syntax for us.

Before you run Sketch-It for the first time, take a glance at a helpful bit of information which was presented in the SKETCH, just as you would for Word-Star or any .EXE or .COM file.

Lastly, a drawing you are creating may contain an unlimited number of patterns or inserted drawings. However, it is not recommended that you insert drawings which themselves contain inserted drawings.

Sketch Continuous Lines

This is the original version of Sketch-It. Other than the use of a subroutine to obtain the X and Y coordinates, nothing here has changed.

Individual Lines

This feature was added to enable a user to draw multiple lines on the screen without having to repeatedly exit and reenter the "Continuous" line mode.

Paint

This is the most popular program option, and yet the most restrictive, in the Sketch-It program. The PAINT command requires that you tell it the color of the lines bordering the object you want to paint. These lines must be all of the same color. If you tell it to paint a box drawn with blue lines, any figure inside that box that has been drawn in any color other than blue will

Announcing PRODESIGN

The Professional Graphics Design System!

WHAT IS PRODESIGN?

PRODESIGN is a powerful graphics design tool that takes advantage of the superior graphics capabilities of modern personal computers. It allows someone unfamiliar with computers to design and draw figures, charts, schematics, or blueprints in no time. PRODESIGN has the capability to store, retrieve, and print figures drawn on the screen. In addition, it can manipulate figures and text by altering the size, angles, and even dimensions!


PRODESIGN -

- Provides an easy-to-use cursor that can be moved about the screen.
- * Utilizes a "virtual screen" 4 times the actual size of the monitor display.
- Draws straight lines or curves between points on the screen.
- * Draws circles and oval easily.
- * Allows lines of varying thickness to be used.
- * Provides "area fill" capability.
- * Allows text to be displayed at any location, size, or angle.
- * Stores and retrieves drawings on disk.
- Outputs drawings to dot matrix printers.
- * Allows figures and symbols to be created, stored, and retrieved at any location, size, or angle.
- Allows text and figures to be slanted in any direction, giving modern or three-dimensional effect.
- * Provides for user-created files to be input and displayed on the screen. This allows data from other programs to be used.


ONLY

\$199.95

DEMO DISK IS AVAILABLE FOR \$10









See Your Local
Dealer or Order Direct:
(918) 825-4844

The next message will ask for the "orientation" to be used in placing your text. Number 1 is normal, 2 is rotated 90 degrees, 3 is upside down and 4 is 270 degrees. You are not allowed to print any text that would exceed the top or left limits of your screen. On the other hand, text may disappear off to the right or bottom. Sketch-It takes this into consideration by allowing you to move your text around on the screen before you finally approve the final location. Each time the text is placed you will be asked, "Is this position satisfactory? (Y/N)." Typing the letter 'N' will erase the text and the cross hairs will reappear allowing you to reposition. If a 'Y' is pressed, the text is written to the file and you are returned to the main menu.

If you are placing text on top of any object or painted area and you answer 'N' to the above question, the procedure for erasure will leave a black area where the text was originally placed. Do not be alarmed; this will not appear when redrawing from the file record.

Save Drawing To Disk

This portion of the program saves your new drawing, or updates the existing file drawing if you made any additions or changes during the session on *Sketch-It*. Line 820 checks to see if you added text. If not, the text file that would accompany your picture file is destroyed in order to preserve disk storage space.

Arc From Three Points

This is an extremely versatile program function that requires careful use if you are to obtain the results expected. In all options using the CIRCLE command, the figure is drawn in a clockwise direction. Keep this in mind as you select points and the order in which you give them to Sketch-It. If you suddenly find a circle being drawn with a piece missing that is the size of the arc you wanted, you can be sure that you have entered your points in a counterclockwise fashion. If the arc you are drawing exceeds the top or left screen boundaries. you will be given the opportunity to redraw.

Circle

This option will draw a complete circle after asking you to indicate the center point and radius.

Ellipse

This variation of the CIRCLE command will allow the drawing of horizontal or vertical ellipses. Angularly oriented ellipses are not supported by the circle command. To draw an ellipse using *Sketch-It*, you must first specify the center and then the horizontal and vertical extremes.

Pie Chart Wedges

This is the option that most remarkably demonstrates the versatility of the CIRCLE command. Sketch-It will prompt you to indicate a center, or "point," for the wedge and a position on the outer rim from which to begin drawing. Once again, the arc is drawn clockwise. The next prompt requests the percentage total that the wedge is to represent. Your Operator's Guide

"The subroutine section contains the real workhorses of the program. Each one is a miniature program all in itself . . ."

gives a description of the *CIRCLE* command and all its variations on pages 3-109 through 3-111.

Parabola

In Sketch-It, a parabola is really only half an ellipse. For this reason, parabolas are also limited to vertical or horizontal orientations. The locations for starting and ending points of a parabola are entered in the same fashion and under the same restrictions as those related to an arc from three points.

Semicircle

This function will operate in any screen orientation. Beginning and ending positions are entered using the GCURSOR command and the center point and radius are automatically calculated. A semicircle is then drawn connecting the end points.

This completes a very brief description of each command and mentions some of the things to watch out for when running the program. One menu

selection not mentioned is the "Color" option. Selecting a color from the displayed color chart before beginning to draw a box, circle, etc., will temporarily replace the default color. This can be most helpful if you need only to erase a portion of a line that is not consistent with your drawing. This change of default color is temporary, but will remain in effect until you return to the main menu and select another entity type. Be careful when drawing using any other color than purple. Remember the limitations of the *PAINT* command!

The subroutine section contains the real workhorses of the program. The nicest thing about subroutines is their portability. Each one is a miniature program all in itself which can often be moved from one program to another with only minor changes.

Text Entry

This subroutine, which handles the text input for *Sketch-It*, will accept input from the keyboard and allow the use of the "backspace" (ASCII 8), the RETURN (ASCII 13) or the ESC (ASCII 27) keys. The variable *MAX* will allow you to limit the text length which can be input if you need to. If not, define it to be a number larger that you expect to use.

Draw Grid

This subroutine draws a grid to assist in freehand drawing if it is desired.

Redraw From File

This is the location where the redrawing of *Sketch-It* files is done. Additionally this portion handles the "Erase" function by simply setting the value of *KOLOR* to black and redrawing the figure. This is also the major portion of code needed to reproduce any of your *Sketch-It* drawings in other BASIC programs.

Get X and Y Coordinates For Graphics Commands

This is the subroutine which obtains the screen locations for all functions which use the GCURSOR command.

Clear Message Line

This one line subroutine clears the message/prompt line on the video terminal and relocates the cursor.

Select Color

These lines produce a color chart across the bottom of the screen. The actual selection is made in the following

subroutine, which is called by this color subroutine.

Numeric Input And Checking Routine

This line of code will accept numeric input and check to make sure that it is between an upper and lower boundary described by the variables MAX and MIN.

Write To Disk File

This is the program section that actually writes each command to the disk file.

Update File Record

This area recopies corrections or additions made to your Sketch-It files.

Text File Manipulation

When text is stored in a random file, it is placed in a "field" of a specific length. In this case the field has been defined to be 50 characters. If your text message contains less than 50 characters, the Sanyo will attach a calculated quantity of spaces needed to equal 50 before storing it to disk. This makes it necessary to strip off those extra spaces before reprinting the message on

the screen. This subroutine checks each character and removes any blank spaces that were attached to the end.

Find Beginning And Ending Arc Positions

This subroutine is used in calculations for the semicircle and the arc routines.

Message Timer For Error

This is the subroutine which is called by the ON ERROR GOTO routines associated with creation of arcs and circles. The message is displayed and then returns to the originating program section.

You should now have a fairly good idea of how Sketch-It operates and what to expect when you run the program. If you are a monochrome monitor user, do not despair. Sketch-It was written using a standard amber screen (hence, the choice of purple for a drawing color!). If your display flashes when you run this program, you need to change the switch settings that control the color translation for monochrome monitors. This is mentioned in

the premiere issue of SOFT SECTOR on Page 56. The procedure is very simple and takes only a few seconds. What you must do is locate the DIP switch assembly marked DTS-4 and set switch number one to the "on" position and the remaining three to "off." If this is not done, Sketch-It will not perform up to expectations, as several color patterns are altered and others are nonexistent.

The commands GET and PUT are options intentionally left out in order to accommodate all Sanyo MBC-550 owners regardless of memory size. Color monitor users may want to add the ability to alter the default drawing color since they are able to correctly define the boundary colors for the PAINT command.

Lastly, Listing 2 contains the necessary code to enable you to redraw Sketch-It files in your other BASIC programs. It is understandably longer than the first version, but may be saved as a program all in itself and then MERGEd with your other programs as it is needed.

You are now ready to start this new year off right with a "new look," courtesy of your Sanyo.

BASIC LOCKPIC

now only . . \$29.95! Removes protec-

tion from Sanvo Basic protected

-Specify DOS 1.25 or

PICTURE PURRFECT screendump (DOS

2.11 only) (Epson, Gemini, Panasonic) now \$29.95

Scientific Instrumentation — we specialize in interfacing lab equipment (such as Mettler balances, gas analyzers, etc.) to Sanyo and Commodore equipment. We currently supply hardware and software to business, labs, and schools across the U.S.

WEAVER STREET SOFTWARE

P.O. Box 608 • Carrboro, NC 27510 • 919-929-7790 10-6 M-F, 10-4 Sat. or by appointment

Synergistic Software Presents



Magic Windows:

Ever find yourself without a calculator or an ASCII table and in an editor? Ever need to make that quick phone call and not have the number handy? With MAGIC WIN-DOWS you can have all that and more. MAGIC WIN-DOWS is a co-resident program which allows access to a pop up menu from within ANY program with just the press of a special key sequence. When you exit MAGIC WINDOWS you will be returned to your previous program right where you left off. MAGIC WINDOWS comes complete with the following:

***ASCII, GRAPHIC CHARACTER TABLE

***CALCULATOR AND BASE CONVERTER

***NOTEPAD – Allows you to save notes on disk ***PHONE LIST – Database for phone numbers

***CALENDAR CALCULATOR

MAGIC WINDOWS — Only \$39.95 (Req 192K min) Instadisk:

This RAMDISK SW allows fast system memory to act like a disk device. The size of the disk may be set to any portion of available memory. Only \$19.95 (Reg DOS 2.1, 256K min)


Printset:

Menu driven program which allows the user to set characteristics of an EPSON, GEMINI or compatible printers. Only \$17.95

Synergistic Software

(214-436-9042)

1593 Valley Pkwy., Lewisville, TX 75067 Please send check or money order. Allow 3 weeks.



LISTING 1: SKETCH-IT

```
5 '
       ******************
10 '
15 '
              SKETCH-IT Ver.2 Hi-Resolution Graphics For
20 '
                  SANYO MBC 550
25 '
30 '
                         November 10, 1984
35 '
40 '
             Dan Webber
                                             Galen Oellig
45 '
                           314-364-3404
             1206 Maple / Rolla, MO 65401
50 1
      ***************
55 '
60:
65 '
                  INTRODUCTION AND SET-UP
70 .-
75 CLS
80 LOCATE 1,1,0
85 B$=STRING$(78,32):LINE (Ø,19Ø)-(639,19Ø),5
90 SYMBOL(80,10), "Welcome to SKETCH-IT", 3,3,6
95 LOCATE 7,16
100 PRINT "Do you want to VIEW or DRAW or
                                               OUIT ?
1Ø5 I$=INPUT$(1)
110 IF I$="V" OR I$="v" THEN SEE=1:GOTO 180
115 IF I$="Q" OR I$="q" THEN CLS:END
12Ø IF I$="D" OR I$="d" THEN 14Ø:ELSE 1Ø5
125:
130 '
               PREPARE SCREEN FOR DRAWING
135 '
140 PRINT :PRINT "Do you want a grid overlay on the screen? (Y/N)"
145 I$=INPUT$(1):IF I$="Y" OR I$="y" THEN GRID=-1 ELSE GRID=Ø
150:
155 PRINT :PRINT "Will this be a NEW drawing or an EXISTING drawing ?"
16Ø I$=INPUT$(1)
165 IF I$="n" OR I$="N" THEN 200
170 IF I$="e" OR I$="E" THEN 180
175 GOTO 16Ø
180 EXISTING=1
185 PRINT :PRINT "SKETCH-IT files on this disk are:":PRINT
195 '
                               OPEN FILES TO DRAW OR REDRAW
200 MSG1$="Enter file name (maximum 8 characters):":MAX=8:GOSUB 1240:FILE$=TXT$
205 OPEN "R",#1,FILE$,20
210 FIELD #1,2 AS OBJ$,2 AS X1$,2 AS Y1$,2 AS X2$,2 AS Y2$,2 AS KOLOR$,4 AS REAL
1$,4 AS REAL2$
215 RECORD=LOF(1)/20
22Ø OPEN "R", #3, FILE$+".txt", 5Ø: FIELD #3, 5Ø AS TEXT$
225 :
230 '
                        SKETCH-IT PROGRAM CONTROL
235 CLS:LINE (\emptyset, 19\emptyset) - (639, 19\emptyset), 5
240 IF GRID=-1 THEN GOSUB 1290
245 IF EXISTING=1 THEN START=1:FINISH=RECORD:GOSUB 1325
25Ø IF SEE <>1 THEN 27Ø
255 GOSUB 1485: PRINT"Press any key to erase screen and return to opening menu.";
```

```
260 IS=INPUTS(1):IF LOF(3)=0 THEN CLOSE:KILL FILES+".txt":RUN:ELSE CLOSE:RUN
265:
27$\text{DCATE}$ 25,1:\text{PRINT B$;:\text{QT=}$\text{0}:X$\text{$\text{$\text{$\geta}$}=1$\text{$\text{$\geta}$}:\text{MSG2$$="":\text{MSG3$$="":\text{KOLOR=5}$}
275 LOCATE 25,1:PRINT " rc
                                        olor
                                                      rase
                                                               nsert
                                                                        s etch
                  ave";
           ext
28Ø COLOR 6:LOCATE 25,1:PRINT "A";TAB(7)"B";TAB(13)"C";TAB(2Ø)"D";TAB(26)"E";
285 PRINT TAB(34); "I"; TAB(44) "K"; TAB(52) "L"; TAB(59) "P"; TAB(67) "T"; TAB(74) "S";
29Ø COLOR 2
295:
300 IS=INPUTS(1)
305
      IF IS="A" OR IS="a" THEN 370
      IF IS="B" OR IS="b" THEN OBJ=1:GOTO 430
310
315
      IF IS="C" OR IS="c" THEN GOSUB 1485:GOSUB 1495:GOTO 275
      IF IS="D" OR IS="d" THEN OBJ=2:GOTO 465
320
325
      IF I$="E" OR I$="e" THEN 495
      IF IS="I" OR IS="i" THEN OBJ=3:GOTO 530
330
      IF I$="K" OR I$="k" THEN OBJ=4:GOTO 635
335
340
      IF I$="L" OR I$="1" THEN OBJ=5:GOTO 670
345
      IF I$="P" OR I$="p" THEN OBJ=6:GOTO 700
      IF IS="T" OR IS="t" THEN OBJ=7:GOTO 730
35Ø
      IF I$="S" OR I$="s" THEN OBJ=8:GOTO 815
355
36Ø GOTO 27Ø
365 :
37Ø GOSUB 1485:PRINT" rc from three points
                                                   ircle
                                                             11ipse
                                                                       P e slice
                                                                                      ara
bola
         emi-circle";
375 COLOR 6:LOCATE 25,1:PRINT "A";TAB(25)"C";TAB(34)"E";TAB(45)"I";TAB(56)"P";TA
B(67)"S"::COLOR 2
38Ø I$=INPUT$(1)
```

AA COMPUTER EXCHANGE

"SOUTH'S LEADING SANYO DEALER"
COMPLETE SELECTION OF SANYO SOFTWARE

REQUEST OUR FULL SANYO CATALOG TODAY


ORDER LINE: 1-800-447-0088 INQUIRIES & FL: 904-388-0018

HERE ARE A FEW OF OUR MAIL ORDER PRICES

HARDWARE	Hermit's Secret \$17	Transfer
Sanyo 550-2 (1-360K) \$699	Phantom's Revenge 17	Personal Money Manager . 38
Sanyo 555-2 (2-360K) 999	Word Wiggle 24	OLYMPIC
Sanyo 775 Color Port 2336	Munchkin	Inventory
10 MEG Michtron 1242	Eliza 17	Payroll
160K Teac Drive	Monster Rally	General Ledger 75
160K Teac Drive w/SW 263	MOUTDON	Accts. Receivable 75
360K Teac Drive 159	Picasso (256K)	Accts. Payable
360K Teac Drive w/SW 359		Order Entry
800K Teac Drive 179	DS DOS+ (1.25 or 2.11) 38	Postmaster II 38
64K Mem Exp (150 NS) 36	MI-Term (128K) 60	Money Analysis 29
128K Mem Exp (150 NS) 72	M-Disk (256K)	Finance Manager 29
Sanyo/IBM Graphics Brd . 179	Freez Frame (128K) 30	Appointment Book 29
Joystick	MI-Key (128K)	Touch Skills
RS-232 Card 69	Graffiti (256K)	States & Capitals 23
300 Baud Modem 52	Cashman	Body Systems
300/1200 Modem 255	Demon Seed 27	Trivia Mania
RGB Monitor 13" 269	DC-10 Flight Simulator 30	Flyboy Flight Sim 29
Sanyo CRT 50 389	Rebounce	Byte Buster
Sanyo CRT 70 565	Solitaire	Flash Card
Green Monitor 12" 89	Adventure Disk #2 30	Blackjack
Amber Monitor 12" 89	Adventure Disk #3 30	Spelling Bee
Panasonic 1091 NLQ 299	Super Zap	The state of the s
TTX Daisy w/Tractor 367	Business Agreements 38	A-OK
TTX 64K Buffer 199	Major Motion 30	DOS-1 w/Print Screen 33
Silver Reed EXP 500 370	Quick & Simple 38	DOS-2 w/Print Screen 40
Silver Reed EXP 550 438	Soft Spool 27	DOS-3 w/Print Screen 47
EXP 550 Tractor 116	Emperor 27	DOS-4 w/Print Screen 47
Sanyo PR5000 LQ 402	Maz Disk 19	Janus/ADA Series 445
Sanyo PR5500 LQ 622	Master Graph 68	COMPUTER TOOLBOX
PR5500 Tractor 150	Rebounce 19	Intellicom
BASF DS/DD 51/4" 18	Mighty Mail 75	
	King Arthur 19	U.S. DIGITAL
NORELL	Thunder Chief	Copylink (Term)
LISP/88 Intrp	Joystick Ext. Cable 22	CPeMULATON
Computer Chef 34	Tic Tac Toe 19	SUNDEX
Original Adv	Printer Helper 27	CPA 125


2726 PARK ST., JACKSONVILLE, FL 32205

Orders with cashiers check, money order and VISA/MC shipped promptly • For personal/company checks allow 3 weeks for clearance • No CODs • For VISA/MC add 3% • Shipping charges extra, \$3.00 minimum Prinser may differ in As stores • Engrida residents add 5% tax • Prices subject to change without notice.



- CHECK-MATE is a Complete Home Bookkeeping System for your personal computer.
- •CHECK-MATE Will help you keep track of up to 100 different account categories.
- CHECK-MATE allows you to keep 30 payee's on file.
- CHECK-MATE will grow with you.
- You may add on CHECK WRITER, which allows the computer to print out checks.
- You may also add HOME-BUDGET which will give you better control of your finances.


All For A Low Price Of \$59.95 DEALER INQUIRIES INVITED




710 N. New Ballas Rd. Creve Coeur, MO 63141 (314) 997-SOFT

```
IF I$="A" OR I$="a" THEN OBJ=9:GOTO 840
385
      IF I$="C" OR I$="c" THEN OBJ=10:GOTO 915
390
395
      IF I$="E" OR I$="e" THEN OBJ=11:GOTO 965
      IF I$="I" OR I$="i" THEN OBJ=12:GOTO 1025
400
      IF I$="P" OR I$="p" THEN OBJ=13:GOTO 1095
405
      IF I$="S" OR I$="s" THEN OBJ=14:GOTO 1165
410
415 GOTO 270
420 :
425 1
                              BOX
430 MSG1$="Indicate one corner of BOX to be drawn."
435 MSG2$="Indicate OPPOSITE DIAGONAL CORNER of BOX."
440 GOSUB 1440: IF QT=1 THEN 270
445 LINE (X1,Y1)-(X2,Y2),KOLOR,B
45Ø GOSUB 1545:GOTO 44Ø
455 :
460 1
                       DOT OR POINTS
465 GOSUB 1485:GOSUB 1500:PRINT "Select DOT location to color.";
470 GCURSOR (X0,Y0),(X1,Y1),2:IF X1=X0 AND Y1=Y0 THEN 270
475 PSET (X1,Y1),KOLOR
48Ø GOSUB 1545:XØ=X1:YØ=Y1:GOTO 47Ø
485 :
490 1
                       ERASE LAST FIGURE DRAWN
495 IF RECORD<1 THEN 270 ELSE ERSE=1:START=RECORD:FINISH=RECORD:GOSUB 1320
500 IF OBJ<>3 THEN 515 ELSE VIEW (0,0)-(639,199):GOSUB 1485
505 PRINT "This begins an INSERTed file drawing, no further erasures are allowed
510 FOR T=1 TO 1500:NEXT T:GOTO 270
515 RECORD=RECORD-1:ERSE=0:GOTO 270
520 :
525 '
                       INSERT FILE DRAWING
530 MSG1$="Select one corner of area in which to insert file drawing.
535 MSG2$="Select OPPOSITE DIAGONAL CORNER of area for insert."
54Ø GOSUB 144Ø:IF QT=1 THEN 27Ø ELSE MSG1$="Name of file drawing to insert."
545 MAX=8:GOSUB 1240:IF OT=1 THEN 270
55Ø ON ERROR GOTO 615:GOSUB 1545:START=RECORD
555 OPEN "R", #2, TXT$, 20: TLEN=LOF(2)/20
56Ø FIELD #2,2 AS A1$,2 AS A2$,2 AS A3$,2 AS A4$,2 AS A5$,2 AS A6$,4 AS A7$,4 AS
 A8$
565 OPEN "R", #4, TXT$+".txt", 50: FIELD #4, 50 AS R$
570 FOR X=1 TO TLEN:GET #2,X
       LSET OBJ$=A1$:LSET X1$=A2$:LSET Y1$=A3$:LSET X2$=A4$:LSET Y2$=A5$
575
       LSET KOLOR$=A6$:LSET REAL1$=A7$:LSET REAL2$=A8$
58Ø
       Q=CVI(OBJ$):IF Q <>7 THEN 595 ELSE R=CVS(REAL2$):GET #4.R
585
       LSET TEXTS=RS:PUT #3,LOF(3)/50+1:LSET REAL2$=MKS$(LOF(3)/50)
59Ø
595
       LSET OBJ$=MKI$(Q):PUT #1,RECORD +X
600 NEXT X:ON ERROR GOTO 0:CLOSE #2:CLOSE #4
605 RECORD=RECORD+X-1:0BJ=3:X1=0:Y1=0:X2=639:Y2=199:GOSUB 1545:FINISH=RECORD
61Ø GOSUB 1325:GOTO 27Ø
615 GOSUB 1485: PRINT "There are no SKETCH-IT files on this disk with this name."
620 FOR T=1 TO 1000:NEXT T:GOSUB 1485:RESUME 545
625 :
63Ø ·
                          SKETCH CONTINOUS LINES
635 MSG1$="Select an initial point from which to begin drawing"
640 MSG29="Press <ENTER> twice to stop drawing this figure.":GOSUB 1440
645 IF OT=1 THEN 270
650 LINE (X1,Y1)-(X2,Y2),KOLOR
655 GOSUB 1545:X1=X2:Y1=Y2:GOSUB 1450:GOTO 645
660 :
```

```
INDIVIDUAL LINES
 665 '
 670 MSG1$="Select a begining position for the line to be drawn."
 675 MSG2$="Select the ending position for the line to be drawn."
68Ø GOSUB 144Ø: IF QT=1 THEN 27Ø
685 LINE (X1,Y1)-(X2,Y2), KOLOR: GOSUB 1545: GOTO 680
695 '
                            PAINT
700 GOSUB 1485: GOSUB 1500: PRINT "Select area/object to be PAINTed."
7Ø5 GCURSOR (XØ,YØ),(X1,Y1),2:IF X1=XØ AND Y1=YØ THEN 27Ø
710 PAINT (X1, Y1), KOLOR, 5
715 GOSUB 1545:XØ=X1:YØ=Y1:GOTO 7Ø5
720 :
725 '
                       TEXT ENTRY
73Ø MAX=5Ø:MSG1$="TEXT: ":GOSUB 1485:GOSUB 124Ø:GOSUB 1485:GOSUB 15ØØ:GOSUB 1485
735 PRINT"Horizontal magnification: (1-9) ";:MIN=1:MAX=9:GOSUB 1530:X2=I:GOSUB 1
485
740 PRINT"Vertical magnification: (1-9) ";:MIN=1:MAX=9:GOSUB 1530:Y2=1:GOSUB 148
745 PRINT"Text rotation: 1- none 2- 90 deg
                                                3- 180 deg 4- 270 deg :";
75Ø MAX=4:MIN=1:GOSUB 153Ø:REAL1=I-1:GOSUB 1485
755 PRINT "Select position for TOP LEFT CORNER of leading character.";
760 GCURSOR (X0, Y0), (X1, Y1), 2
765 ON ERROR GOTO 795
77Ø SYMBOL (X1,Y1),TXT$,X2,Y2,KOLOR,REAL1
775 GOSUB 1485:PRINT "Is this position sastifactory ? (Y/N) ";
78Ø I$=INPUT$(1):IF I$<>"Y" AND I$<>"y" THEN 79Ø
785 GOSUB 1610: GOTO 270
79Ø GOSUB 1485:SYMBOL (X1,Y1),TXT$,X2,Y2,Ø,REAL1:XØ=X1:YØ=Y1:GOTO 755
795 GOSUB 1485: PRINT "Your text has gone out of range. Nothing has been stored
to disk";
800 FOR T=1 TO 1500:NEXT T:RESUME 270
810 '
                         SAVE DRAWING TO DISK
815 IF WIPE=1 THEN GOSUB 1570
820 IF LOF(3)=0 THEN CLOSE #3:KILL FILE$+".txt"
825 CLOSE:RUN
830 :
835 '
                          ARC FROM THREE POINTS
840 MSG1$="Enter begining point of arc": MSG2$="Enter ending point for arc (clock
wise) "
845 MSG3$="Indicate a third point between the first two"
850 GOSUB 1440: IF QT=1 THEN 270
855 XØ=X2:YØ=Y2:Y1=1.97*Y1:Y2=1.97*Y2:Y3=1.97*Y3
86\emptyset A1=2*(X1-X2):B1=2*(Y1-Y2):K1=X1^2-X2^2+Y1^2-Y2^2
865 A2=2*(X3-X2):B2=2*(Y3-Y2):K2=X3^2-X2^2+Y3^2-Y2^2
87Ø D=A1*B2-A2*B1:IF D=Ø THEN GOSUB 1485:GOTO 85Ø
875 XC=(K1*B2-K2*B1)/D+.5:YC=(A1*K2-A2*K1)/D+.5
88Ø GOSUB 1625:X1=XC:Y1=YC/1.97:X2=RAD:REAL1=START:REAL2=FINISH
885 ON ERROR GOTO 900
890 CIRCLE (X1, Y1), X2, REAL1, REAL2, .508, KOLOR
895 ON ERROR GOTO Ø:GOSUB 1545 :GOTO 850
900 GOSUB 1665: RESUME 850
905:
910 '
                         CIRCLE
915 MSG1$="Select center point of circle to be drawn"
920 MSG2$="Indicate a point on the circumference"
925 GOSUB 1440:IF QT=1 THEN 270
930 REAL1=SOR((X2-X1)^2+((Y2-Y1)/.508)^2)
935 ON ERROR GOTO 950
```





R DISTRIBUTING

P.O. Box 2168 Acworth, GA 30101 (404) 928-8791

DEALERS ONLY!





HAYES, PANASONIC, STAR MICRONICS, CLASSIC MEMORY, INNOVATIVE, ANCHOR







```
1080 GOSUB 1665: RESUME 1025
1085:
1090 '
                           PARABOLA
1095 MSG1$="Enter the first endpoint of parabola"
1100 MSG2$="Enter the second endpoint (will be drawn clockwise)"
1105 MSG3$="Enter extreme for parabola"
1110 GOSUB 1440: IF OT=1 THEN 270
1115 IF X1=X2 OR Y1=Y2 THEN 1120 ELSE 1110
1120 X\emptyset = X2:Y\emptyset = Y2:XC = (X1+X2)/2:YC = (Y1+Y2)/2
1125 IF Y1=Y2 THEN XDIST=ABS(XC-X1):YDIST=ABS(Y3-YC): IF Y3>Y1 THEN START=Ø ELSE
START=.5
1130 IF X1=X2 THEN XDIST=ABS(XC-X3):YDIST=ABS(YC-Y1): IF X3>X1 THEN START=.75 EL
SE START=.25
1135 FINISH=START+.5 : IF FINISH>1 THEN FINISH=FINISH-1
1140 REAL1=YDIST/XDIST: IF YDIST>XDIST THEN XDIST=YDIST
1145 Y2=START*32ØØØ:X2=XDIST:X1=XC:Y1=YC:REAL2=FINISH
1150 CIRCLE(X1,Y1),X2,Y2/32000,REAL2,REAL1,KOLOR:GOSUB 1545:GOTO 1110
1155:
1160 '
                             SEMI-CIRCLE
1165 MSG1$="Enter first end point of semi-circle (drawn clockwise)
1170 MSG2$="Enter second end point of semi-circle"
1175 GOSUB 1440: IF OT=1 THEN 270
1180 X\emptyset = X2:Y\emptyset = Y2:Y1 = Y1*1.97:Y2 = Y2*1.97:XC = (X1+X2)/2:YC = (Y1+Y2)/2
1185 GOSUB 1625:FINISH=START+.5:IF FINISH>1 THEN FINISH=FINISH-1
1190 X1=XC:Y1=YC/1.97:X2=RAD:REAL1=START:REAL2=FINISH
1195 ON ERROR GOTO 1210
1200 CIRCLE (X1,Y1),X2,REAL1,REAL2,.508,KOLOR
1205 ON ERROR GOTO 0:GOSUB 1545: GOTO 1175
1210 GOSUB 1670: RESUME 1180
1215:
1220 STOP
                     SUBROUTINE STORAGE AREA **************
1225 *********
1230 :
1235 '
                                                      Text entry
1240 LOCATE 25,1:TXT$="":X=0: COL=LEN(MSG1$)+2:PRINT MSG1$;
1245 WHILE X<MAX
        LOCATE 25, COL: PRINT TXT$; ";: I$=INPUT$(1)
1250
        IF ASC(I$)=27 THEN QT=1:X=MAX:GOTO 1275
1255
        IF ASC(I$)=13 THEN X=MAX:GOTO 1275
1260
        IF ASC(I$)=8 AND X>Ø THEN TXT$=LEFT$(TXT$, X-1):X=X-1:GOTO 1275
1265
        IF ASC(I$)=8 AND X<=Ø THEN 1275:ELSE TXT$=TXT$+I$:X=X+1
1275 WEND: RETURN
1280 :
1285 '
                                                       DRAW GRID
1290 FOR Y=0 TO 185 STEP 5:LINE (0,Y)-(639,Y),1:NEXT Y
1295 FOR X=\emptyset TO 630 STEP 10:LINE (X,\emptyset)-(X,189),1:NEXT X
1300 \text{ LINE}(639,0)-(639,190),1
13Ø5 RETURN
1310:
1315 '
                            REDRAW FROM FILE RECORDS
1320 WIPE=1
1325 ON ERROR GOTO 1425
1330 FOR X=START TO FINISH
1335
       GET #1.X
       OBJ=CVI(OBJ$):X1=CVI(X1$):Y1=CVI(Y1$):X2=CVI(X2$):Y2=CVI(Y2$)
1340
1345
       KOLOR=CVI(KOLOR$):REAL1=CVS(REAL1$):REAL2=CVS(REAL2$)
       IF ERSE =1 THEN KOLOR=0
1350
       ON OBJ GOTO 1360,1365,1370,1375,1375,1380,1385,1420,1390,1395,1400,1405,1
1355
410,1415
```

```
LINE (X1, Y1)-(X2, Y2), KOLOR, B:GOTO 1420
 1360
            PSET (X1,Y1),KOLOR:GOTO 1420
 1365
            VIEW (X1, Y1)-(X2, Y2):GOTO 1420
 1370
            LINE (X1, Y1)-(X2, Y2), KOLOR: GOTO 1420
 1375
            PAINT (X1, Y1), KOLOR, 5:GOTO 1420
 1380
            GOSUB 1600:SYMBOL (X1,Y1),TXT$,X2,Y2,KOLOR,REAL1:GOTO 1420
 1385
            CIRCLE (X1, Y1), X2, REAL1, REAL2, .508, KOLOR: GOTO 1420
 1390
            CIRCLE (X1,Y1), REAL1,,,, KOLOR: GOTO 1420
 1395
            CIRCLE (X1, Y1), X2,,, REAL1, KOLOR: GOTO 1420
 1400
            CIRCLE (X1, Y1), X2, REAL1, REAL2, .508, KOLOR: GOTO 1420
 1405
            CIRCLE (X1,Y1),X2,Y2/32ØØØ,REAL2,REAL1,KOLOR:GOTO 142Ø
1410
            CIRCLE (X1,Y1),X2,REAL1,REAL2,.508,KOLOR
1420 NEXT X:ON ERROR GOTO Ø:RETURN
1425 RESUME NEXT
1430 :
1435 '
                        GET X & Y COORDINATES FOR GRAPHIC COMMANDS
1440 XI=0:Y1=0:X2=0:Y2=0:LOCATE 25,1:GOSUB 1485:PRINT MSG1$;
1445 GCURSOR (XØ, YØ), (X1, Y1), 2: PSET (X1, Y1), 2
1450 IF MSG2$="" THEN 1470 ELSE GOSUB 1485:PRINT MSG2$;
1455 GCURSOR (X1,Y1),(X2,Y2),2:PSET (X2,Y2),2:IF X2=X1 AND Y2=Y1 THEN QT=1:GOTO
1470
1460 IF MSG3$="" THEN 1470 ELSE GOSUB 1485:PRINT MSG3$;
1465 GCURSOR (X2, Y2), (X3, Y3), 2: IF X3=X2 AND Y3=Y2 THEN QT=1
1470 XØ=X1:YØ=Y1:GOSUB 1485:RETURN
1475 :
1480 '
                        CLEAR MESSAGE LINE AND RELOCATE CURSOR
1485 LOCATE 25,1:PRINT B$;:LOCATE 25,1:RETURN
1490 :
1495 '
                             SELECT COLOR FOR DRAWING/PAINTING
1500 PRINT"1-Black ";:COLOR 0,1:PRINT " 2-Blue ";:COLOR,2:PRINT " 3-Green ";
1505 COLOR,3:PRINT " 4-Lt.Blue ";:COLOR ,4:PRINT " 5-Red ";:COLOR,5
1510 PRINT " 6-Purple ";:COLOR,6:PRINT " 7-Yellow ";:COLOR,7:PRINT " 8-White
1515 MAX=8:MIN=1:COLOR 2, Ø:GOSUB 153Ø:KOLOR=I-1:GOSUB 1485:RETURN
152Ø:
1525 '
                          NUMERIC INPUT AND CHECKING ROUTINE
1530 IS=INPUTS(1):I=VAL(IS):IF I>=MIN AND I<=MAX THEN RETURN ELSE GOTO 1530
1535:
                           WRITE DRAWN OBJECT TO DISK FILE
1540 '
1545 LSET OBJ$=MKI$(OBJ):LSET X1$=MKI$(X1):LSET Y1$=MKI$(Y1):LSET X2$=MKI$(X2)
1550 LSET Y2$=MKI$(Y2):LSET KOLOR$=MKI$(KOLOR):LSET REAL1$=MKS$(REAL1)
1555 LSET REAL2$=11KS$(REAL2):RECORD=RECORD+1:PUT #1,RECORD:RETURN
156Ø:
1565 '
                         UPDATE FILE RECORD IF ERASURES MADE
1570 CLOSE #1:OPEN "R", #1, FILE$, 20: FIELD #1, 20 AS COPY$
1575 OPEN "R", #2, "TEMP.FIL", 20: FIELD #2, 20 AS TCOPY$
1580 FOR X=1 TO RECORD:GET #1, X:LSET TCOPY$=COPY$:PUT #2, X:NEXT X
1585 CLOSE #1:CLOSE #2:KILL FILE$:NAME "TEMP.FIL" AS FILE$:RETURN
1590 :
1595 '
                        TEXT FILE MANIPULATION
1600 GET #3, REAL2: TXT$=TEXT$
16Ø5 WHILE RIGHT$(TXT$,1)=" ":TXT$=LEFT$(TXT$,LEN(TXT$)-1):WEND:RETURN
1610 LSET TEXT$=TXT$:PUT #3,LOF(3)/50+1:REAL2=LOF(3)/50:GOSUB 1545:RETURN
1615:
1620 '
                    FIND BEGIN AND END POSITIONS OF ARC
1625 DX=X1-XC:DY=Y1-YC:GOSUB 1635:START=THETA:DX=X2-XC:DY=Y2-YC:GOSUB 1631
163Ø FINISH=THETA :RAD=SQR(DX^2+DY^2):RETURN
1635 IF DX=Ø THEN THETA=.25 ELSE THETA=ATN((DY/DX))/(2*3.14159)
1640 IF DX<0 THEN THETA=.5-ABS(THETA)
1645 IF DY<∅ THEN THETA=1-ABS(THETA)
```

165Ø RETURN 1655 :

MESSAGE TIMER FOR ERROR

1665 GOSUB 1485

1670 PRINT " *** Unable to complete arc. Nothing written to file *** ";

1675 FOR T=1 TO 1500:NEXT T:GOSUB 1485:RETURN

LISTING 2:

1660

5000 ON ERROR GOTO 5023: OPEN "R", #1, "file name goes here", 20

5001 FIELD #1, 2 AS OBJ\$,2 AS X1\$,2 AS Y1\$,2 AS X2\$,2 AS Y2\$,2 AS KOLOR\$,4 AS RE

AL1\$,4 AS REAL2\$

5002 OPEN "R", #2, "file name goes here"+".txt",50

5003 FIELD #2, 50 AS TEXT\$: RECORD=LOF(1)/20

5004 FOR X=1 TO RECORD:GET #1,X

5ØØ5 OBJ=CVI(OBJ\$):X1=CVI(X1\$):Y1=CVI(Y1\$):X2=CVI(X2\$):Y2=CVI(Y2\$)

5006 KOLOR=CVI(KOLOR\$):REAL1=CVS(REAL1\$):REAL2=CVS(REAL2\$)

5007 ON OBJ GOTO 5008,5009,5010,5011,5011,5012,5013,5020,5014,5015,5016,5017,501

8,5019

5008 LINE (X1,Y1)-(X2,Y2),KOLOR,B:GOTO 5020

5009 PSET (X1,Y1),KOLOR:GOTO 5020

5010 VIEW (X1,Y1)-(X2,Y2):GOTO 5020

5Ø11 LINE (X1,Y1)-(X2,Y2),KOLOR:GOTO 5Ø2Ø

5012 PAINT (X1, Y1), KOLOR, 5:GOTO 5020

5Ø13 GOSUB 5Ø3Ø:SYMBOL (X1,Y1),TXT\$,X2,Y2,KOLOR,REAL1:GOTO 5Ø2Ø

Our Price

\$42.49

\$29.95

5014 CIRCLE (X1,Y1),X2,REAL1,REAL2,.508,KOLOR: GOTO 5020

5Ø15 CIRCLE (X1,Y1), REAL1,,,, KOLOR: GOTO 5Ø2Ø

5016 CIRCLE (X1, Y1), X2,,, REAL1, KOLOR: GOTO 5020



DS-Dos Plus

Demon Seed

Adventure #2 or #3

Cashman

DISKOUNT SOFTWARE We take a Byte out of Prices

PRICKLY-PEAR SOFTWARE: List Price

\$34.95 \$34.95 \$19.95 \$34.95 Fantasy Gamer's Bonanza Pkg. Trivia Trivia \$29.49 \$29.49 Additional Trivia Question Disks Viking! \$16.49 \$29.49 Astrology \$29.49 **OLYMPIC EDUC. SOFTWARE:** \$33.49 Appointment Book \$39.95 \$39.95 Touch Skills \$33.49 \$33.49 Flyboy \$25.49 Inchworm Postmaster II \$42.49 \$33.49 **Body Systems** States & Capitals Finance Manager \$33.49 **MICHIGAN SOFTWARE:** Screen Print \$25.49 Sanyo Direct Transfer \$25.49 Sanyo Print Spooler \$33.95 Save Screen MICHTRON: \$29.95 M Disk

★ ★ Limited Quantity — 64K Memory Upgrade \$49.49 ★ ★ Don't See What You Want? . . . Ask!

Send Order To: DISKount Software 9860 East Mary Tucson, AZ 85730 602-298-3624

Personal check welcome . . . No delay — Add \$1.50 for each program ordered (4.50 max.). Add \$2.00 for C.O.D. AZ residents add 7% sales tax.

FIND THE RIGHT WORD with

Synonym Finder A Thesaurus for

WordStar and Multimate!

Improve your writing by quickly finding the *perfect* word. Put your cursor on a word, give the command, and up pops a list of alternate words (synonyms). Pick one, hit return, and voila, your new word replaces your old word, without having to delete or retype! Enhance your communications for only \$12495 (or, find a friend and buy 2 or more copies at only \$99.95 each!).

Plus \$2.50 shipping - NYS residents add sales tax. Installs in a jiffy on most machines that run WordStar (3.3 or 3.0), Multimate, or Word Perfect. Specify word processor, computer, operating system (MS/PC-DOS or CP/M 80) and disk format.

Okay! My check is enclosed for \$...... (or charge my VISA/MC

Writing Consultants

Suite 310, 11 Creek Bend Drive - Fairport, NY 14450 Orders only: 800-828-6293 Info: 716-377-0130

dealers please write

5017 CIRCLE (X1,Y1),X2,REAL1,REAL2,.508,KOLOR:GOTO 5020

5018 CIRCLE (X1, Y1), X2, Y2/32000, REAL2, REAL1, KOLOR: GOTO 5020

5019 CIRCLE (X1,Y1),X2,REAL1,REAL2,.508,KOLOR

5020 NEXT X:ON ERROR GOTO 0:CLOSE:RETURN

5022:

5023 RESUME NEXT

5025:

5Ø3Ø GET #2, REAL2: TXT\$=TEXT\$

5Ø31 WHILE RIGHT\$(TXT\$,1)=" ":TXT\$=LEFT\$(TXT\$,LEN(TXT\$)-1):WEND

5032 RETURN

LISTING 3:

99 CLS

100 INPUT "ENTER NAME OF 8 BIT FILE "; SOURCE\$

200 INPUT "ENTER NAME OF RESULT FILE "; RESULTS

300 OPEN "R", #1, SOURCE\$, 8 400 OPEN "R", #2, RESULT\$, 20

500 FIELD #1,8 AS SDATA\$

520 FIELD #2,2 AS OBJ\$,8 AS RDATA\$,10 AS DUMMY\$

600 FOR RECORD=1 TO LOF(1)/8

700 GET #1, RECORD

800 LSET RDATA\$=SDATA\$:LSET OBJ\$=MKI\$(6):LSET DUMMY\$=MKI\$(5)

900 PUT #2, RECORD

1000 NEXT RECORD

1005 CLOSE

1010 NAME SOURCE\$ AS SOURCE\$+".vrl"

1100 CLOSE



Oakwood Publishing Introduces Productivity Software For The SANYO MBC-550/555 Systems.

NUTRI-CALC

A nutritional guidance program to assist in calculating ideal nutritional and caloric intake for one or more individuals based on USDA recommended daily allowances, or your targeted daily allowances.

READING PROFESSOR

A speed reading course to increase speed and comprehension skills.

IrDESK

An integrated planning and organizational tool with window displays designed to help manage a variety of day-to-day activities including household budgeting, personal finances, and small business operations.

COMING SOON: JrFILE, MINI-LEDGER, DISCOVERY ENCYCLOPEDIA. LOGO PROFESSOR...AND MORE!



ASK YOUR LOCAL SANYO DEALER FOR DETAILS.

1335 W. 134TH ST., P.O. BOX 3934, GARDENA, CA 90247-7566

SANYO COMPUTERS


Volksmodem \$69.95

Flip n File 50 19.95

CX commodore COMPUTER

High-Performance Computer System

A highly-efficient personal computer system with potential for expansion CRT36



- 16-bit 8088 CPU
- 128KB RAM, expandable to 256KB
- 160KB min floppy disk drive 80 characters × 25 lines
- MS-DOS operating system
- · Detachable keyboard
- Interface for Centronics parallel printer
- · Built in Color Graphics

12" green phosphor CRT monitor

- 640 × 200-dot graphic display

MBC 550

Sugg. List \$999.00

CRT 36 Sugg. List \$199.00

\$799.95

G10X \$289.95

Hayes Smart 300 \$219.95



NCHOR AUTOMATION

PANASONIC HAYES STAR

1-800-845-8375

Prices Subjet To Change without Notice

TEXAS **INSTRUMENTS** TEAC

Teac Double Sided Double Density \$179.95 Information Associates



4651 Abelia Ct P.O. Box 2207, Oak Grove Branch Acworth, Ga. 30101 (404) 428-9050



LETTERS

Continued from Page 6.

I tried to increase the buffer size as suggested by Mr. Earl (November '84, Page 7), but with no visible effect on either *WordStar* or *CalcStar*. Does the *BUFFER*= statement work with MS-DOS 1.25?

There is an article in the November, 1984 issue of *Microcomputing* that *WordStar* users may find helpful—a user patch listing that changes the way *WordStar* does a partial screen write. It allows the program to take advantage of the built-in line editing in the Sanyo BIOS. I installed it in my *WordStar* in about an hour and it works fine. It would have taken much less time, but there is a typo in the typing instructions on Page 49: E 311 72 B6 should be E 311 72 06. By the way, you don't need to know

GOOD STUFF!

SANYO 550/555 TANDY 2000 IBM-PC

GREAT PROGRAMS! SUPER LOW PRICES!!!

Looking for good low cost programs for your Sanyo?
Business, financial, games, educational and more!
10 different diskettes by subject.
Each has 10 programs, all in listable basic. Each only 8.95 postpaid. To find out more send \$5.00 for our super sampler diskette, with 10 great programs - games, mortgage amortization and others. Full info on our other products and our newsletter will be enclosed.

BLANK DISKS

Prime Verbatim Datalife. 5 yr. mfg. warranty in plastic box. Sold everywhere for \$30-\$35. Only \$23.50 postpaid!

SUPER MAILING LIST

Add, change, delete names, address, phone with 8 category flags to select on. Prints lists or labels. Sorts on zip or name. A random access tutorial in itself. \$14.50 postpaid.

COMPUTER SOLUTIONS



P.O. Box 354 Mason, MI 48854 (517) 628-2943 anything about assembly language to do the patch; I don't and I did!

Glenn R. Marrs Pittsburgh, PA

Editor's Note: You're right, it was a very worthy enhancement — anything that improves WordStar's single-line scrolling on the Sanyo, especially with color installed, is a godsend. Thanks for passing along the corrections to our readers. I don't believe Microcomputing will be able to pass them along themselves.

Also, Mr. Richard Kruse, the author of the article, informed us that if the patch is installed with MS-DOS 2.11, the source code listing on Page 48 of the article will deviate in two places from the unassembled *DEBUG* display. Not to worry — it's still correct.

As for your first question about the BUFFER= statement, it is not supported by MS-DOS 1.25. It's hard to catch all of the discrepancies between the two MS-DOS versions and flag them accordingly, but we will always try to pass them along as we catch them.

dBASE TOO

Editor:

I have advanced skill in the use of dBASE II, but I want to use my dBASE files with InfoStar and DataStar. Can this be done? What about with MailMerge?

Judging from user group info, there are other 555 users who run dBASE too.

H.P. Kornick, D.V.M. Sanford, FL

Editor's Note: To use dBASE II files

with other systems, you'll first need to convert the files to a format readable by the other programs. This can usually be done easily with dBASE's COPY TO filespec SDF DELIMITED which creates an ASCII file delimited with commas. Reading files in this format back to dBASE II can be done with APPEND FROM filespec SDF.

INTERESTING OBSERVATIONS

Editor:

Out of the numerous technical publications and professional journals I read, yours is the only one for which I skip a night's sleep every month, and the first I felt worth


sending some feedback.

I am writing about an article entitled "The Interest In Interest," written by Dr. Michael Ecker (November '84, Page 8). I just wish to make readers aware of the fact that the yield computation method shown in the program may not coincide with the ones used by some banks, which may use the exformula, or may incorporate compounding effects in the yield; many banks may call "daily" a compounding frequency of 1.15741 E-5 Hz as opposed to the expected 1.14155 E-5 Hz for a non-leap year and 1.13843 E-5 Hz for a leap year. (N would be equal to 360 in the program.)

Furthermore, the floating point accuracy used by the bank program may not be identical to the one of Dr. Ecker's program.

The above yield computation parameters vary from bank to bank, account to acount, etc., and should be available from relevant institutions.

As a conclusion, I hope to warn users about trying to match bank balances with the program, knowing how careful a typical Sanyo user is when it comes to money. This is not a criticism about Dr. Ecker's contribution which, as others, is greatly



Doom-Quest

Tired of text adventures? This colorful graphic adventure contains over 60 slides of hi-res graphics! Can you defeat the evil gork? Use your wits to travel through the adventure and recover the gems! Fast moving entertainment for the entire family. Double-sided drive required.

1-800-55GRAPH

206-839-6811



Send cashier check money order personal company checks allow 3 weeks bank clearance VISA Master Card accepted. Provide prione number with order. Prices are for cash VISA and Master Card add 3%: https://doi.org/10.1007/j

appreciated, and I hope such comments could be an incentive for readers who do not submit programs because they are apprehensive about possible pitfalls; as you usually see in this section, there is plenty of constructive support from enthusiastic readers. What a great feeling!

Christopher Quarksnow New York, NY

Editor:

In reference to "The Interest In Interest," what you see is not necessarily what you get. Taxes must be paid on interest and inflation reduces the principal's value, even if no withdrawals are made. These factors may be included in the equation to see whether the account is growing in value or not, and by how much.

Assuming interest, taxes and inflation are all effected quarterly, the constant dollar gain of the account can be computed as:

 $G=P*((1(r*(1-t)-i)/4)^4-1)$

where

G = Gain, in terms of constant dollars, by year end

P = Principal in the account at the start of year

t = Annualized tax rate, as a decimal

r = Annualized interest rate, as a decimal

i = Annualized inflation rate, as a decimal

For example, if P=\$1000, t=.3 (30% federal plus state income tax), r=.06 (6% interest), and i=.05 (5% inflation rate), then G=-\$7.98 — a slight negative gain (that is, a loss.)

Alan Reed Monrovia, CA

DOS UPDATE

Editor:

I would like to compliment Jon Geist on his excellent article, "Operating Systems for the MBC-550 Series" (December '84, Page 15). Since he wrote his article we have upgraded DS DOS Plus two times. The more we program on the Sanyo, the more we learn, and at MichTron we constantly upgrade our products.

The new DS DOS Plus: 1) will automatically read or write to a 40 track disk in an 80 track drive; 2) can be manually configured to read many combinations of disks and disk drives; 3) has a menu operated and totally rewritten format routine; 4) has a new DISKCOPY that is much faster and more reliable than the original MS-DOS DISKCOPY; 5) can control any combination of 40 track and 80 track drives; 6) does not hang up on unsatisfactory disk accesses; 7) has a Catalog utility that gives you a sorted directory; 8) has additional utilities on the disk, including a machine language sort, a strip utility (removes control codes from WordStar files), a special list program with with an eye-appealing format, a case changer and a help file. In addition, DS DOS Plus is the only DOS that will work on machines modified to run 512K.

Anyone who has an earlier version of DS DOS can send their master disk and \$7 to us and we will upgrade them to the new version.

Gordon Monnier MichTron Pontiaç, MI

soft sector

SUBMITTING MATERIAL TO SOFT SECTOR

Contributions to SOFT SECTOR are welcome from everyone. We like to run a variety of programs which will be useful/helpful/fun for other Sanyo owners.

• FORMAT: Unless the program accompanying your submission is less than 10 lines, we must have the program itself on disk. We will print out the listing to our specifications. We simply cannot take the time to key in (and debug our typing errors) material which is longer than that. Editorial copy can also be included on disk, using any of the word processors currently available for the Sanyo 550/555. However, please also include a double-spaced hard copy of your editorial material and hard copy of your program listing. Please do not send text in all capitals. Use upper- and lowercase. It is a big help to us in typesetting for you to send your article saved on disk using the ASCII option, but it is not mandatory. We must have, at the very least, a hard copy of the article.

• WHAT TO WRITE: Anything with a practical application. If it interests you, it will probab y interest a lot of others. However, we vastly prefer articles with accompanying programs which can be entered and run. The more unique the idea, the more appeal. We can prepare finished tables, diagrams and schematics from your rough draft if you provide legible copy and full directions. We have a continuing need for short articles with

short listings.

We do pay for submissions, based on a number of criteria. Those wishing remuneration should so state when making submissions.

For the benefit of those who wish more detailed information on making submissions, please send a SASE to: Submissions Editor, SOFT SECTOR, P.O. Box 385, Prospect, KY 40059. We will send you some more comprehensive guidelines.

Please do not submit programs or articles currently submitted to other publications.

PRICE

COMPUTERS W/SOFTWARE

550 (1 160K)	650.00
555 (2 160K)	855.00
550-2 (1 320K)	call for prices
555-2 (2 320K)	call for prices
555-4 (2 640K)	call for prices

ACCESSORIES for 550

160K drive		95.00
160K drive w	v/soft	259.00
320K drive		150.00
320K drive w	//soft	355.00
640K drive		185.00
640K drive w	//soft	435.00
RS-232C 550		59.00
Memory 128		89.00
Auto modem		145.00
Telephone K		345.00
Joystick 550		39.00
12" hi-res gr	een	97.00
9" hi-res gree		85.00
12" RGB cold		295.00
MAXELL	DISKS	TDK
19.95	SS/DD	19.95
24.95	DS/DD	24.95
100		

PRINTERS confg. for Sanyo

A SHARLING THE PARTY OF THE PAR		
Panasonic	1090	215.00
	1091	269.00
Okidata	82A	285.00
	83A	519.00
	92P	365.00
	93P	575.00
	84P	665.00
Toshiba	1340	735.00
	1351	1245.00
Sanyo	PR-5000	396.00
	PR-5500	595.00
Silver Reed	400	265.00
	500	315.00
	550	395.00
	770	755.00
Abati	LQ-20	389.00
Juki	6100	389.00
Printer Cable		22.00

SOFTWARE * Send for List *

Ultimate (5 in 1)	159.00
CP/M-86 Oper. Sys.	90.95
Home Accounting	99.95
Accting System	350.00
Personal Pearl	234.50
Invest. Manager	169.95
Smartkey II	79.00
CP/M Emul. (550)	89.00
Radio Shack Emul.	59.97
Copylink	89.00
SanyCom	85.00
Flight Simulator	45.00
Solitare (game)	31.00
Cash Man (game)	31.00
Demon Seed (game)	31.00

SANYO SUPREME 2x800k DRIVES 256k - RS-232 ULTIMATE (5 in 1)

Add 3% for Visa/MC

Cashiers Check, Money Order, Wire Transfer accepted. No COD. Shipping/handling Additional charge.

SANYO CITY

1708 N.W. FEDERAL HIGHWAY Stuart, Florida 33494

(305) 335-5489

73

THE SOURCE BE WITH YOU



& Infostar, MBC550 & 550-2 include Wordstar, Calcstar & MSDOS.





....\$1289.00\$1479.00\$1599.00\$1499.00\$1699.00\$1799.00

DISPLAYED VIDEO PRESENTS THE AFFORDABLE SANYO

\$949.00 MBC1100/With FRFF Printer

MDC550/ With TREE Finter	11100/ Willi TILL Filliter
MBC555/With FREE Printer\$1249.00	MBC1200/With FREE Printer\$1479.00
MBC550-2/With FREE Printer\$989.00	MBC4000/With FREE Printer
MBC555-2/With FREE Printer	MBC1150/With FREE Printer
*ALL FEG CERIES COMPLITERS AROUE INCLUDE ONE	MBC1250/With FREE Printer
*ALL 550 SERIES COMPUTERS ABOVE INCLUDE ONE	MBC4050/With FREE Printer\$1799.00
FREE GEMINI 10X PRINTER.	
GEMINI 15X PRINTER ONLY \$100 ADDITIONAL.	*ALL 1100, 1150, 1200, 1250, 4000, 4050 COMPUTERS IN-
RS232 for 550 Series with FREE Terminal	CLUDE ONE FREE PR5000 LETTER QUALITY PRINTER.
Software	PR5500 ONLY \$100 ADDITIONAL.
64K Memory Upgrade	MBC1100, 1200 & 4000 Series Computer: Include Wordstar, Calcstar, CPM
MRC555 & 555-2 include Wordstar Calostar MSDOS Spellmaster Mailmerge	2.2. Datastar, Reportstar & Mailmerge.

DRIVES

*GOOD NEWS * SANYO 550 & 555 owners, increase your storage capacity! Upgrade your Sanyo to Double Sided drives. The upgrade includes two TEAC FD55B drives and a double sided software modification for only......\$365.00!!! Double sided software modification.....\$39.95 TEAC add-on 160K external drive with case & power supply \$195.00

MODEMS	MONITORS		
Hayes 300 Baud Modem\$215.00	Comrex Amber 12"\$12	5.00	
Hayes 1200/300 Baud\$480.00	Comrex Green 12"\$11	5.00	
Anchor 300 Baud Volksmodem\$65.00	BMC Amber 12"\$10	5.00	
Anchor 1200/300 Mark XII-(Hayes Compatible)\$259.00	Sanyo CRT36\$17	0.00	
THE RESERVED AND IN STREET, ST	Sanyo CRT70\$57	9.00	
	Amdek Color III+\$38		

PRINTERS

Epson RX80	\$295.0	0 Epson LQ1500	\$1195.00
	FT\$349.0		
	00\$549.0		
	\$559.0		
	0 \$729.0		
a de mala constitue	Sanyo Printer Cable	\$21.95	

Visit our two retail locations at:

886 Ecorse Road Ypsilanti, MI 48197

(313) 426-5086/(313) 482-4424

111 Marshall Street Litchfield, MI 49252 (517) 542-3280

(517) 542-3939

WE CARRY TRS80 & SANYO COMPUTERS

IMMEDIATE DELIVERY 180 Days Parts and Labor Warranty






TO ORDER: Call (313) 426-5086; (313) 482-4424; (517) 542-3280

(517) 542-3939 (517) 542-3947

DEALERS BUY DIRECT FROM THE SOURCE!

(517) 542-3947 Authorized Sanyo Distributor/Repair Center Prices & Specifications subject to change without notice



TLS -

The Perfect Companion To The Sanyo 550 Series

Christmas Day, 1984. She had shopped in earnest since early in November for something her mother would use and not put on the shelf of the hall closet as soon as the holidays were over. Ever since she could remember, it had been difficult to find her mother a gift. But this year, she hoped, would be different. Wrapped in bright colored paper beneath the tree sat a new Sanyo MBC-555 with 256K and double-sided drives.

As Mom delicately opened the big box, her eyes lit up with excitement. "But how am I going to learn how to use the thing?" she asked. "I don't know the first thing about computers."

Fortunately, darling daughter had also purchased the Total Learning System (TLS) MS-DOS tutorial for the Sanyo. And having learned enough in the store to know to put the diskette in at the A> prompt, she loaded the program and sent the computer merrily spitting up a most excellent teaching tool. Mom watched her as she went through the first few screens, then pushed her out of the way. After a few hours, Mom was able to grasp the fundamentals of MS-DOS. Later, she was seen hovering over the *Operator's Guide* well into the night.

At \$39.95, TLS pays great attention to detail and incorporates easy-to-understand graphics in this multi-level tutorial. The first-time user starts out with first-time

material: the keyboard, the nature of the RETURN, CONTROL, and ESCAPE keys, and the numeric pad, just to name a few. From there you advance to the care and handling of diskettes. A feature I found especially inventive was a graphics display of a diskette. To illustrate the importance of write-protection, a little write-protect tab comes out from the side of the screen and places itself on the disk.

More advanced users can skip to a different section of the tutorial. Further, if you leave the tutorial, TLS remembers which sections you have completed and returns you to where you were. Functions which are often taken for granted, like switching the default drive and setting the date and time, are well documented and organized. Although some of the quizzes are excruciatingly simple for the experienced user, the novice will find them invaluable, especially if he or she has never been exposed to computers and/or MS-DOS before. Larger sections of the program center on formatting, copying using DISKCOPY, copying using COPY and other commands.

If you have used a Sanyo before, you will notice the absence of the *DELete* command to purge files from MS-DOS. The TLS tutorial uses the command *ERASE* instead. It was news to me that this command even existed, but evidently it works the same way as *DELete*. Several tests on my system failed to discover any difference.

TLS has more advanced sections on subdirectories, using and understanding the manual, and exiting programs. The manuals, as some of you well know, are not the most complete or accurate publications. The syntax knowledge required to understand system commands is somewhat overwhelming to someone unfamiliar with computer manuals. TLS exercised forethought by including this section in the tutorial.

Compare, for a moment, the Sanyo to the Commodore 64. One error Commodore made with the 64 was the lack of easy-to-swallow documentation and instructions on basic rules and BASIC commands. The documentation which really helped people had to be supplied many months after the 64's introduction by third party publishers. From the feedback I get from Sanyo users, we may be seeing computer history repeat itself. Many folks already familiar with micros found the Sanyo Operator's Guide to be of only marginal use, and novices who ran the many error-laden examples experienced needless hours of frustration. Then Sanyo comes along and charges up to \$50 each for "reference manuals." The nerve! We should applaud TLS for its excellent efforts in helping me, Mom, and you the user to better experience the advantages that the salespeople tell us about.

If you are considering purchasing a Sanyo or need a little help with the one you own, I strongly recommend you find the \$39.95. This package will give you a good return on your investment. Included with TLS at no extra charge is the TLS Tutor for WordStar and MailMerge, an audio cassette that offers interactive training instructions while you are actually using these programs.

I hope we can look forward to more tutorials from TLS.

(Total Learning Systems, 3451 N.W. 55th Street, Ft. Lauderdale, FL 33309, 305-485-6882, "Sanyo Bonus Pack" with TLS and TLS Tutor-WordStar/MailMerge, \$39.95)

-George M. Smart, Jr.

CPeMulator -Hanging On To CP/M-80

An emulator is a program running on one computer that sets up an environment to simulate another computer and interprets the instruction code so it can be executed by the host system. The origin of this notion arose because computers evolve faster than applications can be rewritten. In many cases it was cheaper to write a program to emulate the old computer than to rewrite the application to run on the new computer when the old computer was replaced.

In the micro and personal computer area, no one would seriously consider doing business with an emulator. If an application works on a CP/M-80 machine, there is no com-

LOOK AT WOW! THIS... **DUST COVERS** Keyboard & Cover Set call for other cover MEMORY Additional 128K RAM (150 NS)320 K DRIVES 174.95 Teak 55B 160 K DRIVES 74.95 Teak 55A RGB MONITORS Taxan Hi-Res Color (80 Col TXT & Graphics) **KEYBOARD CABLE EXTENDERS** . 11.95 Send cashier check, money order, personal/company checks allow 3 weeks bank clearance VISA/ Master Card accepted Provide phone number with order. Prices are for cash, VISA and Master Card add 3%. Introductory special pricing limited to stock on hand. Also C.O.D. 206-839-6811 or Eff. 10/1 1-800-55GRAPH

pelling reason to move it to an MS-DOS machine. However, if you are an experimenter and want to see some of the public domain CP/M-80 programs and do not have an eight-bit machine to run them on, you might consider an emulator of value.

CPeMulator, from U.S. Digital, is an 8080 emulator. It works from MS-DOS disks and assumes the 8080 code to be on MS-DOS disks. It does have a utility included that will read "Kaypro formatted diskettes," so if you can get public domain software in Kaypro format, you can transfer it to an MS-DOS disk. The other method of obtaining 8080 software is via modem with a file transfer program. Of course, U.S. Digital would be happy to sell you their Copylink

program to do that.

The emulator program is shipped in an envelope. The manual is a spiral bound book of the usual PC book size. with 34 pages and several appendices. Page 1 of the manual contains instruction on how to bypass the manual. It says, in effect, don't read this manual unless you have nothing better to do. The appendices contain all the instruction needed. Being a perverse creature, I read it all the way through. The little manual reads well. It has the flavor of a magazine article, being tutorial in nature, although it bogs down some in the explanations of file copying because of having to deal with both single drive and dual drive users. As an educational tool, I would give this program and manual high marks.

The CPe Mulator disk contains one sample of a CP/M-80 program and one utility program, along with the emulator. The sample program is a filter that resets the eighth bit in any text file. The utility is SAVE. COM, which acts like the

CP/M save command, copying memory to disk.

To test the emulator, I copied some programs from one of my S-100 machines to the Sanyo. Included were old CP/M 2.2 STAT and DDT. Both of these utility programs ran without problems. Even STAT did very well. It tried to do its job, but it got wrong numbers for the disk size and file sizes because of the slight differences in the CP/M and MS-DOS conventions. The fact that it runs at all shows how close they are.

DDT ran fine. I used it to install an 8080 version of a communication program, saved it with SAVE.COM, and got it to run and talk to its parent on the S-100 machine. (It was probably too slow to do file transfers and such, but

character-by-character transfers went fine.)

To try a big program, I copied a database system to the Sanyo. It ran, with majestic slowness, just like it did on the S-100 machine. The emulator works fine. Of course, I fed it some garbage, which it handled properly. (An emulator should never lose control.)

The manual is good. The writers and the software writers have style, and I have no doubt this program will do everything it is supposed to do. The doubts that I do have are those involving the need for this program. Of course if you need an emulator, here it is. If you want an emulator to learn about 8080s and CP/M 2.2, this will help. Where this program belongs is as a utility with the U.S. Digital Copylink program.

(U.S. Digital, 5687-H S.E. International Way, Portland, OR 97222, 503-654-0668, \$99.95)

- Harold L. Reed

Character Generator — Designing Your Own Character Sets

Character Generator, by Michigan Software, allows the user to go beyond his wildest imagination in generating unique character sets. This program allows you to generate large, small, thick or thin letters, and any special characters or character strings you can think of. Character Generator allows technicians to build the special characters required for their jobs which are typically not on the keyboard. All this for only \$24.95.

The program comes with a loading program, two character sets and an editor program. The loading program, CHARGEN.COM, is required to load a character set or to use the editor program. The character sets supplied are italics (ITAL.CHR) and script (SCRIP.CHR). The EDITOR program, written in Sanyo BASIC, allows the user to generate an individualized character set. The program is unprotected to allow for any modifications one might want to make.

The documentation is short but concise, and basically explains:

- 1) How to copy the program from the master disk to system disk.
- 2) The general operation instructions.
- 3) How to use the editor program.

The instructions for copying the information are explicit.

TAX TEMPLATES FOR CALCSTAR™

\$29.95 for 14 tax forms

Calculate Forms: 1040, 1040A, 1040EZ, A, B, C, E, G, SE, W, 2441, 4562, 3903, 2106

30 Day Money Back Guarantee I TH, Inc. Barry Weintraub Esq.

7700 Leesburg Pike
Falls Church VA 22043
(703) 442-8330
DEALER INQUIRIES WELCOME

However, the command used in the START and START2 batch files for copying the data sets was incorrect. The command used was 'C', but Sanyo does not recognize this command. As a result, I had to copy each file individually. I contacted Michigan Software and they assured me the fix had already been made. The general operating instructions are easy to follow. They simply state how to load the new character sets, that is, CHARGEN followed by the filename to be loaded. Only one character set can be loaded at a time and, once loaded, a message is displayed on the video monitor stating that Character Generator is installed.

To load the EDITOR program, first load the Character Generator by typing CHARGEN, then load BASIC, then the EDITOR program, and finally enter PF4 to run EDITOR. The editor cannot be run without first loading CHARGEN. If you try, an error message will be produced and you must start over.

The EDITOR program is menu driven. It uses 11 functions and an eight-by-eight grid which is the work area used to display the character being worked on. The user selects the desired function and the character is operated on in the grid based on that function. The 11 functions allow the user to load a character cell, get a character cell, modify a cell, insert a character, replace an original character, display a cell as character, position a character up, down, left or right, fill a character cell, erase a cell and finally, save a character cell.

The editor program allows the user to modify characters by using the eight-by-eight grid. When a 'G' (get character) command is executed, the program asks which character

SANYO 550/555 — IBM-PC IBM COMPATIBLES

INTERACTIVE COMPUTERIZED TAXING

Form 1040 / Schedule A Schedule B / Schedule C Schedule E / Schedule G Schedule W / Form 2106 Form 3903 / Form 4562

Any combination of 5 Tax Programs order all Tax Programs for

\$26.95 \$52.95

Tax Programs use 8.5 x 11 copies of original IRS forms. Notifications will be sent out immediately for updates. GAME: BLACK JACK with graphics, Sanyo only! Insurance, Doubledown, Vegas style \$16.95

Free amortization program with source written in C with any order. Runs on IBM!

A.J. SOFTWARE

P.O. Box 11581, Pittsburgh, PA 15238

Call to order: (412) 963-1754 (412) 963-3806



VISA/MC ADD 3%

to get. In this case I used the number sign (#). GET stores the number sign in the grid which allows me to change it. The number sign is displayed as dots in each grid. It is modified by turning off existing dots and turning on new dots based on a row/column address for each grid point. When I defined my new character, I issued the 'I' (insert) command and the program included it in the character set. I then started with the 'G' (get) command and completed the same routine for each character I wanted to modify. When all the modifications were complete I issued the 'S' (save) command to save the new character set. The system replied by requesting a filename to which I replied MYFILE. The system then saved it as MYFI-LE.CHR. After saving the file, 'Q' (quit) is used to exit from the EDITOR program.

The next step is to exit BASIC, which is done by typing in SYSTEM. Finally, I loaded my new character set by typing CHARGEN MYFILE.CHR. The character set is now ready to use with any program desired, including WordStar, Easy Writer, BASIC, CalcStar and Turbo PASCAL. The new character set will remain active until the system is turned off.

The one problem I found with this program is that the characters created cannot be used in text format for printing as output from any of the previously mentioned packages. The unique character is ignored and the print routine defaults to the original character. The method available to print the character set is Screen Print, another program created by Michigan Software. Screen Print allows the characters to print, however, the output is rotated 90 degrees prior to printing. This makes the output virtually worthless if the characters are to be used with text. The characters do not print in the text format, therefore they are confined to a disk file on your Sanyo system or a compatible system. If you have a letter, term paper or a professional paper to be printed, don't try it. Instead, send the disk with the material and hope the individual has a Sanyo or compatible system to read it.

In summary, Character Generator is a worthwhile program for the user requiring a unique character set. It is easy to use, the documentation is clear and easy to follow and, best of all, I could not find any bugs in it. The only problem is that when printing unique characters, they can only appear by printing them using Screen Print and then they are rotated 90 degrees for printing.

(Michigan Software, 43345 Grand River, Novi, MI 48050, 313-348-4477, \$24.95 plus \$3 S/H)

- John E. Schlosser



Software review

Sanyo Direct Transfer -A Utility For Terminal Software

Sanyo Direct Transfer is a program that is used with another program. It resides in memory with your communications software to make it easier to transfer files that contain non-ASCII characters.

The ASCII communications protocol which most computers follow contains encoding standards for the transmission of numerals, letters and some other characters. The standard does not specify or support codes like CTRLv for page up or "01D2" for cursor position. Manufacturers have used their prerogative to assign different codes for these and many other functions not defined in the ASCII standard. The codes for reverse video on one computer may be either unsupported or cause a complete system crash on another. That is why computers are very picky about what terminals are connected to them. To get an idea of the number of different "standard" protocols look at the menu of terminals supported by the INSTALL program for WordStar.

To further complicate matters, software often calls on special characters (CTRL-V for insert in WordStar for example), that can cause a modem or terminal emulator program to go OFE-Off the Face of the Earth. Sanyo Direct Transfer helps to smooth out these complications.

The most important reason for this program, however, is to be able to transmit machine language files in their native tongue. These files contain every possible combination of codes and characters. Try using the TYPE command on any file with the .EXE extension to see how they are handled in ASCII.

Sanyo Direct Transfer works with an existing terminal emulator program. I tested it with Mi-Term, John Weaver's very cost effective terminal emulator program. A nifty batch file is written which loads both the terminal program and SDT with one command.

Communication is established with the other computer using the conventions of your terminal software. The sender enters SHIFT-CTRL-T which causes SDT to take over file

10 MEG EXTERNAL HARD DISK \$1.245

MISSOURI RESIDENTS ADD 5.625% SALES TAX. FOR SANYO 550/555 SERIES COMPUTER ONLY. SIX MONTH LIMITED WARRANTY.

SYSTEM COMPLETE WITH HOST ADAPTER AND PATCHES TO 2.11 DOS. READY TO RUN, 10 MINUTE INSTALLATION.

LEHIL

THE LEMBERGER CO. 100 N. MAIN ST., VIENNA, MISSOURI

"Dealer Inquiries Welcome"

65582

SERVING MICROCOMPUTER USERS SINCE 1978 PHONE (314) 422-3353

transfer. The program prompts for 300 or 1200 Baud and asks for the filename to transfer.

The receiving party enters SHIFT-CTRL-R and is asked the same questions. The software displays an "Awaiting Handshake" message to the party who enters the appropriate commands first. The program transfers data in blocks of 256 bytes, checks for accurate transmission, and resends the data if necessary.

The program updates you with each block of data as it is sent, any retransmission necessary, and sounds the *BEEP* when the entire file has been successfully sent or aborted by either party's BREAK key.

SDT is not without flaws. On my RGB monitor, SDT's messages could not be erased with the other text. After transmitting several files I had to reboot the computer to clear the old messages. And on one file transfer, SDT went OFE when some keys on the receiving end were pushed.

The program works as advertised, easily copying large assorted files reliably. It's shortcomings are not terribly serious and the documentation is adequate. Existing utilities and terminal programs can do the same job as SDT, but are more cumbersome. If you have the need to transfer a large number of files to another Sanyo via modem, Sanyo Direct Transfer may be for you.

(Michigan Software, 43345 Grand River, Novi, MI 48050, 313-348-4477, \$29.95 plus \$3 S/H)

- Stephen W. Baker, Ph.D. and Bill Vaughn

Software review

MI-KEY — A Complete Keyboard Translator

Have you ever wanted to change a few keys on your keyboard, like that annoying semicolon to a regular colon? Well, wait no longer. MI-KEY is here!

MI-KEY is a key translator program which works along with most other programs (including WordStar, BASIC, DOS, etc.). It enables you to press a key and have a different character or character string entered. Also, this versatile program can define and redefine 50 control keys to represent a character or even whole words or commands.

There are two different versions of MI-KEY, MI-KEY.COM and MI-KEYLG.COM. MI-KEY.COM allows an average of 20 characters for each definition of a control key, whereas MI-KEYLG.COM allows an average of 63



ACCOUNTING FOR MICROS

\$395/Set of Four

\$325/Set of Three \$465/Set of Five

ACCOUNTING FOR MICROS IS a set of interactive accounting programs which meet professional standards. Programs are fast and easy to use, with complete and concise documentation. Slipcase and binder manual also includes valuable tutorial information on bookkeeping and general small compu-

ACCOUNTS RECEIVABLE....\$125
Allows up to 2,500 customers and 1,000 invoices per month. Invoicing can access Inventory Module. Keeps customer names and addresses. Invoice prints on plain paper or any pre-printed form. Statements can be printed at any time.

et ACCOUNTS PAYABLE.....\$125 Allows up to 500 vendors and 600 in-

Allows up to 500 vendors and 600 invoices/mo. Records invoices and and handwritten checks. Prints computer checks on any preprinted form. Keeps vendor names and addresses.

 SET OF FIVE
 \$465

 SET OF FOUR
 \$395

 SET OF THREE
 \$325

PROGRAMS RUN ON MOST CPM AND MSDOS MACHINES

IBM PC, XT, PCjr Kaypro II, 4 and 10 Morrow MD2, MD3, MD11 Osborne I & Executive Xerox 820 5" TeleVideo Epson QX-10 Apple CPM

Columbia Compaq Corona Sanyo Eagle Cromemco Otrona Others

DEMO DISK\$18.00 Try all 5 programs — order our DEMO DISK for \$18.00 (includes shipping). Condensed versions of the programs will give you the "feel" of both data entry and access. Includes sample reports and instructions.

Available direct, from computer dealers, and some B. Dalton Bookstores.

ORDERING: Please specify machine and density. Send check or money order, or use your VISA or MASTER-CARD (please supply expiration date as well as account number). Price includes shipping (MN residents add 6% sales tax). Your order will be shipped by return mail. C.O.D. add \$2.00 per order.



James River Group Incorporated

OR ORDER BY PHONE.

612-339-2521

125 N. First St. Mpls, MN 55401

characters for each control key. But to gain these added characters, MI-KEYLG.COM requires about 2K more memory than the smaller version. Not too much of a sacrifice for triple the capacity.

To operate properly, MI-KEY must be installed right after your computer is booted. MI-KEY will work with both MS-DOS 1.25 and 2.11 operating systems. It uses a standard ASCII file to redefine the keys on your keyboard. This standard ASCII file is developed by you through WordStar or any ASCII file generator and contains your desired key definitions. The easiest way to use MI-KEY is to run the program automatically through an AUTO-EXEC.BAT file so that your keyboard will be redefined the way you initially programmed it every time you boot up your system.

The format structure for the MI-KEY command is as follows:

MI-KEY /L /R DEMO.KEY

MI-KEY — the actual program that will be run. MI-KEYLG may be substituted if desired.

/L — displays a list of any translations currently in use. It is optional.

/R — resets all keys to their normal values. It is also optional.

DEMO, KEY — a standard ASCII file containing the desired key definitions that you set up through WordStar or in some other manner.

A well written, 13-page booklet is included in the package. The booklet contains some examples of how to use MI-KEY and a Control. Key Chart for your quick reference. This booklet has been made to fit into the looseleaf manual binders supplied with each Sanyo MBC-550/555 computer.

Anyone who needs multiple function control keys (a maximum of 50), or has a need to change character positions on their keyboard, would most benefit from MI-KEY.

(MichTron, 576 South Telegraph, Pontiac, MI 48053, 313-334-5700, \$34.95)

- John Kandra

Software review

Postmaster II — The Answer To Your Mailing List Problems

Postmaster II is a mailing list program for the 550/555 series which can be used by novices and experienced users alike to maintain and print mailing lists. If you run a small business or do mass mailings, Postmaster II is an ideal program for you to establish and maintain such lists. The program is quite flexible in that the capability to exchange disks, as well as the capability to record and maintain up to three "other" categories of information in the file, are included in it. These two capabilities make the program usable in maintaining multiple, specialized mailing lists, as well as simple databases. If you can live with the limited sort capability (it will sort only on the name field), it could work quite well as a database manager.

The program stores several pieces of information in memory, thereby allowing you to do very fast searches by Name, State or ZIP Code, as well as the first of the "other" categories which I have previously mentioned. The remainder of the information is kept on the disk and, although it can be printed on your lists and labels, it cannot be used as a search criteria when you're looking for a particular record. This feature of the program, however, limits the size of the database which you can maintain with the program. The limits, specifically, are 500 names for 128K of RAM and 1,800 for 256K of RAM. Such "in memory" limitations are common to all programs using this type of a searching scheme and are unavoidable.

The program was written in BASIC and does make good use of the Sanyo's color display capabilities as well as the INKEY\$ function. What results is a program which is generally very fast and makes the maintenance of a mailing list easy and accurate.

In evaluating the program, I set up a telephone book

SANYO 550 OWNERS: Receive A Diskette With Latest Updates Of Sanyo:

1.User Groups
2.Software For Sanyo
3.Exchange of Programs
(SUPPLIED VIA PUBLIC DOMAIN)

4. Bulletin Boards

5. List of Sanyo Magazine Articles

6. Hardware For Sanyo

SEND \$6.00 TO:

DIVERSIFIED COMPUTERS P.O. BOX 1083 SPRINGFIELD, TN 37172-1083

OR

DIVERSIFIED COMPUTERS 623 RED LANE RD. SUITE 104 BIRMINGHAM, AL 35215 Phone (205) 836-5049

SANYO GENERAL LEDGER PACKAGE \$99.95

Finally! A small business system for the non-accountant. Better information means more profit, Requires InfoStar.

BUDGET FORECAST SYSTEM \$69.95

Save time and \$, control your finances. Forecast by month and year. Pay bills from monthly worksheets. Forecast to 4 years. Estimate taxes. Runs on 128K MS-DOS system.

SANYO PLOT PROGRAM \$39.95

Generates and prints line, bar, pie graphs, dump to printer.

Send check or money order to: BGW SYSTEMS (206) 845-7845 16714 S. MERIDIAN - SUITE 200 PUYALLUP, WASHINGTON 98373 Washington residents please add 7.8% (to replace the dogeared one we've been promising ourselves we'd rewrite for the last two years). It was extremely easy to enter the records and print out the list of names in the database. There were, however, four things which I did notice: 1) the length of time it took to sort the list when an alphabetical listing was requested, 2) the somewhat limited character set allowed in defining the "other" categories, 3) the lack of a counter to keep track of the number of records in the database and, 4) the program's sensitivity to upper - and lowercase differences when providing search criteria.

Once you have a file established you can list it out on the screen or to the printer, or even print out labels if that's what you want to do. There is a default label format already specified for you, but if you want to print out any of the other categories or want to print your labels in a format other than the default, you'll have to learn to use the "format labels" option of the program. This, however, is not difficult and allows you a great deal of flexibility in creating label formats. Additionally, this same label formatting feature allows you to put printer control codes in your label and get mixed print sizes in them. When properly used, this feature allows for some very professional looking labels.

If you're a database purist, you'll have some trouble with the author's definitions. In true database terminology, the mailing list is called a file or a database (here consisting of only one file) while each of the entries in the file (the mailing list) is called a record, not a file as they're called here. Each of the entries in the record then, are called fields. Finally, what you specify as the contents of the field you are searching for a match to is more correctly called a selection criteria. In the case of maintaining a mailing list, these items are probably trivial, but you should be aware of these discrepancies if you're to develop a sound foundation in database management.

One noteworthy thing was the assistance I got from Olympic in replacing a wiped out program disk during the review of the program. I'm not really sure how it happened (we never really are!), but it did. After I explained my dilemma and answered a few embarassing questions, they sent me a replacement copy and in two days, I was back in business.

By way of information to those of you who have some experience with database management programs such as DataStar (which was included with many Sanyo systems), this program is really just a specialized database which was written in BASIC. With a program such as DataStar, you could create such a database with a few hours (or a few minutes for some!) of effort. It does, however, take some effort to set up the screens and reports. If a mailing list is what you're looking for and you don't have a lot of time to spare, or perhaps lack some experience in the use of database managers, this program is probably worth the price.

(Olympic Educational Software, 1220 So. 356th Street, Suite 3D, Federal Way, WA 98063, 206-874-4044, \$49.95)

Bill Chang

5

PRESENTING CP/M FOR THE SANYO MBC 550/555



Without requiring any additional hardware, the Sanyo PC can now run CP/M programs. CPeMULATOR is an MSDOS program which simulates a full-blown 64K CP/M-80 operating system. This means Sanyo users can run whatever CP/M programs they may have — without having to repurchase or have them rewritten for MSDOS. Furthermore, there are over 10,000 programs available for CP/M.

It's ultra-simple to run programs!

One simply precedes the CP/M program's name with "RUN." For example, "RUN dbase" would execute a CP/M version of dBASE II. It couldn't be easier! Without complicated booting procedures, CPeMULATOR handles everything automatically. You won't need the slim manual.

And it's easy to load CP/M programs!

CPeMulator can run the programs of any CP/M machine, but it's necessary to get the CP/M program files onto the Sanyo's MSDOS disk format. U.S. Digital's COPYLINK program is one way to do this, since it can transfer binary .COM files (Modem 7-type programs cannot) between over 45 different CP/M (incl. Sanyo 1150 & 1250) and MSDOS systems. But, as a very convenient alternative, CPeMULATOR is supplied with an additional program to let the 550/555 directly read Kaypro II-formatted disks, the most common format for CP/M programs.

*CP/M is a trademark of Digital Research, Pacific Grove, Ca.

U.S. DIGITAL



BINARY TREE TECHNOLOGY

(513) 879-4214

P.O. BOX 1757, FAIRBORN, OHIO 45324

	~	^	A		0	ш				
3		v	N	ш	М	u	T	=	ĸ	2

MBC 550-2 (1 360K) CALL MBC 550-2 (2 360K) CALL

ACCESSORIES

180K DRIVE\$119
360K DRIVE169
640K DRIVECALL
8087 APU CHIPCALL
A,B,C,D Drive CableCALL
RS-232 + MODEM SOFTWARE99
RS-232
64K MEMORY (150NS)64
128K MEMORY (150NS)105
JOYSTICK29
550 COMPUTER COVER19
6' KEYBOARD CABLE18
PRINTER CABLE24
RGB MONITOR CABLE20
AUTO DIAL/ANSW MODEM149
330 BAUD MODEM65
DISK HOLDER (HOLDS 100) 15
DUAL JOYSTICK ADAPTER 15

PRINTERS

POWERTYPE (18 CPS LQ)\$399
SANYO PR-5000 (LQ)399
DYNAX-15 (LQ)399
BLUECHIP 120CPS279
RITEMAN 120CPS

SOFTWARE FOR SANYO

310CK MARKET	
STATISTIC PACKAGE49	
8088 ASSEMBLER TUTORIAL 39	
SANYO BASIC TUTORIAL49	
BINARY TREE FORTH99	
BIORHYTHM19	
CRAZY 8	
BLACKJACK	
BOUNCEOUT15	
STATE CAPITOL QUIZ29	
BINARY TREE CHESS39	
MATHQUIZ I	
MATHQUIZ II	
ASYNC (MODEM S/W)49	
ADVENTURE I (128K)29	
MAIL LIST HANDLER39	
SCREEN DUMP	
FINANCE PLUS39	,
BINARY TREE UTILITY55	,
INVENTORY69	
PAYROLL69	
ACCOUNTS RECEIVABLE 69	,
ACCOUNTS PAYABLE69	,
CP/M EMULATOR80)
GRAPHICS PACKAGE69	,
COPYLINK80	
PASCAL COMPILER45	
FORTRAN 87	

DEALER & DISTRIBUTOR INQUIRIES INVITED

PRICES MAY REFLECT A 3 PERCENT CASH DISCOUNT. MC & VISA, MONEY ORDER, CASHIERS CHECK ACCEPTED. PERSONAL OR COMPANY CHECKS REQUIRE 2-3 WEEKS TO CLEAR. SHIPPING & HANDLING EXTRA. OHIO RESIDENTS ADD 5.5 PERCENT TAX. 20 PERCENT RESTOCKING FEE FOR ALL RETURNED MERCHANDISE.

SOFT TALK



someone's in the kitchen with their Sanyo now that Michigan Software has released their new Recipe File. The program allows recipes to be entered, edited, saved, and then later listed to the screen when they are needed. It features graphics defining the 20 different menu categories, ranging from quick meals and low calorie recipes to fondues and seafood. Further, if you have a line printer, the program allows you to print the recipes for sharing with friends.

These products are currently available for the Sanyo 550 series of computers and will be reviewed in a future issue of SOFT SECTOR.

Recipe File requires 256K of RAM and two disk drives, with double-sided drives preferred. Recipes are not included. The program is available for \$39.95 from Michigan Software, 43345 Grand River, Novi, MI 48050; (313) 348-4477.

IT'S A BIRD! IT'S A PLANE! No. wait! It's Cornerman, MichTron's new release from J. Weaver Jr. Cornerman is a multi-function utility that resides in memory while you go about your computing tasks. With the stroke of a key from the DOS prompt, from BASIC, or from within any program, Cornerman appears in the corner of the screen ready to use. It includes an ASCII table, a dialer that will dial previously stored telephone numbers through a modem, a perpetual calendar, a 99-page notepad, and an eight-digit calculator with memory that operates in either binary, octal, decimal or hexadecimal number systems.

Cornerman is compatible with other memory-resident utilities, such as RAM disks and screen dumps, and does not interfere with their operation. It can be located into any position on the screen that the user defines and, further, many operation results of the program, such as calculations from the calulator, can be exported back into the awaiting applications program.

Cornerman is currently available for \$49.95 from MichTron, 576 S. Telegraph, Pontiac, MI 48053; (313) 334-5700.

TAXING YOUR SYSTEM. It's not too late to get a jump on your 1985 income tax returns with Supertax, by Rockware Data. Supertax calculates all the necessary information and generates summaries of Page 1 and 2 and Schedule A of Form 1040. Then, it prints the income tax return on standard IRS government forms or on blank computer paper for use with transparencies, including Schedules A, B, C, W and G, as well as Form 3468.

If information entered by the user is corrected or changed, Supertax automatically recalulates to reflect the change. Included is a stand-alone program which calculates and prints your depreciation schedule using both the old rules and the new ACRS rules, designed to serve as a supplement to

82

IRS Form 4562.

Supertax is now available for the 550 series for \$99, plus \$3 shipping and handling charges. A special preparer's edition, at \$149, will also print Schedules D, E, SE, Form 6251, and preparer data at the bottom of Page 2 of Form 1040. For more information, contact Rockware Data Corp., P.O. Box 365, Plano, TX 75074; (214) 596-0588.

DATA SECURITY is being offered by K+L Software in N-CODE, a file encryption program. N-CODE is based on a multi-layered security concept. Its four protective layers include a data encryption scheme, a unique coding process for each purchaser, a unique password, and a user-selected coding key of up to 20 alphanumeric characters. Diskettes with valuable information may be stored openly, yet securely, and encrypted files may be transmitted electronically free of unauthorized

N-CODE for the Sanyo 550 series is currently available in versions for both MS-DOS 1.25 and 2.11 for \$129. For more information, contact A-OK Computers, 816 Easley Street, Suite 615, Silver Spring, MD 20910; (301) 585-5105.

ADVENTURE AT THE KEYBOARD.

At long last a few Adventure games are beginning to appear on the market for the Sanyo 550/555. One of the first to appear is Tanner and the Jungle Temple, by The Moonwolf Game Company. This Adventure features graphics representations of the current locations in the game and of the various monsters that the player encounters. Movement and action are accomplished with single-letter commands and unique game characters may be created and stored for later play. Also featured is a store where items needed in the game are purchased and a hospital for healing the wounds of battle.

Tanner and the Jungle Temple is priced at \$25. For more information, contact The Moonwolf Game Company, 1480F Terrell Mill Road, Suite 712, Marietta, GA 30067.

WORD PROCESSING SIMPLIFIED. W-ED, a small, fast word processor has

been introduced for the 550/555. WyndhamWare, publishers of the program, make no claim that W-ED replaces large editors or word processors. They operate under the assumption that the vast majority of writing and editing tasks, such as writing letters, creating batch files and editing small programs, do not require a large, powerful text editor. Hence, W-ED was written for simplicity, speed and the small 14K size.

W-ED normally writes directly to the screen, bypassing the BIOS, which allows it to operate several times faster than programs using the BIOS (the program can be configured to use the BIOS, however). It supports DOS path specifications and, according to the documentation, cannot be used with MS-DOS versions earlier than 2.0.

W-ED is currently available for \$40. For more information, contact WyndhamWare, P.O. Box 729, Renton, WA 98057-0729.

RETURN TO WONDERLAND. A

text processor introduced by Bedlington Computer has the capability to compress text an average of 2.5 to 1, encrypt data with an 80-character keyword, and perform various control code filtering functions and file conversions. Named ALICE, for Algorithm for Information Compression/Encryption, the program's theoretical average compression is as much as 4.5 to 1, offering savings in both disk storage space and telecommunications charges.

ALICE requires 256K of memory and is available for \$129, or \$79 in a version without the encryption capability. For more information, contact Bedlington Computer, P.O. Box 60741, Sacramento, CA 95860; (916) 344-5064.

ROLLING IN THE CLOVER. Two new programs are available from Shamrock Software. A.S.P., the Advanced Statistical Package, is a statistical analysis system that handles most common statistical needs. Plotting programs for correlation, Histograms and regression are included, with plotting to the printer supported under A-OK DOS or Picture Purrfect, a separate graphics screen dump utility. A data set construction system allows repeated analysis of a single data set.

Next is Checkfile, an integrated

Continued on Page 92


COMPUTER ENGINEERS WILL MEET OR BEAT ANY ADVERTISED PRICE IN THIS MAGAZINE!

BEST PRICES ON MICHTRON SOFTWARE

PICASSO	89.95
MI-TERM	69.95
M-DISK	29.95
FREEZE FRAME	34.95
MI-KEY	29.95
CASHMAN	29.95
SOLITAIRE	29.95
THUNDER CHIEF	29.95
DEMON SEED	29.95
MASTER GRAPH	79.95
SUPER ZAP	43.95
TRANSFER	52.95
FRENCH CURVES	75.00
CHECK TRACKER	39.95
MAT MAN	29.95
ADVENTURE DISK #2	34.95
ADVENTURE DISK #3	34.95
DC-10	34.95
EMPEROR	29.95
KING ARTHUR	21.95
MAJOR MOTION	25.95
MAZ	21.95
ROBOUNCE	21.95
TIC TAC TOE (3 dimensional)	21.95
DS DOS PLUS	44.95
PRINTER HELPER	25.95
SOFT SPOOL	29.95
BUSINESS AGREEMENTS	44.95
PERSONAL MONEY MANAGER	44.95
MIGHTY MAIL	89.95
QUICK AND SIMPLE	44.95
SUPER CALC III FOR THE SANYO	264.95
ZAPS ALONE	25.95
GRAFITI	34.95
CORNER MAN	
128K (16 Chips)	99.95
CH JOYSTICK MACH II	39.95
CH JOYSTICK MACH IIITEAC DOUBLE SIDED DRIVE	49.95
	179.95
RS-232 BOARD DUAL JOYSTICK EXTENDER	79.95
DOUBLE SIDED 40TPI 55B	179.95
DOUBLE SIDED 80TPI 55F	219.95

PROGRAMMERS: Computer Engineers is always looking for Top Quality Sanyo and Generic MSDOS software to publish. For consideration, send copy of program and documentation to Computer Engineers, Inc., Attention: John Shackleton.

* Dealer Inquiries Invited *



Computer Engineers

1000 Pike Road Birmingham, AL 35218

1-800-228-2321



or (205) 781-0711 Call or Write Today

READER SURVEY: We have compiled the following survey to aid us in understanding more about you, our readers. Please fill out and return the questionnaire; it will only take a few moments and will help us to serve you better. NOTE: On March 1st we will have a drawing of the returned surveys, with the prize being a new Video RAM Board, graciously donated by Sanyo Business Systems Corporation.

				orotto, contains by c	uny o Buom		
	NAME	- 101 -	_	☐ Business progr			ine language info. han BASIC
100		ARIAL		□ Other			A TAN DAY
1	COMPANY		1	4. I THINK YOUR PE	RODUCT RE	EVIEWS AF	RE:
1	ADDRESS			☐ Just right	☐ Too sh	nort	☐ Too few
(DITY	STATEZIP		☐ Too critical☐ Too generous	□ Too Io	ng	☐ Too many
	 YOUR PRESENT SYSTEM'S □ 128K 	S MEMORY: □ 256K	1	DO OUR REVIEWWell qualified		ied	☐ Under qualified
	□ 192K	□ 512K	1	6. DO YOU WAIT TO	SEE A REV	IEW OF A	
2	2. YOUR PRESENT DRIVES:			BEFORE BUYING			
663	one single sided, double			☐ Always ☐	Usually	☐ Some	times Never
	☐ two single sided, double		1	7. NUMBER OF PRO	DUCTSIH	AVE PURC	HASED AS A
	☐ one double sided, double ☐ two double sided, double			RESULT OF SOFT	SECTOR A	DVERTISI	NG:
100	□ one 80 track drive	density		□ None □	1	□ 2-5	□ 5-10
100	☐ two 80 track drives		18	B. DO YOU USE THE	ADVERTIS	BERS' INDE	EX?
	☐ hard disk			☐ Yes		□ No	
3	. YOUR PRESENT MONITOR		19	ARE YOU HESITA	NT TO BUY	FROM A	NEW
	☐ Monochrome	□RGB		ADVERTISER?		Maria Con	
	□ Other	□ Model		☐ Yes		□ No	
4	. YOUR PRESENT PRINTER:		20	. ARE YOU MORE I		O BUY AF	TER SEEING
	☐ Dot matrix	☐ Daisy wheel		A PRODUCT ADVI	ERTISED:		
	Laser	□ Color		□ Once		☐ Six tim	
	Other	□ Model	-	☐ Two or three tin			han six times
5.	WHICH OPERATING SYSTE	M DO YOU USE MOST:	21	. WOULD YOU LIKE ON A PARTICULA	FOR US TO	o Focus I	EACH ISSUE
	☐ MS-DOS 1.25 ☐ DS-DOS Ver			☐ Yes			□ Don't care
	☐ Greywolf	☐ A-OK DOS Ver ☐ Thoughtworks	00				
	☐ CP/M emulator	□ Other	22	 WOULD YOU PUR SECTOR'S PROGE 			BE TO SOFT
6.	DO YOU HAVE AN RS-232 B			☐ Year's subscript		□ Never	
	□ Yes	□ No		☐ Occasionally			
7.	DO YOU OWN A MODEM:		23	. IS THIS YOUR FIRE	ST COMPU	TER SYST	FM2
	□ Yes	□No		☐ Yes		□No	
	□ Brand			☐ No, but I'm still a	a novice		
8.	DO YOU SUBSCRIBE TO A M	MAJOR INFORMATION	24	YOUR AGE:			
	OR ELECTRONIC MAIL NET	WORK:		☐ 18 or under	□ 26-35		□ 46-65
	□ CompuServe	☐ Dow Jones		□ 19-25	□ 36-45		□ Over 65
	☐ MCI Mail	☐ The Source	25.	YOUR OCCUPATION	ON?		
0	☐ Western Union EasyLink	Other		☐ Engineer/Techni ☐ Student	ical	☐ Busine	ss person
9.	SOFTWARE I AM MOST LIKE	LY TO BUY:		□ Professional		□ Educat	
	☐ Arcade-type games ☐ Business applications	☐ Adventure games ☐ Art and/or graphics		□ Retired		☐ Skilled ☐ Unemp	
	☐ Home applications	☐ Music	26	YOUR HOUSEHOL	DINCOME	- Oriemp	noyea
	☐ Utilities	☐ Word processing	20.	□ under \$10,000	D INCOME:		AFO 000
	☐ Terminal programs	☐ Educational programs		□ \$10,000-\$20,000		□ \$31,000 □ \$51,000)-\$50,000)-\$75,000
10.	I AM MOST INTERESTED IN	ACQUIRING:		□ \$21,000-\$30,000		□ over \$7	5 000
	☐ More memory	☐ Disk drives	27.	DO YOU USE ANO	THER PERS	CONAL CO	MDI ITED2
	☐ Hard disk☐ Video RAM board	□ Joysticks		☐ At home		☐ At work	(
	☐ Modem	☐ RS-232 board		☐ Brand		☐ Model _	
	☐ Expansion chasis	☐ Printer ☐ Monitor	28.	WOULD YOU BE IN	TERESTED	IN ATTEN	IDING
	☐ CP/M emulator	☐ Books and manuals		A THADE SHOW OF	F SOFT SEC	TOR ADV	ERTISERS
	☐ Alternate operating system			□ res	□No		☐ Don't know
	☐ Speech or sound synthesize	er	29.	DO YOU READ OU	R DEPARTA	MENTS:	
11.	I RATE SOFT SECTOR:			BASIC Training			No
	☐ Excellent ☐ Good	□ Fair □ Poor		Mastering MS-D		□ Yes □	
12.	I FIRST HEARD ABOUT SOFT	SECTOR:		Input/Output Business Sector		□ Yes □	
	☐ From a friend	THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN THE PERSON NAMED IN THE PE		Letters to the Ed	litor	The state of the s	No
	☐ Saw it on a magazine rack			Soft Talk		T Vac T	No No
	☐ Subscription card enclosed☐ A dealer referred me to it	in a software purchase	30.	WOULD YOU LIKE	SOFT SECT	OR TO HA	VF AN
	☐ Through Sanyo Business Sy	etems		EDITORIAL PAGE?			
	☐ Other	roterils		□ Yes	□No		Don't care
	WOULD LIKE TO SEE SOFT	SECTOR CEEED MODE	31.	WHAT WOULD YOU	LIKETOS	FE IN SOF	T SECTOR
	□ Reviews	Utilities		THAT WE DO NOT H	HAVE NOW?	?	
1	☐ Games	☐ Hardware projects				Service of the	
-	☐ Educational programs	□ Tutorials		Marine Marine Marine			

30 and Counting

MichTron announces 30 of the best software packages you can find. . . with more arriving every day!

GAMES			UTILITIES		
	Adventure Disk #2	EM!	Super charge your disk drives. Use any combination of 40 and 80 track drives. Store over 200K on a standard drive! Includes numerous utilities. Different versions for MS DOS 1.25 and 2.11. M-DISK		
	CASHMAN\$34.95 Evade the byrds and kats in the quest for gold. Over 40 screens! Supports a simultaneous two player game for the most fun you can find Great arcade-quality color and action.	EM!	MI-KEY		
	DC-10		Your window to the world is here. MI-TERM is the COMPLETE communications system which is extremely powerful and easy-to-use. PRINTER HELPER		
	Evade deadly bats and nasty demons on your way to destroy the mother ship. Super sound and arcade-quality action. Written in machine language.	EM!	SOFT SPOOL\$34.95 Don't wait for your printer any longer. Soft Spool patiently prints while your Sanyo can do much more important jobs. 192K machine required. SUPER ZAP\$49.95 Fix and edit any of your disks. Uses HEX and ASCII displays, plus help		
	EMPEROR\$34.95 Become a Ceasar and rule the mighty Roman Empire in this contest of complex strategies.		transfer		
	KING ARTHUR		BUSINESS PROGRAMS Business Agreements		
11	MAJOR MOTION\$29.95 Cruise the highways in search of high adventure. Run the enemy off the road on your way to the top score. Full color scrolling is used on this tremendous, totally new game.	NEW!	Personal Money Manager		
	MAZ\$24.95 Explore a world filled with random mazes and an unfriendly creature called "Kitty". Exciting 2 player option has twice the fun. 1 joystick needed (2 joysticks needed for 2 player game).		Very fast and easy to use, machine language mailing system. Makes the maximum use of disk space and has selectable data sorting. Quick and Simple		
	ROBOUNCE		Super CALC III for the Sanyo\$295.95 Zaps alone\$29.95 Convert one of the best spreadsheet programs for the IBM PC to work on the Sanyo.		
	The cards and chips are flying in this superbly animated card game. Play Solitaire, Klondike, Poker Squares, Cribbage, or even Blackjack.		GRAPHICS Freeze Frame\$39.95 Printing any pictures or vital screen information is now a snap. You can even save your screen image to disk for printing later. Beautiful multi-		
'n	CRYPTOGRAM and TIC TAC TOE-3 Dimensional\$29.95 Two brain teasers guaranteed to keep you entertained for hours! THUNDER CHIEF\$34.95		shaded pictures available on dot matrix printers. Grafiti		
1,	Take to the air in this 3-D bonanza. Great graphics and action. Requires 192K machine.		BASIC lines to redraw your masterpieces. Master Graph		
	576 S. Telegraph ● Pontiac, Michigan 48053 Orders & Info: (313) 334-5700		Picasso\$99.95 The ULTIMATE system for drawing on the Sanyo. Takes a minute to learn the controls, takes a lifetime to explore all their possible uses.		

FOR YOUR CONVENIENCE,

NOW AVAILABLE FROM YOUR

FAVORITE SANYO DEALER!

learn the controls, takes a lifetime to explore all their possible uses.

Lets your creativity run free! Written totally in Machine Language for

unbelievable speed.

INPUT/OUTPUT

Q. I have an MBC-555 with single-sided drives and MS-DOS 1.25. Most of the articles and discussions are about the MS-DOS 2.11 version. In your opinion, is the upgrade to MS-DOS 2.11 worthwhile? I plan to upgrade to a rigid drive in the future and would rather spend the money on a hard drive than double-sided drives.

William Locke Ocala, FL

A. For the average user of single-sided drives, MS-DOS 1.25 is adequate. Since you are thinking about upgrading to a rigid (hard) drive, I recommend that you upgrade to 2.11. Most suppliers of hard drives include a device driver that supports their particular hard disk unit under 2.11. I personally have designed several hard drive interfaces and the appropriate software to interface the DOS to the hardware. My system runs a special version of DS-DOS 1.25. I would recommend a version of 2.11 for most people that use their machine in business, since most programmers are more comfortable with the DOS-level interface, and future programs will only run on DOS 2.11.

Since you are thinking about a hard drive, you should also think about double-sided drives or, possibly, double-sided, 80-track drives, for backup purposes. With double-sided, 80-track drives and a supporting DOS, one drive can hold over 0.8 megabytes. With this type of capacity, I can backup my entire 10 megabyte hard drive to about six diskettes as opposed to about 30 single-sided diskettes.

Sanyo's MS-DOS 2.11 comes on a double-sided disk. You can make a bootable, single-sided disk by using the following command:

FORMAT A:/1/S[/8][/V]

This command tells the format program to format single-sided (/1), with a system (/S), and optionally, an eight-sector disk (/8) and volume name (/V).

Q. I tried the Goldmine program in the October issue (Page 55) on my Sanyo 555 which only has 128K. I am curious as to why the program works in my 128K machine. In your October column, ("Input/Output," Page 48), you

(Tim Purves is an expert on the Sanyo 550/555 series computers and is an experienced programmer in assembly code, PASCAL, C and BASIC. He is available to answer any questions that the readers of SOFT SECTOR might have. All questions should be addressed to SOFT SECTOR, P.O. Box 385, Prospect, Ky. 40059.)

imply that the GET and PUT commands require 192K and the Sanyo Operator's Guide states 256K.

Carl Hoff Dover, TN

A. The GET and PUT commands will work fine in a 128K machine, providing the area that your PUT or GET will fit in the array space defined. Granted, the more memory you have, the larger array size you can define, thus you can GET or PUT a larger portion of the screen. In my experience, with an average sized program in a 128K machine, there is seldom enough room to define an array to allow me to GET or PUT a sizable portion of the screen. The GET and PUT commands seem to be faster when an integer array is used. In general, the dimension size of the array can be calculated by knowing the size of the area to be saved or restored by the following equation:

xbytes = ((abs(x1-x2)+7)/8

ybytes = abs(y1-y2)+1 size = xbytes * ybytes*3

size = size + 4

Calculates bytes in the x plane
Bytes in the y plane
Total bytes=xbytes *

ybytes * three colors
Add a four byte header

dimension size:

Integer size/2 Single size/4 String size/4 Double size/8 Integer variable size is two bytes Single variable size is four bytes String variable size is four bytes Double variable size is eight bytes

For example to get the area at (0,0)-(20,10):

xbytes = (abs(0-20)+7)/8

ybytes = abs(0-10)+1

size = (xbytes * ybytes *3+4)/2

size = 52

Then the following program segment will get that portion of the screen:

10 DEFINT A-Z: 20 DIM A(52): 'Define all variables as INT

20 DIM A(52): 'Define the array 'Get the screen

Q. Can you briefly state the advantages of the Intel 8087 NDP (Numerical Data Processor)? Do programs automatically use this chip for math operations? Are they readily available and what do they cost?

Greg Peckman Portland, OR

TIM PURVES Soft Sector Contributing Editor

The 8087 NDP and the 8088 act as coprocessors. They share the same instruction stream and can perform parallel execution. The 8088 has a set of ESCAPE instructions, and when the 8088 executes an ESCAPE, the 8087 NDP detects this and then performs the requested function while the 8088 marches on. The programmer also can force the 8088 to wait until the 8087 NDP is finished before it continues.

Contrary to what many think, plugging in an 8087 NDP does not automatically make programs execute faster. Programs must be specifically written to use the 8087 NDP.

There are two ways of implementing the 8087 NDP: one method is in-line code and the other is subroutine libraries. The preferred method for execution speed is the in-line method. The in-line method creates programs that are larger. Also, the internal number format is usually in the format of the 8087.

Generally, the subroutine method generates smaller, slower programs. The subroutine method usually involves data conversion of a program's floating point format to the 8087 NDP format before the function and then back again to return the value to the program.

As it is clear to see, the in-line is faster because no conversions take place. It is also interesting to know that the 8088 can perform integer math more quickly than the 8087 NDP. The 8087 has seven different data formats, including one format that is 20 significant digits. It can perform basic math, internal comparisons, transcendental functions, and has several internal constants. I have seen the 8087 NDP available in single quantities for about \$200. I haven't installed one in a Sanyo yet and would like to hear from someone who has.

Q. If it's possible to write a CP/M emulator, why can't someone write a machine code program to make the Sanyo emulate the IBM?

Robert Cole Bloomington, IN

A. Why write a software emulator when the biggest problem is the hardware? The biggest problem that I have seen is programs that write directly to the IBM screen. Sanyo has realized this and they have come out with the "Video Ram" or "Lotus" Board. This board gives the Sanyo an IBM-compatible color graphics card. With this board, programs such as Lotus 1-2-3, SuperCalc III and PMATE run with no changes. It may also be nice to know that after modifying the Microsoft Flight Simulator, I have

gotten it to function. With the introduction of the "Lotus" board at COMDEX in November, this will give the MBC-550/555 a great shot in the arm in the direction of IBM compatibility.

Q. What is an "Interrupt Trap Halt"? I seem to get a lot of these when using software meant for the IBM PC.

Dave Blossom Livonia, MI

- A. The 8088 CPU has 256 software/hardware interrupts. When it receives an interrupt, it first pushes the flag CS and the IP registers to the stack. The 8088 then multiplies the interrupt number by four to calculate the address of the interrupt vector. Next, it loads the IP register from the first word location of the interrupt and the CS from the second word location. The 8088 now starts executing the code found at the location pointed to by the CS and IP (CS:IP) until it finds an IRET instruction, at which point the program returns to the point where the interrupt occurs. In the Sanyo and the IBM, the software interrupts are used to access the BIOS calls and DOS functions. In the Sanyo, undefined interrupts are pointed to a routine that prints "Interrupt Trap Halt" and then halts the system. There are two ways this can occur:
 - A program issues an INT XX call that is defined on the IBM PC and expects it to return some value. Rather than return some wrong value, the Sanyo simply replies "Interrupt Trap Halt" and quits. The solution is to find out what the program needs and replace the interrupt function with one of your own.
 - 2) The other cause is when a program starts executing wildly out of control. This can occur when there is a memory flaw or if the stack has overflown or overwritten. Or it can occur just from a plain bug in the program you are working on. Normally, machine language programmers are the ones who see this message the most.

Several people I have talked to have replaced the HLT instruction in the BIOS with an IRET. This change results in the message "Interrupt Trap Halt" to be printed and then the program continues. In my opinion this is very dangerous. If the program is running wildly out of control, anything can happen, including writes to disk. Just imagine if the directory is overwritten, all is lost. On a hard drive this is a disaster.




PHOTO BY CINDY PINKSTON

A special report on the machine that promises power, portability and near-total rapport with the IBM PC

SANYO'S MBC-775 PORTABLE THE NEWEST MEMBER OF THE FAMILY

By Charlotte and Brian Stone Soft Sector Contributing Editors

ast month we told you about one of two products that we were introduced to at our meeting with Sanyo. This month you will get the second half of the story. We are sorry to say that this is more of a "what's new" story that the actual hands-on review it was to be. We were originally going to have the new Sanyo MBC-775 "The Manager," but schedules and the fact that there are not enough samples to go around prevented it. We will have a sample machine in the near future and will do an in-depth evaluation with software testing.

The Sanyo MBC-775 "The Manager" is a totally IBM PC compatible computer. This machine is not an upgraded MBC-550 series machine, but a completely new product

that is 99.44% compatible.

the following information is from a Sanyo press release:

Sanyo MBC-775, high performance, 16-Bit MS-DOS Portable Color Computer, "The Manager." The Sanyo portable computer is a PC compatible system containing a built-in, nine-inch color monitor, two 360K slim-line disk drives and an 84 key, full function detachable keyboard. The system board comes standard with 256K of memory expandable to 640K and the MS-DOS 2.11 operating system. Two

expansion slots will accept PC compatible boards. Bundled with our exceptional value of software, the Sanyo MBC-775 is an excellent decision for your business and personal use.

Features:

- 16-bit 8088 CPU with MS-DOS 2.11 operating system.
- 16 color graphics capability with 320 by 200 pixels and high resolution 640 by 200 pixels in monochrome mode.
- LED indicators on the CAPS LOCK and NUM LOCK keys.
- 8 MHz clock speed for fast processing of data.
- 80 column by 25 line display and special double-wide character 40 column by 25 line display.
- Built-in, nine-inch RGB color display for excellent color graphics.
- GW-BASIC for enhanced PC compatibility.
- 84 key keyboard with numeric keypad and special function keys.
- Centronics parallel printer port.
- Two expansion slots, capable of accepting Quadram, Tecmar and other PC compatible cards. These are both long slots.
- Outputs for RGB and black-and-white monitors standard.
- Onboard provisions for 8087 chip.

SANYO 550/555 SUPER CHARGERS



AT NEW

LOW, LOW PRICES

10 MB — only \$129500

20 MB — only \$209500

40 MB — only \$2895°°

THOUGHT WORKS* DATAFILE

Hard disk subsystem in 10-20-40 megabyte formatted capacities. All hardware and software provided for easy installation.

FROM THE THOUGHT WORKS — Long The Leader In Hard Disks For All Sanyo Systems. . . .

THE SAME THOUGHT WORKS® QUALITY — THE SAME THOUGHT WORKS® SUPPORT AND SERVICE — IMMEDIATE SHIPMENT — ONE YEAR WARRANTY.

PLEASE NOTE: Use Of Sanyo Video Board Does Not Prohibit Use Of Hard Disc. Optional Adapter Board, A Unique TW TECHNOLOGIES Development, Allows Concurrent Hard Disk Use.

Dealer Inquiries Urged.

The SANYO SPECIALISTS

W
Technologies, Inc.

21636 N. 14th AVENUE, SUITE A2 • PHOENIX, AZ 85027 (602) 581-0669

*Registered trademark of THOUGHT WORKS, INC.



Speaker for sound, frequency generator for tone production.

• Physical size:

Main unit 20½ inches (W) by 16¼ inches (D) by 8½ inches (H)

Keyboard 19½ inches (W) by 7¼ inches (D) by 1¾ inches (H)

Weight approximately 26 pounds

 Sanyo bundled software which at this time will include WordStar, CalcStar, GW-BASIC and MS-DOS 2.11.

In addition to the above listed software you will be able to run PC versions of *Lotus 1-2-3*, *Flight Simulator* and practically all of the software for the PC.

Sanyo will offer an RS-232 serial communication board and a memory expansion board. The Sanyo CRT-30 and CRT-36 monochrome monitors and the CRT-50 and CRT-70 RGB monitors will be optional accessories for displays larger than the built-in, nine-inch RGB monitor. Any centronics parallel, dot matrix or daisywheel printer will also function off the built-in printer port.

We did have an opportunity to try the machine for a short period of time and the keyboard is one of the nicest that we have had the opportunity to work with. The feel is excellent and you will feel comfortable with it immediately, unlike the PC keyboard. There are two built-in lifts to adjust the keyboard to a good typing height; the attaching cable is long and flexible, letting you position the keyboard where it will feel comfortable.

All of the above information falls into the good news category. Now for the best part, the price. No it's not \$3,495

or even \$2,995, but \$2,599. That's right, all of the above features and software for only \$2,599, with Sanyo quality and reliability included at no extra cost. With this kind of price and product, the name Sanyo will really enter the PC compatible market place and make itself known.

The MBC-775 "The Manager" will be introduced at COMDEX '84 and should be available for delivery from your Sanyo dealer late in December or early January, 1985. We're sure that there will not be thousands of machines available to start, so if this is the computer that you have been waiting for, you'd better get to your dealer and reserve one right away. At prices like this, the line is probably going to be a long one.

As we stated last month, Sanyo had reached step three of their game plan; "The Manager" is step four, and with this kind of track record, step five should really knock our socks off. At this time we do not know what step five is, but we will keep our ears open and let you know as soon as we are able. Now, all we can do is work with our MBC-555 and await the arrival of our MBC-775 so we can really give it a workout and let you know what the results are.

(The authors, Charlotte and Brian Stone, have been involved with computers since their purchase of the original Radio Shack Model I in July of 1978. Since April 1984, Charlotte has been using a Sanyo in her daily work routine as office manager for a Detroit firm. Brian has been using a variety of Sanyos since May of 1983. Of the five computer systems they presently own, two are Sanyos.)



Continued from Page 83.

package of programs which creates a method of keeping track of financial records. Creating a relational database of financial records, Checkfile allows sorting and recall by name, check number or any of 18 coded categories. It protects the data with a password feature and supports cash flow analysis and sort displays to either the screen or printer.

A.S.P. is currently available for \$39.95, including a 50-page manual. Checkfile is priced at \$12.95. For more information, contact Shamrock Soft-

ware, P.O. Box 3445 CS, Moscow, ID 83843; (509) 878-1714.

A GRAPHICS SCREEN DUMP has been introduced by J&M Software that will print the graphics characters in three formats: full-size upright, compressed upright, and full-size sideways. Video Printer also includes a feature to dump ASCII characters that allows the user to define the area of the screen that he wishes printed. Each function is implemented by the use of SHIFT-

CONTROL and a function key, with the ESCAPE key cancelling any printing function.

Video Printer is printer specific and is currently available in versions for the Star Micronics Gemini-10X, the Mannesman-Tally Spirit 80 and the Epson RX-80, with a version under development for the HP Ink Jet Printer. The program is priced at \$45 from J&M Software, 400 Lansing Road, Lansing, MI 48910.

COMMUNICATION SOLUTION.

sion of data as it is transmitted.

VersaCom is currently priced at \$35. plus \$5 for shipping and handling, and a 45-page manual is included. A demonstration diskette with a limited version of VersaCom is available for \$10. For more information, contact Solution Software, 3421 N. 1st Ave. #120, Tucson, AZ 85719; (602) 323-0841.

dBMAN, a relational database manager, is being offered to the public by the VersaSoft Corporation. dBMAN is similar to dBASE II and has many of the major features of dBASE III. dBMAN can open 10 database files simultaneously and treats all open files as being active.

dBMAN supports local memory variables, with a command file that creates a new set of 64 local variables when it is called and the variables are automatically released when it returns, giving the user large numbers of

dBMAN is presently priced at \$292 and is available from the VersaSoft Corporation, 723 Seawood Way, San

Solution Software has introduced a communications program that operates on the Sanyo 550/555. VersaCom emulates the DEC VT100 terminal, a common terminal definition. It works with VAX's full-screen editor EDT, and it conforms to the ANSI standards. It responds to all of the commonly used VT100 instructions and also supports the Kermit file transfer protocol for transferring files between a microcomputer and a mainframe, including eightbit quoting for transferring binary files and repeat-count quoting for compres-

memory variables.

Jose, CA 95120; (408) 268-6033.



PRICKLY-PEAR SOFTWARE QUALITY SOFTWARE FOR THE SANYO 550 SERIES

PERSONAL FINANCIAL MANAGEMENT SYSTEM — This package of programs keeps track of finances completely and easily. It allows up to 99 income and expense accounts, maintains monthly or yearly budgets, does bar graphs, transaction journals, income and expense statements, balance sheets, and monthly comparisons. You can password protect files if you wish, and you can enter transactions daily, weekly, or monthly. Get organized and find out where you really stand. Needs 128K, 2 SS or 1 DS disk drive, and an 80 column or larger printer. \$49.95

ASTROLOGY — This program calculates natal horoscopes to an accuracy of about 1 minute of arc. It calculates all planet positions, moon, nodes, midheaven, ascendent, house cusps in five different house systems, all aspects, and harmonics. It does tropical or sideral charts using the geocentric or heliocentric coordinate system. The five house systems available are Regiomontanus, Equal, Koch, Campanus, and Placidus. The orb for aspects can be specified within the range of 1 to 9 degrees, and even the minor aspects are computed. All you have to know is the time and place of birth. This program does hours of calculations in just five minutes, and is in use by many professional astrologers. \$34.95

TRIVIA TRIVIA - As many of you know, trivia fans are the nicest people, and now your favorite computer can be magically transformed into the ultimate trivia game. This game comes with 1100 questions in five categories, and there are already four more question disks available with 1100 questions each. That's 5500 questions!! You can play TRIVIA TRIVIA by yourself or up to four can play against each other, and you have options to set the game length. Educators will want to note that a program is included to develop your own questions disks easily, and your students can play TRIVIA TRIVIA and learn their lessons as a happy side effect. If you like trivia, don't miss TRIVIA TRIVIA. The game with the question disk development program and 1100 questions in five categories is \$34.95. Additional question disks with 1100 questions each are available with questions on the BIBLE, ENTERTAINMENT, SPORTS, and questions for CHILD-REN, and these are \$19.95 each. If you order additional question disks at the same time as the game they are only \$14.95 each.

VIKING! - This famous simulation of running a Norse holding while you try to become King or Queen is finally available for your Sanyo. Now you can experience the most popular simulation of all time and find out for yourself why clubs formed all over the world to play this game. Do you have what it takes to start as a Land Holder, fight off the raiders and rats, acquire land, build an army, equip expeditions, set taxes, and manage your many assets? There is no other simulation that compares with VIKING! For 1 to 4 players, games take 2 to 4 hours, and there is a save the game feature. - \$34.95

FOR ORDERS OR QUESTIONS CALL 1-800-223-5369 EXTENSION 256

Specify System on order **Dealer Inquiries Welcome**

Send Order To: PRICKLY-PEAR SOFTWARE



2640 N. Conestoga Ave. Tucson, Arizona 85749 (602) 749-2864



for each program ordered. (Shipping free on \$50.00 or larger orders). AZ residents add 7% sales tax. Orders shipped within two days

Your Personal check is welcome

no delay. Include \$1.50 shipping

RACKSELLERS

BAMA ingham

dison bile ntaomery

ZONA gstaff oenix

mpe

ALIFORNIA avward emet luntington Beach a Jolla aguna Niguel

ancaster

Los Angeles

Napa Norco Poway Sacramento San Diego

San Francisco San Luis Obispo

Santa Maria

Santa Rosa Sherman Oaks Stockton Upland

Wallingford Walnut Creek

COLORADO Aurora

Colorado Springs Englewood

CONNECTICUT Manchester

Meriden Southington Stamford Wallingford

DELAWARE Wilmington

FLORIDA Altamonte Springs Boca Raton Brooksville Clearwater

Davie Ft. Lauderdale Gainesville Higlegh Jacksonville

Longwood Melbourne Merritt b'and

Miami

Orlando

Ormond Beach Panama City

Plantation Point Ornge Port Rickey Sanibel Island Sarasota

Command Computer Computer Engineers Inc. The Computer Store Computer Shoppe Madison Books Mall Tel Trade-N-Books

Datasystems Apollo Computers Tri-Tek, Inc Books, Etc.

Computers, Etc. 3E Software & Systems Way Enterprises

Hammer Industries Affordable Computers JCS Computers Desert Computing Computer Masters Computer Phone Mart OPAMP Liberty Computers Wiest Custom Studios

Creative Computer Corp. Softwaire Centre International Byte & Floppy Computers
Programs Unlimited Aquarian Age Computer Center El Corral Bookstore

Paradise Computer Systems Eash & Ellis Information Center Software Corner Sawyer's News, Inc Data Systems West

Hardings Way News Computer Haven Friendly Computers The Computer Place Applied Computer Technology, Inc. ECX Computer Co.

Devi Computers Tingle Technologies, Inc. The Computer Farm Whole Life Distributors

Computer Training Institute
Total Computers
Vincom Computer Systems, Inc. Norman Block Associates

Nor-Mar - The Smoke Shop

Micro's Etc Software, Software, Inc. All American Electronics Southern Micro Computer Co. Southern Micro Computers
Software Plus More
Total Information Computers
Computerized Applications
Southern Microcomputer Co.
AA Computer Exchange Florida Computer Resources Electronic Specialty Products City News Stand D & B Office Equipment

Compuworld Micro's, Etc. Allstate Business Center Computers, Computers, Computers

Computer Image MTS, Inc Advanced Business Systems, Inc. Rainbow Computer Center

Micro's Etc. Computer Systems Group Computer Town Micro's Etc Micro's Etc. Computer Trends Sanibel Audio 1 Computer Place

Family Computers

Seminole St. Petersburg Stuart Tampa

Atlanta

Columbus

Decatur

Lithonia

IDAHO

Moscow

Nampa

Pocatello

ILLINOIS

Chicago

Rockford

Urbana

Bloomington

Highland Park

Software Connection Computer Market Place Personal Computer Center Southern Micro Computer Co. GEORGIA Augusta

Home Computer Discount, Inc.

A & S Software Guild News Agency Alboes Computers Corr-Puters Certified, Inc.

Western Computer & Office Supplies H & S Computer Supplies Canyon Computers & Communications Computer Concepts, Inc.

J. Powell & Associates Central Business Machines Hyde Park Computers Home Office Systems/DOS Learn-A-Bit Sunnycrest Business Systems

INDIANA Ft. Wayne Bytrex A Computer Store Indianapolis MicroComputers, Inc. Toso Computer Shop Kokomo Computer Corner Marion West Lafayette Von's Computers

KANSAS Computer Outlet Lawrence Computer Education Assoc Mulvane

KENTUCKY Software Source Louisville Computer Stall Owensboro Falsoft, Inc Prospect Bluebird Computer Radcliff

LOUISIANA Gretna **Opelousas** Sulphur Thibodaux

MAINE Bangor

> MARYLAND Baltimore Bethesda Camp Springs Oakland Pasadena Riverdale Savage Silver Springs Towsend

MASSACHUSETTS Danvers Hanover Waltham Woburn

MICHIGAN Allen Park Ann Arbor Berkley Charlotte Dearborn Farmington

Fenton Grand Rapids

Lapeer Mt. Clemens

Muskegon Novi Owosso Pontiac Rochester Royal Oak Southgate

Sterling Heights

Sound Electronics Home Computer & Software Great Southern Computer Systems Downeast Specialty Co. Personal Computer Learning Center

The Computer Supply Store

Technology Equipment Center Compudeo Comp-U-Type **Englanders Pharmacy** RW Electronics Computer Center Custom Computers D & H Distributing Co. A-OK Computers Greetings & Readings

Microcon Computers & Softwarecenter Computer Concepts Computer Magic Microcon Software Centers

Galaxy Computers University Cellar Family Computers Computer Options Alpha-K Computer Co

ComputerTowne
Computer Control Systems
Petry Products Bursma Electronic Dist. Co. Programs Unlimited Computer Corner

Business Computer Systems Computer Plus, Inc. Key Book Shop 8-Bit Corner Michigan Software
C/C Computer Systems MichTron Rochester Book Center 1-2-3 Compute

New Logic Computers
Popular Computer Centers, Inc.
The Family Room

Creative Center Small Business Computers, Inc. Union Lake Wyandotte ComputerTech Gerry's Book Co Woming

MINNESOTA Minneapolis Rochester

MISSOURI Aurora Columbia Creve Coeur Kansas City Republic St. Louis

MONTANA Billings

Whitehall NEBRASKA Omaha

> NEVADA Computer Magic Las Vegas High-Tek Computer Reno

NEW HAMPSHIRE **E&S** Computing Berlin

NEW JERSEY Jefferson Computer Center Lake Hopatcong The Computer & Software Store Ocean City

Computer Exercise World

Computer Exercise World

Southland Electronics

Computer Concepts

Franklin Computers

Softwaire Centre

PC Center

C & M Associates Brands Mart Computers

Rambyte Computer Institute

Computers & Components

NEW MEXICO Page One Newsstand Albuquerque Programs Unlimited 7ia Computers Zia Computers Las Cruces

Las Cruces Computers NEW YORK Ross Enterprises Amitwille Foxx Computer Services East Rochester Datascan Computer Systems Farmingville Impact Computer Systems Glen Wild P & T Computers Great Neck

Programs Unlimited Lake Grove Adirondack Computer Supply Plattsburg Computer Connections Rochester Vixia Computer Center

Software City Wappingers Falls

NORTH CAROLINA VBS MicroSystems Triangle Data Systems Atlantic Beach Carrboro Pascal Chapel Hill Mountain Computers Mt. Airv Raleigh Computopia Discount Computer Supplies Winston-Salem

NORTH DAKOTA Systematics Buxton Computer Associates Riverside

OHIO Infopro Ashland Comtech Cambridge Micro's Etc Canton Programs Unlimited

Cincinnati Computer Center Cincinnati Video Barn The Book Rack Columbus Friend Chips Cuyahoga Falls Computer Warehouse Genesis Micro Systems Euclid Fairborn Microwave Magic Fairfield Hansbarger's Greenville Electronic Connexion Complete Computing Ketterina Lombard Programs Unlimited Mafield Heights Marion Computer Center Mitey Byte Perfect Computers Softwaire Centre International Big Byte Computers

Marion Newark North Olmstead Alpha Computer Services, Inc. D & K Computer Sales & Service Computer Gallery Poland Ravenna St. Clairsville Toledo **OKLAHOMA**

Merit Computers Data Station — Tulsa Oklahoma City Tulsa

Creative Computers & Electronics OREGON Beaverton University of Oregon Bookstore Eugene Hillsboro Quest Enterprises, Inc. Nomies Video Tec

Super Soft PENNSYI VANIA Computers Plus Ardmore Butler Software Corner Software City Peripherals, Computers & Supplies Exton Mt. Penn Philadelphia Some Hole In The Wall Phoenixville Stevens Computer Center Computer Bug Pittsburgh Warrington Computers Here RHODE ISLAND Mike's CP & Software SOUTH CAROLINA Charleston Heights Software Haus ICT Computer Supply Center Concurrent Technologies Corp. Travelers Rest TENNESSEE First Byte Computer Co. Knoxville TEXAS Capitol Micro Computers, Inc. Austin Electronics Insight ABS Business Products Houston Computer King Texas Computer Products San Antonio Wagner Bros. Computer Store UTAH Sound Station Logan Lloyd's Business Machines Provo VERMONT Montpellie Capital Personal Computers Rutland Computer Marketing VIRGINIA Alonso Book & Periodicals Alexandria Arlington Micro Flow Co. Family Computer Center Soft Cost Fairfax Falls Church Fredericksburg Salem Computer Center Gloucester Point Gloucester Electronics Norfolk Micro-Enhancements Springfield Fairfax Computer Corp. Virginia Beach Beach Business Machines Williamsburg The Other Office Supply Store WASHINGTON Commercial Computer Systems Centralia Computer Center Discount Computer Supply College Place Federal Way Compu-Place Crown Microproducts Marysville More Than Games Axiom Computer Computer Centers Olympia Computer World Renton Puget Sound Electronics Bits & Chips Seattle Pioneer Computers R&K Enterprises
Quality Software Spokane WEST VIRGINIA The Computer Tree Morgantown Computer Closet WISCONSIN **Emerald Computers** Janesville Stevens Point Mom's Computers AUSTRALIA: SYDNEY Kingsford Paris Radio Electronics VICTORIA Melbourne Computer Biz CANADA: Calgary Tesserac Computer Systems The Computer Shop CompuSoft Edmonton Computique Compu-ware

Disk and Chip

Kelly Software Distributors ONTARIO

Burlington

Burlington Business Systems Home Computer Centre Computer Junction Toronto QUEBEC

Lemond PC Montreal ENGLAND

Molimerx LTD

NFW ZEALAND

Palmerston North Viscount Electronics LTD

These stores carry SOFT SECTOR on a regular basis and may have other products of interest to Sanyo 550 series users. We hope you will patronize those in your area.

ADVERTISERS INDEX

The stores listed below carry SOFT SECTOR on a regular basis and may have other products of interest to Sanyo 550 series users. We hope you will patronize those in your area.

American Small Business		
Computers		.39
A-OK Computers	51.	53
AA Computer Exchange		63
A.J. Software		
B-T Distributors		
BOW Contains		.44
BGW Systems		.80
Binary Tree Technology		.82
Block Marketing, Inc		. 19
Business Machine Consultants		
C R Distributing		.66
CM Associates		.63
Certified Computers		72
Comp-U-Type		
CompuSoft		
Compusor Associates Is		.54
Computer Associates, Inc		.9
Computer Creations, Inc		
Computer Engineers, Inc	18	, 83
Computer Gallery, Inc		.23
Computer Solutions		.72
Computer Toolbox, Inc., The		.39
DISKcount Software		69
Displayed Video		7/
Diversified Computers		90
Federal Hill Software		
Federal Fill Software	• • • • • • •	.31
Future Systems	• • • • • • • • • • • • • • • • • • • •	.28
Greywolf Technologies, Inc	48	, 49
Hammer Industries, Inc		.28
Home Office Electronics Business Systems	3	
Systems		.78
Information Associates		.71
Integrated Technologies		.26
ICR FutureSoft		5
I TH Inc		77
J&M Systems Ltd		IBC
J & M Systems, Ltd James River Group, Inc., The		70
La Plata		2
La Plata Lemberger Company, The	• • • • • • • •	70
Lemberger Company, The	• • • • • •	. / 0
Level IV Products, Inc.		20
Michigan Software Distributors, Inc		- 6
Inc		4
MichTron	IFC, 15	, 8
Micro Equipment Corporation		3
Migraph Software	.50, 72	2, 70
M.W.S. Computers		
Moonwolf Games		
Oakwood Publishing		7
Olympic Educational Software		1
Ciympic Ludcational Goitware		



Call: Jack Garland Garland Associates, I 10 Industrial Park Dri Hingham, M.M 0243 (617) 749-5852

Call: Cindy Shackleford Director, West Coast Office 12110 Meridian South — Su P.O. Box 73-578 Puyallup, WA 98373-0578 (206) 848-7786

Owl-Services	12
Palm Bay Software	
Pascal and Associates	12
Peripheral Products Distributing	
Port One	44
Prickly-Pear Software	
Sanyo Canada	
Sanyo	
Sanyo City	
Silver Fox Computers	29
Synergistic Software	61
Syntel Corp	
Systems Peripherals Consultants	25, 37
Tampa Bay Digital	44
Tex-Comp Users Supply	
Company	
TMP Software	
TW Technologies	
Total Learning Systems	
U.S. Digital Corporation	
Wagner Brothers	
Weaver Street Software	
WyndhamWare	
Writing Consultants	69
We encourage you to netropize our educ	rtinoro

We encourage you to patronize our advertisers all of whom support the Sanyo 550/555 series computers. We will appreciate your mentioning SOFT SECTOR when you contact these firms.

SUBSCRIPTION INFORMATION

If you do not receive your copy of SOFT SECTOR by the 15th of the month of publication, send us a card and we will mail another immediately via first class mail.

You must notify us of a new address when you move. Notification should reach us no later than the 15th of the month prior to the month in which you change your address. Sorry, we cannot be responsible for sending another copy when you fail to notify us.

Your mailing label also shows an "account number" and the subscription expiration date. Please indicate this account number when renewing or corresponding with us. It will help us help you better and faster.


For Canadian and other non-U.S. subscribers, there may be a mailing address shown that is different from our editorial office address. Do not send any correspondence to that mailing address. Send it to our editorial offices at P.O. Box 385, Prospect, KY 40059.

Four Reasons Why J&M Systems is the Leader in Sanyo Peripherals and Upgrades



1. Memory Minder®

The most advanced disk drive analysis program available. Memory Minder can check and correct most disk drive problems before they cause data loss and down time. Includes two disks and easy-to-follow instruction manual. Only \$99.



2. Drive Upgrade Kit

This kit allows you to upgrade your 160k disk drives to 360k capacity. You receive 2 disk drives, DS DOS* operating system, and installation instructions. The upgraded drives will open the door to more IBM software.

\$384 for either the 550 or 555.



3. RS-232 Board

Our board is better than "Sanyo compatible." With the J&M Systems RS-232, you can fully configure I/O lines to match your system needs. Buy our board for the same price as theirs and receive extra configuration ability FREE! Just \$99.



4. 5Mbyte Hard Drive

5Mbyte capacity hard disk drive complete with manual, host adapter and software. Installs in minutes. Only \$1,195. While supplies last!

15 Mbyte drives \$1,995.

Dealer Prices Also Available

*DS DOS is a registered trademark of MichTron

To order, fill out this coupon or call (505/265-1501).

- I G like III	ore information on mese	products:	
Memory Minde	Drive Upgrade	RS-232	5Mbyte Hard Disk
Send me the followin	g:		
Qty.	Item	Unit Price	Total
	Memory Minder	\$ 99	
	Drive Upgrade	\$ 384	
	RS-232 Board	\$ 99	
	5Mbyte Hard Disk		
	15Mbyte Drive	\$1,995	
Name	The State of		
Address			学生的主义
City		A PROPERTY.	THE RESERVE OF THE
State	Zij	p	
For those orde	ring with MC or V	isa:	
			ate
and the state of t	NAME AND ADDRESS OF TAXABLE PARTY.		The second second second



137 UTAH NE ALBUQUERQUE, N.M. 87108 505/265-1501

SS 1/85

QUALITY SOFTWARE MAKES SANYO 550 OR 775 AN INCREDIBLE TERMINAL


Cheap communications software can drive you crazy.

Your Sanyo PC makes an ideal communications terminal, but it's wise to choose the software carefully. By the time you've picked a modem (and figured out the switch settings), a reliable RS232 card for your MBC 550 (and installed it), and a suitable cable (and successfully connected the two), you don't want to struggle with a thrown together communications program. Once you've gotten the hardware straight, it stays that way, but software headaches don't go away!

And yet chronic aggravation is almost par for the course — because most communications programs are little more than warmed-over public domain packages, spiced up with cryptic blinking "menus" and the like. Documentation is often sketchy and illogical, and the support, if any, is grossly oversold.

Yes, when it comes to modem and file transfer programs, there is such a thing as too cheap (even in the Sanyo market!). The frustration is costly — it slows you down, it's repeatedly irritating, it's bad for business. But it doesn't have to be that way.

Introducing COPYLINK



The choice of most distributors

It costs less to go with the best

COPYLINK is inexpensive but it is not cheap! It is the only communications software under \$100 that takes care of you if you're not a programmer. And impresses you if you are! For COPYLINK is simple enough for the beginner and powerful enough for the pro. That's one reason why COPYLINK is carried by 32 major Sanyo distributors and hundreds of dealers, who realize they cannot afford to give their customers headaches — no matter how cheap! Another reason is U.S. Digital's responsive commitment to customer support.

Extraordinary Support

U.S. Digital receives plenty of feedback like this note: "Dear Sirs, Copylink version 2.41 works great. I have encountered no bugs at all. Thanks for all your phone help. It is a pleasure to deal with a software company that cares about their product and is so willing to help the end user." — Peter Silberman, Dallas.

Two Programs in One

COPYLINK can access all the popular databases, bulletin boards, and timesharing systems or send electronic mail. COPYLINK is also a file transfer program with error-checking that quickly copies any type of files from over 35 incompatible micros.

Friendly Flexibility

COPYLINK provides HELP at every level of the program. For most uses, however, you only have to remember the "CALL" command and the name you want to call. Let COPYLINK look up and dial the number from an unlimited directory. In fact, you can make it do everything automatically — logon, write a file to your disk, transmit a message, and logoff. It will even save that file and hangup the phone for you, should you happen to forget — sparing you duplication of effort and gigantic phone bills.

U.S. Digital Corporation 5687-D S.E. International Way Portland, Oregon 97222 (503) 654-0668 Tele 888521

U.S.DIGITAL

"The Strongest Link"

Microcomputing Magazine has dubbed Copylink "The Strongest Link". In the October 1984 issue, a reviewer summed it up like this: "Copylink is one of the most powerful data communications packages available at any price. The fact that it can be purchased for less than \$100 makes it the best communications value on the market today in terms of power per dollar."

Ready to run

All versions of MBC 550/555 (even with hard disk), MBC 1150 & 1250 require no installation. COPYLINK works with almost all 103, 212A, and Hayes-compatible modems. It comes with a comprehensive and well-written User's Manual in an attractive binder.

Make a wise business decision

Give us a call to locate the dealer nearest you. If you are a dealer or distributor who has yet to experience the friendly power of COPYLINK, evaluation units are easy to arrange. Communications software is something every dealer is called upon for. Why not save yourself and your customers some headaches and go with the best? If we won't compromise, why should you? Call or Telex U.S. Digital now.

Reasonable prices

Single Format Package \$ 99.95
Dual Format Package \$129.95
(for file transfers)



Free Dow Jones® Subscription, \$125 Value

Now enjoy a free password to Dow Jones News/Retrieval® worth \$75 and one hour of free time on the most prestigious information network — with purchase of Copylink

Access business, economic, sports, and world news, WS Journal highlights, current and historical stock quotes and trading activity, financial disclosures, investment services, the Academic American Encyclopedia, and electronic shopping featuring over 50,000 items at discount prices.